


Daten  $rgb^*$ ,  $XYZxy$  und  $LabC^*h_{ab}$  von sRGB-Farben

Hellbezugswerte von Schwarz N und Weiss W:  $Y_N=0,0$ ,  $Y_W=88,6$

|       | $rgb^*$ | CIEXYZ-Daten                    | $LabC^*h_{ab}$ -Daten                           |
|-------|---------|---------------------------------|-------------------------------------------------|
|       |         | $X_d$ $Y_d$ $Z_d$ $x_d$ $y_d$   | $L_d^*$ $a_d^*$ $b_d^*$ $C_{ab,d}^*$ $h_{ab,d}$ |
| $R_d$ | 1 0 0   | 36,53 18,84 1,71 0,639 0,330    | 50,50 76,88 64,48 100,34 39                     |
| $Y_d$ | 1 1 0   | 68,21 82,20 12,27 0,419 0,505   | 92,66 -20,72 90,72 93,06 102                    |
| $G_d$ | 0 1 0   | 31,68 63,56 10,56 0,300 0,599   | 83,63 -82,76 79,89 115,03 136                   |
| $C_d$ | 0 1 1   | 47,67 69,76 94,78 0,224 0,328   | 86,88 -46,17 -13,57 48,12 196                   |
| $B_d$ | 0 0 1   | 16,00 6,40 84,22 0,150 0,060    | 30,41 76,01 -103,55 128,46 306                  |
| $M_d$ | 1 0 1   | 52,52 25,24 85,93 0,320 0,154   | 57,30 94,32 -58,42 110,94 328                   |
| $N_d$ | 0 0 0   | 0,01 0,01 0,01 0,333 0,333      | 0,17 0,03 0,02 0,04 0                           |
| $W_d$ | 1 1 1   | 84,21 88,60 96,48 0,312 0,329   | 95,41 0,00 0,00 0,00 0                          |
| D65   |         | 95,05 100,00 108,90 0,312 0,329 | 100,00 0,00 0,00 0,00 0                         |

AGP00-1N



Daten  $rgb^*$ ,  $XYZxy$  und  $LabC^*h_{ab}$  von sRGB-Farben

Hellbezugswerte von Schwarz N und Weiss W:  $Y_N=2,5$ ,  $Y_W=88,6$

|       | $rgb^*$ | CIEXYZ-Daten                    | $LabC^*h_{ab}$ -Daten                           |
|-------|---------|---------------------------------|-------------------------------------------------|
|       |         | $X_d$ $Y_d$ $Z_d$ $x_d$ $y_d$   | $L_d^*$ $a_d^*$ $b_d^*$ $C_{ab,d}^*$ $h_{ab,d}$ |
| $R_d$ | 1 0 0   | 37,88 20,82 4,40 0,600 0,329    | 52,75 71,63 49,90 87,30 34                      |
| $Y_d$ | 1 1 0   | 68,66 82,38 14,66 0,414 0,497   | 92,74 -20,07 84,98 87,32 103                    |
| $G_d$ | 0 1 0   | 33,18 64,08 12,99 0,300 0,581   | 84,00 -79,01 73,97 108,23 136                   |
| $C_d$ | 0 1 1   | 48,71 70,29 94,83 0,227 0,328   | 87,14 -44,44 -13,15 46,34 196                   |
| $B_d$ | 0 0 1   | 17,93 8,73 84,57 0,161 0,078    | 35,46 64,94 -95,09 115,15 304                   |
| $M_d$ | 1 0 1   | 53,42 27,03 86,23 0,320 0,162   | 59,00 89,32 -55,70 105,27 328                   |
| $N_d$ | 0 0 0   | 2,40 2,52 2,74 0,313 0,328      | 18,04 0,10 0,03 0,11 18                         |
| $W_d$ | 1 1 1   | 84,21 88,60 96,48 0,312 0,329   | 95,41 0,00 0,00 0,00 0                          |
| D65   |         | 95,05 100,00 108,90 0,312 0,329 | 100,00 0,00 0,00 0,00 0                         |

AGP01-1N

