


Daten rgb^* , XYZxy und LabC* h_{ab} von Offs-Farben

Hellbezugswerte von Schwarz N und Weiss W: $Y_N=0,0$, $Y_W=88,6$

	rgb^*	CIEXYZ-Daten	LabC* h_{ab} -Daten
		X_d Y_d Z_d x_d y_d	L_{ab}^* a_{ab}^* b_{ab}^* $C_{ab,d}^*$ $h_{ab,d}$
R_d	1 0 0	29,01 16,25 4,27 0,585 0,328	47,31 63,76 41,20 75,92 32
Y_d	1 1 0	63,75 72,68 8,28 0,440 0,502	88,29 -11,89 95,08 95,82 97
G_d	0 1 0	8,53 20,05 9,58 0,223 0,525	51,90 -68,80 28,10 74,32 157
C_d	0 1 1	18,75 26,27 69,03 0,164 0,230	58,29 -29,16 -43,70 52,54 236
B_d	0 0 1	6,22 4,51 22,66 0,186 0,135	25,31 23,48 -47,28 52,79 296
M_d	1 0 1	32,46 16,95 23,05 0,447 0,233	48,20 72,77 -8,49 73,26 353
N_d	0 0 0	0,01 0,01 0,01 0,333 0,333	0,17 0,03 0,02 0,04 0
W_d	1 1 1	84,21 88,60 96,48 0,312 0,329	95,41 0,00 0,00 0,00 0
D65		95,05 100,00 108,90 0,312 0,329	100,00 0,00 0,00 0,00 0

AGP20-1N



Daten rgb^* , XYZxy und LabC* h_{ab} von Offs-Farben

Hellbezugswerte von Schwarz N und Weiss W: $Y_N=2,5$, $Y_W=88,6$

	rgb^*	CIEXYZ-Daten	LabC* h_{ab} -Daten
		X_d Y_d Z_d x_d y_d	L_{ab}^* a_{ab}^* b_{ab}^* $C_{ab,d}^*$ $h_{ab,d}$
R_d	1 0 0	30,58 18,30 6,88 0,548 0,328	49,86 58,70 33,90 67,79 30
Y_d	1 1 0	64,33 73,14 10,78 0,433 0,493	88,51 -11,49 87,67 88,42 97
G_d	0 1 0	10,68 21,99 12,04 0,238 0,491	54,02 -60,56 24,73 65,41 157
C_d	0 1 1	20,61 28,04 69,80 0,174 0,236	59,92 -26,87 -41,53 49,47 237
B_d	0 0 1	8,44 6,90 24,75 0,210 0,172	31,58 17,99 -40,01 43,87 294
M_d	1 0 1	33,93 18,98 25,13 0,434 0,243	50,67 67,33 -7,72 67,77 353
N_d	0 0 0	2,40 2,52 2,74 0,313 0,328	18,04 0,10 0,03 0,11 18
W_d	1 1 1	84,21 88,60 96,48 0,312 0,329	95,41 0,00 0,00 0,00 0
D65		95,05 100,00 108,90 0,312 0,329	100,00 0,00 0,00 0,00 0

AGP21-1N

