


Daten rgb^* , XYZxy und LabC $^*h_{ab}$ von Ostw-Farben

Hellbezugswerte von Schwarz N und Weiss W: $Y_N=0,0$, $Y_W=88,6$

	rgb^*	CIEXYZ-Daten	LabC $^*h_{ab}$ -Daten
		X_d Y_d Z_d x_d y_d	L_{ab}^* a_{ab}^* b_{ab}^* $C_{ab,d}^*$ $h_{ab,d}$
R_d	1 0 0	55,28 36,99 0,68 0,594 0,397	67,27 58,44 106,21 121,23 61
Y_d	1 1 0	67,94 72,65 1,13 0,479 0,512	88,28 -2,43 136,10 136,13 91
G_d	0 1 0	21,12 57,87 13,29 0,228 0,627	80,67 -113,83 67,44 132,31 149
C_d	0 1 1	28,91 51,60 95,79 0,164 0,292	77,04 -64,77 -31,21 71,89 205
B_d	0 0 1	16,27 15,94 95,34 0,127 0,125	46,90 6,50 -82,87 83,12 274
M_d	1 0 1	63,08 30,72 83,17 0,356 0,173	62,27 98,75 -47,86 109,74 334
N_d	0 0 0	0,01 0,01 0,01 0,333 0,333	0,17 0,03 0,02 0,04 0
W_d	1 1 1	84,21 88,60 96,48 0,312 0,329	95,41 0,00 0,00 0,00 0
D65		95,05 100,00 108,90 0,312 0,329	100,00 0,00 0,00 0,00 0

AGP30-1N



Daten rgb^* , XYZxy und LabC $^*h_{ab}$ von Ostw-Farben

Hellbezugswerte von Schwarz N und Weiss W: $Y_N=2,5$, $Y_W=88,6$

	rgb^*	CIEXYZ-Daten	LabC $^*h_{ab}$ -Daten
		X_d Y_d Z_d x_d y_d	L_{ab}^* a_{ab}^* b_{ab}^* $C_{ab,d}^*$ $h_{ab,d}$
R_d	1 0 0	56,11 38,45 3,39 0,572 0,392	68,35 55,83 82,50 99,61 55
Y_d	1 1 0	68,40 73,10 3,83 0,470 0,502	88,49 -2,35 114,62 114,64 91
G_d	0 1 0	22,91 58,74 15,65 0,235 0,603	81,15 -107,58 62,73 124,54 149
C_d	0 1 1	30,48 52,65 95,81 0,170 0,294	77,66 -61,49 -30,14 68,48 206
B_d	0 0 1	18,20 18,00 95,37 0,138 0,136	49,50 5,86 -78,41 78,63 274
M_d	1 0 1	63,68 32,36 83,55 0,354 0,180	63,64 94,23 -45,78 104,76 334
N_d	0 0 0	2,40 2,52 2,74 0,313 0,328	18,04 0,10 0,03 0,11 18
W_d	1 1 1	84,21 88,60 96,48 0,312 0,329	95,41 0,00 0,00 0,00 0
D65		95,05 100,00 108,90 0,312 0,329	100,00 0,00 0,00 0,00 0

AGP31-1N

