

rgb*_e- und CIE-Daten eines Elementar-Bunttonkreises nach CIE R1-47 für Ostwald-Farben
XYZ-, xy-, YAB- und Lab*-Daten für relative Stufung des Elementarbunttons h_{ab} von CIELAB, $Y_W=88,6$, $Y_N=0$
16-stufiger Elementar-Bunttonkreis mit Ziel-Elementar-Buntton: $h_{ab} = 25.4, 92.3, 162.2, 271.7$ von CIELAB

	X	Y	Z	x	y	A	B	C _{AB}	h _{AB}	L*	a*	b*	C* _{ab}	h _{ab}	rgb -> rgb* _e		
R00Y=R	59.0	37.7	19.9	0.505	0.323	23.1	8.4	24.6	20.1	67.8	65.1	31.0	72.1	25.4	1.00	0.00	0.00
R25Y	57.1	38.1	7.6	0.554	0.37	20.8	13.5	24.8	32.9	68.1	59.3	62.3	86.1	46.4	1.00	0.25	0.00
R50Y	56.2	39.0	2.4	0.575	0.399	19.2	16.0	25.0	39.8	68.7	54.5	89.6	104.8	58.6	1.00	0.50	0.00
R75Y	64.5	55.8	2.6	0.524	0.453	11.5	23.2	25.9	63.6	79.5	27.8	106.9	110.5	75.4	1.00	0.75	0.00
Y00G=Y	68.3	74.3	3.5	0.467	0.508	-2.3	30.9	31.0	94.2	89.1	-4.9	117.1	117.2	92.4	1.00	1.00	0.00
Y25G	59.9	79.8	8.2	0.404	0.539	-16.0	31.5	35.3	116.9	91.6	-35.1	101.1	107.0	109.1	0.75	1.00	0.00
Y50G	40.9	71.4	9.3	0.336	0.587	-26.9	27.3	38.4	134.5	87.6	-69.4	90.5	114.1	127.4	0.50	1.00	0.00
Y75G	25.3	61.0	12.8	0.254	0.615	-32.7	21.4	39.1	146.7	82.4	-102.5	71.5	125.0	145.1	0.25	1.00	0.00
G00B=G	20.9	55.5	29.7	0.197	0.522	-31.8	12.2	34.1	158.9	79.3	-108.8	34.5	114.2	162.3	0.00	1.00	0.00
G25B	26.1	53.0	72.5	0.172	0.349	-24.2	-5.9	24.9	193.7	77.9	-79.6	-12.7	80.6	189.1	0.00	1.00	0.50
G50B	24.4	41.8	96.2	0.15	0.257	-15.3	-20.2	25.4	232.8	70.7	-56.1	-42.3	70.3	216.9	0.00	1.00	1.00
G75B	19.6	27.8	95.9	0.137	0.193	-6.7	-26.2	27.1	255.5	59.7	-30.5	-61.1	68.4	243.4	0.00	0.50	1.00
B00R=B	18.0	18.3	95.4	0.136	0.139	0.5	-30.1	30.1	271.0	49.9	3.0	-77.6	77.7	272.2	0.00	0.00	1.00
B25R	17.6	9.3	92.8	0.147	0.077	8.7	-33.0	34.2	284.8	36.6	58.4	-98.9	114.9	300.5	0.50	0.00	1.00
B50R	55.7	25.1	88.1	0.329	0.148	31.8	-24.2	40.0	322.6	57.2	102.8	-60.1	119.1	329.6	1.00	0.00	1.00
B75R	63.5	37.3	46.1	0.432	0.253	28.0	-2.1	28.1	355.5	67.5	77.2	-6.2	77.4	355.4	1.00	0.00	0.50

5-stufige gleichabständige Graureihe mit Ziel-Helligkeit: $L^* = 0.0, 23.8, 47.7, 71.5, 95.4$

N000W=N	0.0	0.0	0.0	0.311	0.327	0.0	0.0	0.0	71.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00
N025W	3.8	4.0	4.4	0.312	0.329	0.0	0.0	0.0	345.0	23.8	0.0	0.0	0.0	0.0	0.25	0.25	0.25
N050W	15.7	16.5	18.0	0.312	0.329	0.0	0.0	0.0	331.2	47.7	0.0	0.0	0.0	0.0	0.50	0.50	0.50
N075W	40.8	43.0	46.8	0.312	0.329	0.0	0.0	0.0	329.4	71.5	0.0	0.0	0.0	0.0	0.75	0.75	0.75
N100W=W	84.2	88.6	96.4	0.312	0.329	0.0	0.0	0.0	328.7	95.4	0.0	0.0	0.0	0.0	1.00	1.00	1.00