

Ostwald optimal colours (o) of maximum (m) C _{AB,10} for D65, Y _{w,10} =88,6, Y _m =520_770															
id	λ ₁	id	λ ₂	L* ₁₀	A* ₁₀	B* ₁₀	C* _{10AB}	a* ₁₀	b* ₁₀	h _{10a*b}	id	λ _d	i _c	λ _c	Code
0	405	31	556	76.14	-63.69	-32.73	71.61	0.1807	-0.1034	207.2	15	476	37	585	Cm
6	435	31	557	76.6	-79.33	-17.09	81.15	0.1724	-0.0949	192.1	16	480	44	621	
10	450	31	559	76.66	-104.0	14.38	104.99	0.1591	-0.078	172.1	18	491	-1	491c	
11	460	32	562	77.59	-106.96	26.3	110.15	0.1581	-0.0717	166.1	19	498	-1	498c	
12	465	33	565	78.44	-108.31	38.66	115.0	0.1579	-0.0653	160.3	21	506	-1	506c	
14	470	34	570	79.55	-105.44	62.82	122.74	0.1601	-0.053	149.2	24	522	-1	522c	
15	475	35	579	82.28	-90.9	78.08	119.83	0.169	-0.0462	139.3	26	533	-1	533c	Gm
16	480	41	606	88.26	-51.22	98.09	110.66	0.1907	-0.0389	117.5	30	550	-1	550c	
16	485	-1	484c	92.47	-19.41	105.36	107.14	0.2063	-0.0374	100.4	32	560	10	454	
18	490	-1	490c	91.19	-14.24	119.52	120.37	0.2086	-0.0302	96.7	32	562	11	459	max
19	495	-1	495c	90.38	-10.78	125.17	125.64	0.2101	-0.0271	94.9	32	563	12	461	
19	500	-1	499c	90.38	-10.78	125.17	125.64	0.2101	-0.0271	94.9	32	563	12	461	
22	510	-1	510c	87.03	2.81	136.08	136.11	0.2166	-0.0195	88.8	33	566	13	466	
23	520	-1	519c	85.59	8.2	138.07	138.32	0.2192	-0.0174	86.5	33	568	13	468	Ym
26	530	-1	530c	80.1	26.24	135.8	138.31	0.2288	-0.0115	79.0	34	573	14	472	
27	540	-1	539c	77.92	32.52	133.12	137.03	0.2325	-0.0095	76.2	35	576	14	473	
28	545	-1	544c	75.58	38.77	129.76	135.43	0.2363	-0.0075	73.3	35	578	14	474	
29	550	-1	549c	73.08	44.94	125.82	133.6	0.2404	-0.0054	70.3	36	580	15	475	
31	555	-1	555c	67.68	56.46	116.69	129.64	0.2489	0.0	64.1	37	586	15	476	
32	560	10	451	66.12	81.07	-15.27	82.5	0.2645	-0.095	349.3	-1	492c	18	492	
31	556	0	405	76.0	48.11	59.74	76.71	0.2413	-0.0534	51.1	37	585	15	476	Rm
31	557	6	435	75.53	57.37	22.48	61.62	0.2465	-0.0735	21.4	44	621	16	480	
31	559	10	450	75.47	68.68	-12.46	69.8	0.2527	-0.0925	349.7	-1	491c	18	491	
32	562	11	460	74.5	72.44	-20.87	75.39	0.2552	-0.0972	343.9	-1	498c	19	498	
33	565	12	465	73.57	75.5	-28.15	80.57	0.2573	-0.1013	339.5	-1	506c	21	506	
34	570	14	470	72.31	77.62	-38.5	86.64	0.2591	-0.1074	333.6	-1	522c	24	522	
35	579	15	475	68.89	79.19	-47.07	92.12	0.2618	-0.1133	329.2	-1	533c	26	533	Mm
41	606	16	480	59.35	70.77	-65.44	96.39	0.2621	-0.1289	317.2	-1	550c	30	550	
-1	484c	16	485	49.78	43.57	-81.94	92.81	0.2483	-0.1477	298.0	10	454	32	560	
-1	490c	18	490	53.06	30.12	-78.58	84.16	0.237	-0.1423	290.9	11	459	32	562	min
-1	495c	19	495	54.95	22.04	-76.01	79.14	0.2307	-0.139	286.1	12	461	32	563	
-1	499c	19	500	54.95	22.04	-76.01	79.14	0.2307	-0.139	286.1	12	461	32	563	
-1	510c	22	510	61.59	-5.06	-65.65	65.85	0.2119	-0.1278	265.5	13	466	33	566	
-1	519c	23	520	64.03	-14.04	-61.63	63.21	0.2064	-0.124	257.1	13	468	33	568	Bm
-1	530c	26	530	71.66	-37.09	-48.77	61.27	0.1941	-0.1134	232.7	14	472	34	573	
-1	539c	27	540	74.15	-42.73	-44.52	61.71	0.1915	-0.1103	226.1	14	473	35	576	
-1	544c	28	545	76.56	-47.17	-40.39	62.1	0.1897	-0.1074	220.5	14	474	35	578	
-1	549c	29	550	78.88	-50.39	-36.41	62.17	0.1887	-0.1048	215.8	15	475	36	580	
-1	555c	31	555	83.16	-53.18	-29.03	60.59	0.1884	-0.1003	208.6	15	476	37	586	
10	451	32	560	84.24	-82.62	12.24	83.52	0.174	-0.0796	171.5	18	492	-1	492c	
380		770		95.41	0.0	0.0	0.0	0.2152	-0.0857	0.0					