

Ostwald optimal colours (o), maximum (m) C_{AB} for A00, Y_N=3,6, Y_W=90, Y_m=520_770

i ₁ , λ ₁	i ₂ , λ ₂	Y	A ₂	B _{c2}	C _{A2B2}	a ₂	b ₂	h _{xy,2}	i _d , λ _d	i _c , λ _c	Code
1 405	34 574	45.93	−59.57	−30.6	66.98	0.3094	−0.2489	207.1	18 494	39 599	Cm
6 435	34 574	46.09	−60.23	−21.26	63.88	0.3056	−0.2161	199.4	19 496	42 612	
9 450	34 574	46.35	−61.04	−6.98	61.44	0.3015	−0.1664	186.5	20 501	−1 501c	
12 460	35 575	46.0	−61.33	9.36	62.04	0.295	−0.1097	171.3	21 508	−1 508c	
13 465	35 575	46.26	−61.2	14.85	62.98	0.2991	−0.0909	166.3	22 512	−1 512c	
13 470	35 576	46.86	−61.21	15.38	63.11	0.3058	−0.0897	165.8	22 513	−1 513c	
14 475	35 577	47.65	−60.91	20.69	64.33	0.3169	−0.0727	161.2	23 519	−1 519c	Gm
16 480	35 579	48.7	−59.74	28.71	66.28	0.3376	−0.0479	154.3	26 533	−1 533c	
17 485	36 582	50.33	−58.25	32.69	66.8	0.3653	−0.0383	150.6	28 540	−1 540c	
18 490	37 588	53.85	−54.96	37.85	66.73	0.42	−0.0298	145.4	29 548	−1 548c	
19 495	40 601	61.06	−44.1	45.87	63.63	0.5394	−0.022	133.8	31 559	−1 559c	
20 500	−1 500c	77.63	5.72	61.93	62.19	0.8578	−0.0146	84.7	35 576	13 469	max
21 510	−1 509c	76.57	8.29	62.05	62.61	0.8716	−0.0126	82.3	35 576	14 472	
24 520	−1 520c	71.52	19.47	59.43	62.54	0.9372	−0.0093	71.8	35 579	16 480	Ym
26 530	−1 530c	66.62	28.9	55.68	62.74	1.0018	−0.0085	62.5	36 582	16 484	
28 540	−1 540c	60.72	38.73	50.76	63.85	1.0834	−0.0085	52.6	37 585	17 487	
28 545	−1 544c	60.72	38.73	50.76	63.85	1.0834	−0.0085	52.6	37 585	17 487	
29 550	−1 549c	57.48	43.44	47.97	64.72	1.1306	−0.0087	47.8	37 586	17 489	
31 555	−1 555c	50.54	51.76	41.9	66.6	1.2379	−0.0096	38.9	38 590	18 491	
32 560	−1 560c	46.93	55.05	38.72	67.31	1.2975	−0.0102	35.1	38 593	18 492	
34 574	1 405	44.06	59.57	30.6	66.97	1.369	−0.0311	27.1	39 599	18 494	Rm
34 574	6 435	43.9	60.23	21.26	63.87	1.3771	−0.0647	19.4	42 612	19 496	
34 574	9 450	43.64	61.04	6.98	61.43	1.3877	−0.1166	6.5	−1 501c	20 501	
35 575	12 460	43.99	61.32	−9.36	62.03	1.3858	−0.1763	351.3	−1 508c	21 508	
35 575	13 465	43.73	61.19	−14.85	62.97	1.388	−0.1966	346.3	−1 512c	22 512	
35 576	13 470	43.13	61.2	−15.38	63.1	1.3958	−0.1993	345.8	−1 513c	22 513	
35 577	14 475	42.34	60.9	−20.69	64.32	1.4036	−0.2204	341.2	−1 519c	23 519	Mm
35 579	16 480	41.29	59.73	−28.71	66.27	1.4069	−0.2535	334.3	−1 533c	26 533	
36 582	17 485	39.66	58.24	−32.69	66.78	1.4155	−0.2741	330.6	−1 540c	28 540	
37 588	18 490	36.14	54.95	−37.84	66.72	1.4364	−0.3098	325.4	−1 548c	29 548	
40 601	19 495	28.93	44.09	−45.86	63.62	1.4379	−0.3959	313.8	−1 559c	31 559	
−1 500c	20 500	12.36	−5.72	−61.91	62.17	0.6431	−0.9436	264.7	13 469	35 576	min
−1 509c	21 510	13.42	−8.29	−62.04	62.59	0.581	−0.8819	262.3	14 472	35 576	
−1 520c	24 520	18.47	−19.47	−59.43	62.53	0.4067	−0.6569	251.8	16 480	35 579	Bm
−1 530c	26 530	23.37	−28.9	−55.68	62.73	0.3337	−0.5233	242.5	16 484	36 582	
−1 540c	28 540	29.27	−38.72	−50.76	63.85	0.299	−0.4197	232.6	17 487	37 585	
−1 544c	28 545	29.27	−38.72	−50.76	63.85	0.299	−0.4197	232.6	17 487	37 585	
−1 549c	29 550	32.51	−43.44	−47.97	64.72	0.2938	−0.3783	227.8	17 489	37 586	
−1 555c	31 555	39.45	−51.76	−41.9	66.6	0.3034	−0.3122	218.9	18 491	38 590	
−1 560c	32 560	43.06	−55.06	−38.72	67.31	0.3169	−0.2861	215.1	18 492	38 593	
W0 380	770	89.99	0.0	0.0	0.0	0.8283	−0.3557	0.0	B _c =2,500		
N0 380	770	3.59	0.0	0.0	0.0	0.8283	−0.3557	0.0	x _c =0,110		