



c
See original or copy: http://web.me.com/klaus_richter/NE36/NE36L0NA.TXT/.PS
Technical information: http://www.ps.bam.de or http://130.149.60.45/~farbmeftrik

CIEBasedABC-color space transformation ABC* → XYZ
CIELAB part 1: ABC* → LMN*

A = DecodeA* = {16 add 116 div}
B = DecodeB* = {500 div}
C = DecodeC* = {200 div}

$$\begin{pmatrix} L^* \\ M^* \\ N^* \end{pmatrix} = \begin{pmatrix} 1 & 1 & 0 \\ 1 & 0 & 0 \\ 1 & 0 & -1 \end{pmatrix} \times \begin{pmatrix} A \\ B \\ C \end{pmatrix}$$

NE360-1, B8_36_1

CIEBasedABC-color space transformation ABC* → XYZ
CIELAB part 2: LMN* → XYZ

L = DecodeL* = {3 exp}
M = DecodeM* = {3 exp}
N = DecodeN* = {3 exp}

$$\begin{pmatrix} X \\ Y \\ Z \end{pmatrix} = \begin{pmatrix} 1 & 0 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 1 \end{pmatrix} \times \begin{pmatrix} X_n & L \\ Y_n & M \\ Z_n & N \end{pmatrix}$$

NE360-2, B8_36_2

CIELAB L*a*b*-color space

```
[/CIEBasedABC<< %Dict PostScript Level 2
/MatrixABC [1 0 0 1 0 0 1] %default
/DecodeABC [{16 add 116 div} bind
{500 div} bind {200 div} bind]
/RangeABC [0 100 -128 127 -128 127] %Lab*
/MatrixLMN [0.9505 0 0 0 1 0 0 0 1.0890]
/DecodeLMN [{3 exp} {3 exp} {3 exp}]
/RangeLMN [0 0.9505 0 1 0 1.0890] %D65
/WhitePoint [0.9505 1 1.0890] %D65
/BlackPoint [0 0 0] % default
>>]setcolorspace
```

NE360-3, B8_36_3

CIEBasedABC -optimization of color rendering Lab*_{soll} - Lab*_{eopt}

PSL2-program output measure
 $L_{\text{aim}}^* \rightarrow L^* \rightarrow L \quad L_{\text{real}}$
 $a_{\text{aim}}^* \rightarrow M \rightarrow M^* \rightarrow M \rightarrow a_{\text{real}}^*$
 $b_{\text{aim}}^* \rightarrow N \rightarrow N^* \rightarrow N \quad b_{\text{real}}$
 $L_{\text{aimc}}^* = L_{\text{aim}}^* + (L_{\text{aim}}^* - L_{\text{real}}) \quad L_{\text{eopt}}$
 $a_{\text{aimc}}^* = a_{\text{aim}}^* + (a_{\text{aim}}^* - a_{\text{real}}^*) \rightarrow a_{\text{eopt}}^*$
 $b_{\text{aimc}}^* = b_{\text{aim}}^* + (b_{\text{aim}}^* - b_{\text{real}}) \quad b_{\text{eopt}}^*$

NE360-4, B8_37_1

least square fit for color rendering
 $\text{Lab}_{i,\text{aim}}^* - \text{Lab}_{i,\text{eopt}}^* = \text{Min.}$

color-differences $\Delta(\text{Lab}^*)$ for CIE-test colors $i = 1, 2, \dots, 17$

$$\begin{aligned} \Delta L_i^* &= L_{i,\text{aim}}^* - L_{i,\text{eopt}}^* \\ \Delta a_i^* &= a_{i,\text{aim}}^* - a_{i,\text{eopt}}^* \\ \Delta b_i^* &= b_{i,\text{aim}}^* - b_{i,\text{eopt}}^* \\ \sum_{i=1,17} [(\Delta L_i^*)^2 + (\Delta a_i^*)^2 + (\Delta b_i^*)^2]^{1/2} &= \text{Min.} \end{aligned}$$

NE360-5, B8_37_2

least square fit for color rendering
 $\text{Lab}_{i,\text{aim}}^* - \text{Lab}_{i,\text{eopt}}^* = \text{Min.}$

color-differences $\Delta(\text{Lab}^*)$ for CIE-test colors $i = 1$ to $17 \rightarrow \text{min.}$

$$\begin{pmatrix} L_{i,\text{eopt}}^* \\ a_{i,\text{eopt}}^* \\ b_{i,\text{eopt}}^* \end{pmatrix} = \begin{pmatrix} a_{11} & a_{21} & a_{31} \\ a_{12} & a_{22} & a_{32} \\ a_{13} & a_{23} & a_{33} \end{pmatrix} \times \begin{pmatrix} L_{i,\text{aim}}^* \\ a_{i,\text{aim}}^* \\ b_{i,\text{aim}}^* \end{pmatrix}$$

$$\sum_{i=1,17} [(\Delta L_i^*)^2 + (\Delta a_i^*)^2 + (\Delta b_i^*)^2]^{1/2} = \text{Min.}$$

NE360-6, B8_37_3

PSL2-program code: definition and reproduction of 17 CIE-test colors

```
%!PS-Adobe-3.0 B7221-7n.eps 20.10.94
%>BoundingBox: 72 90 226 206
/FS { findfont exch scalefont setfont } bind def
/MM { 72 25.4 div mul } def
/languagelevel where { pop languagelevel } { 1 } ifelse
/PSL12 exch def
/dictende { counttomark 2 idiv dup dict begin {def}
repeat pop currentdict end} bind def
%EndProlog
72 90 translate 0.01 MM dup scale 20 setlinewidth
PSL12 2 eq { [ /CIEBasedABC [ %color space and limits for D65
/WhitePoint [ 0.9505 1 1.0890 ] %CIEXYZ for D65
/RangeABC [ 0 0.9505 0 1 0 1.0885 ] %CIEXYZ-limits N/W
/RangeLMN [ 0 0.9505 0 1 0 1.0885 ] dictende ]
setcolorspace } if %end standard definition PSL2-CIEBasedA
PSL12 1 eq %definition for PSL1-devices
{ { /setrgbcolor where %question for PSL1-color device
{ pop setrgbcolor } %PSL1-color device
{ pop 0.4 exp setgray pop } ifelse }
/setcolor exch def } if
/colRec { moveto s 0 rlineto 0 s rlineto s neg 0 rlineto %square
closepath setcolor } bind def
0.1885 0.1983 0.2157 setcolor %test color no. 16 (mean gray)
0 0 moveto 5400 0 rlineto 0 4000 rlineto %image size 54mm x 40mm
-5400 0 rlineto closepath fill
250 /Times-Bold FS 0.7239 0.7615 0.8289 setcolor %white
3200 3300 moveto (17 CIE-test colors) show
500 500 translate %zero point lower left test color
/s 600 def /xw 1000 def /yw 800 def %square width and distances
% X Y Z x,y-position fill color rectangle
0.3298 0.2976 0.2459 0 0 colRec fill %CIE-TF01
0.2749 0.2890 0.1501 xw 1 mul yw 0 mul colRec fill %CIE-TF02
0.2393 0.3043 0.0996 xw 2 mul yw 0 mul colRec fill %CIE-TF03
0.2045 0.2948 0.2127 xw 3 mul yw 0 mul colRec fill %CIE-TF04
0.2502 0.3087 0.4042 xw 4 mul yw 0 mul colRec fill %CIE-TF05
0.2826 0.2983 0.5791 0 yw 1 mul colRec fill %CIE-TF06
0.3333 0.2939 0.5322 xw 1 mul yw 1 mul colRec fill %CIE-TF07
0.3757 0.3131 0.4544 xw 2 mul yw 1 mul colRec fill %CIE-TF08
0.2048 0.1120 0.0436 xw 3 mul yw 1 mul colRec fill %CIE-TF09
0.5487 0.5894 0.1208 xw 4 mul yw 1 mul colRec fill %CIE-TF10
0.1212 0.2035 0.1533 0 yw 2 mul colRec fill %CIE-TF11
0.0628 0.0647 0.2773 xw 1 mul yw 2 mul colRec fill %CIE-TF12
0.5885 0.5709 0.4139 xw 2 mul yw 2 mul colRec fill %CIE-TF13
0.0935 0.1171 0.0543 xw 3 mul yw 2 mul colRec fill %CIE-TF14
0.0342 0.0359 0.0394 0 yw 3 mul colRec fill %CIE-TF15 N
0.1885 0.1983 0.2157 xw 1 mul yw 3 mul colRec fill %CIE-TF16 Z
0.7239 0.7615 0.8289 xw 2 mul yw 3 mul colRec fill %CIE-TF17 W
0.7239 0.7615 0.8289 xw 1 mul yw 3 mul colRec stroke %-TF17 W
1 1 17 { /nr1 exch def %squares and text no. 1 to 17
nr1 9 gt { /xp 300 def } { /xp 200 def } ifelse
nr1 14 gt { /nr nr1 1 add def } { /nr nr1 def } ifelse
nr1 sub 5 idiv /i exch def
nr1 sub 5 mod /j exch def
j xw mul xp sub i yw mul 20 add moveto
nr1 4 string cvs show } for
showpage
```

NE361-7, B8_39

TUB-test chart NE36; Richter: Computer graphics, colorimetry
Colour book series: PostScript and CIE colour spaces no. 10
input: *rgb setrgbcolor*
output: no colour data change

