

Input and Output: Offset Reflective System ORS18a

Data for any device (d) or
elementary (e) colour:

HIC^* -


hue code for the colours

of this page:

$H^*_- = R00Y_- , R25Y_- , \dots , B75R_-$

ORS20a; adapted (a) CIELAB data

H^*_-	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_	48.4	66.1	40.2	77.3
R25Y_100_100_	56.8	48.0	50.5	69.6
R50Y_100_100_	68.6	25.0	63.9	68.6
R75Y_100_100_	80.6	4.8	77.2	77.3
Y00G_100_100_	90.2	-9.6	88.2	88.7
Y25G_100_100_	83.2	-18.4	79.9	81.9
Y50G_100_100_	73.3	-31.7	62.7	70.2
Y75G_100_100_	62.0	-49.7	43.2	65.8
G00B_100_100_	55.8	-65.2	33.8	73.4
G25B_100_100_	59.3	-50.3	-9.0	51.0
G50B_100_100_	63.0	-30.5	-42.0	51.9
G75B_100_100_	45.7	-5.7	-44.6	44.9
B00R_100_100_	27.5	25.9	-47.3	53.9
B25R_100_100_	38.3	52.6	-28.5	59.8
B50R_100_100_	49.5	73.5	-9.0	74.0
B75R_100_100_	48.9	69.3	12.9	70.4



% Gamut

$u^*_{rel} = 92$



% Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 58$

ORS18a; adapted (a) CIELAB data

Name	$L^*=L^*_a a^*_a$	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R_-,Ma	47.9	65.3	50.5	82.6
Y_-,Ma	90.3	-10.2	91.7	92.3
G_-,Ma	50.9	-62.8	34.9	71.9
C_-,Ma	58.6	-30.3	-45.0	54.2
B_-,Ma	25.7	31.0	-44.4	54.2
M_-,Ma	48.1	75.2	-8.3	75.7
N_-,Ma	18.0	0.0	0.0	0.0
W_-,Ma	95.4	0.0	0.0	0.0
R_-,CIE	39.9	58.7	27.9	65.0
Y_-,CIE	81.2	-2.8	71.5	71.6
G_-,CIE	52.2	-42.4	13.6	44.5
B_-,CIE	30.5	1.4	-46.4	46.4



1-113030-L0

SE020-7N

TUB-test chart SE02; 16 step hue circle
Test chart according to DIN 33872

input: $rgb/cmyk \rightarrow rgb/cmyk$
output: no change

Input and Output: Television Luminous System TLS00a

Data for any device (d) or elementary (e) colour:

HIC^*_e


hue code for the colours

of this page:

$H^*_e = R00Y_e, R25Y_e, \dots, B75R_e$

TLS00a; adapted (a) CIELAB data

H^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R00Y_100_100_e	50.9	78.3	37.3	86.7	25
R25Y_100_100_e	51.3	74.4	64.8	98.7	41
R50Y_100_100_e	63.1	42.7	70.8	82.7	58
R75Y_100_100_e	73.5	18.3	77.7	79.8	76
Y00G_100_100_e	83.7	-3.4	84.5	84.5	92
Y25G_100_100_e	91.0	-29.9	88.9	93.8	108
Y50G_100_100_e	85.9	-63.0	82.8	104.1	127
Y75G_100_100_e	84.1	-76.0	51.4	91.8	145
G00B_100_100_e	85.1	-64.6	20.7	67.9	162
G25B_100_100_e	86.5	-49.9	-8.4	50.6	189
G50B_100_100_e	79.0	-34.2	-25.7	42.8	216
G75B_100_100_e	70.0	-19.0	-39.6	43.9	244
B00R_100_100_e	59.2	1.7	-56.6	56.6	271
B25R_100_100_e	38.2	52.7	-90.7	104.9	300
B50R_100_100_e	57.1	94.1	-57.4	110.3	328
B75R_100_100_e	52.9	83.6	-11.6	84.4	352



% Gamut

$u^*_{rel} = 158$



% Regularity

$g^*_{H,rel} = 19$

$g^*_{C,rel} = 37$

TLS00a; adapted (a) CIELAB data

Name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
R _e ,Ma	50.9	78.3	37.3	86.7	25
Y _e ,Ma	83.7	-3.4	84.5	84.5	92
G _e ,Ma	85.1	-64.6	20.7	67.9	162
C _e ,Ma	79.0	-34.2	-25.7	42.8	216
B _e ,Ma	59.2	1.7	-56.6	56.6	271
M _e ,Ma	57.1	94.1	-57.4	110.3	328
N _e ,Ma	0.0	0.0	0.0	0.0	0
W _e ,Ma	95.4	0.0	0.0	0.0	0
R _e ,CIE	39.9	58.7	27.9	65.0	25
Y _e ,CIE	81.2	-2.8	71.5	71.6	92
G _e ,CIE	52.2	-42.4	13.6	44.5	162
B _e ,CIE	30.5	1.4	-46.4	46.4	271



1-113130-L0




SE020-73

TUB-test chart SE02; 16 step hue circle
Test chart according to DIN 33872, 3D=1, de=1, sRGB*

input: $rgb/cmyk \rightarrow rgb_{de}$

output: 3D-linearization to rgb^*_{de}

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGCBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2$; Six hue angles of the elementary colours $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$



Notes to the CIELAB chroma diagrams (a^*_d, b^*_d), (a^*_s, b^*_s), (a^*_e, b^*_e)

- For the rgb^*_e -input values the CIELAB data LCH^*_e and LAB^*_e have been calculated.
- For the calculation of the standard hue angle $h_{ab,s}$ use for any device values rgb^*_e the equation:

$$h_{ab,s} = \text{atan} [r^*_d \cos(30) + g^*_d \cos(150)] / [r^*_d \sin(30) + g^*_d \sin(150) + b^*_d \sin(270)] \quad (1)$$
- For the 48 or 360 equally spaced standard hue angles $h_{ab,s}$ of the colours of maximum chroma use the seven hue angles of the 60 degree colours s : $h_{ab,s} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0, 390.0$ ($i=0,6$) and the equations for a 48 and 360 step hue circle:

$$h_{48ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (2)$$

$$h_{360ab,sij} = h_{ab,si} + j [h_{ab,si+1} - h_{ab,si}] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (3)$$
- For the 48 or 360 elementary hue angles $h_{ab,e}$ of the colours of maximum chroma use the seven hue angles of the elementary colours e : $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6, 385.5$ ($i=0,6$) and the equations for a 48 and 360 step elementary hue circle:

$$h_{48ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 8 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 7) \quad (4)$$

$$h_{360ab,eij} = h_{ab,ei} + j [h_{ab,ei+1} - h_{ab,ei}] / 60 \quad (i = 0, 1, \dots, 5; j = 0, 1, \dots, 59) \quad (5)$$
- For any elementary hue angle $h_{ab,e}$ there is a well defined device hue angle $h_{ab,d}$ see the following tables, columns 1 to 5 or 1 to 4.
- The values rgb^*_{de} produce the output of the device-independent elementary hues

1-113230-L0 SE020-73 LAB*La0, YN=0%, XYZnw=0.0, 0.0, 0.0, 84.2, 88.6, 96.5, LAB*nw=0.0, 0.0, 0.0, 95.4, 0.0, 0.0

Output: sRGB standard device; no separation, D65, page 3/29

TUB-test chart SE02; 16 step hue circle
48 step hue circles; $rgb-LabCh^*$ -tables, 3D=1, de=1, sRGB* output: 3D-linearization to rgb^*_{de}

input: $rgb/cmyk \rightarrow rgb_{de}$
output: 3D-linearization to rgb^*_{de}

http://130.149.60.45/~farbmetrik/SE02/SE02L0FA.TXT /.PS; 3D-linearization
F: 3D-linearization SE02/SE02LE30FA.DAT in file (F), page 4/29

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2$; Six hue angles of the elementary colours $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{dd64M}	LAB^*_{ddx64M} (x=LabCh)	$rgb^*_{ddx361M}$	$LAB^*_{ddx361M}$ (x=LabCh)	$rgb^*_{dsx361M}$	$LAB^*_{dsx361M}$ (x=LabCh)	$rgb^*_{dex361M}$	$LAB^*_{dex361M}$	rgb^*_{dd64M}	LAB^*_{ddx64M} (x=LabCh)	$rgb^*_{ddx361M}$	$LAB^*_{ddx361M}$ (x=LabCh)	$rgb^*_{dsx361M}$	$LAB^*_{dsx361M}$ (x=LabCh)	$rgb^*_{dex361M}$	$LAB^*_{dex361M}$								
40.0	30.0	25.4	1.0	0.0	0.0	50.4	76.9	64.6	100.4	40.0	1.0	0.0	0.0	50.5	76.9	64.6	100.4	40	1.0	0.0	0.263	50.9	78.3	37.3	86.7	25
41.3	37.5	33.8	1.0	0.125	0.0	51.5	73.9	64.9	98.3	41.3	1.0	0.117	0.0	51.5	74.1	64.9	98.5	41	1.0	0.0	0.082	50.6	77.2	58.2	96.7	37
44.6	45.0	42.1	1.0	0.25	0.0	54.0	66.7	65.9	93.8	44.6	1.0	0.25	0.0	54.1	66.7	66.0	93.8	44	1.0	0.256	0.0	54.3	66.1	66.1	93.5	45
50.7	52.5	50.5	1.0	0.375	0.0	58.2	55.4	67.9	87.7	50.7	1.0	0.367	0.0	57.9	56.2	67.9	88.2	50	1.0	0.392	0.0	58.9	53.6	68.6	87.0	52
59.7	60.0	58.8	1.0	0.5	0.0	63.6	41.3	71.0	82.2	59.7	1.0	0.5	0.0	63.7	41.4	71.0	82.2	59	1.0	0.502	0.0	63.8	41.1	71.2	82.2	60
71.0	67.5	67.2	1.0	0.625	0.0	70.1	25.7	75.0	79.3	71.0	1.0	0.617	0.0	69.7	26.8	74.9	79.6	70	1.0	0.58	0.0	67.8	31.4	74.0	80.4	67
82.9	75.0	75.6	1.0	0.75	0.0	77.2	9.8	79.7	80.4	82.9	1.0	0.75	0.0	77.2	9.8	79.8	80.4	82	1.0	0.667	0.0	72.5	20.6	77.0	79.7	75
93.8	82.5	83.9	1.0	0.875	0.0	84.8	-5.7	85.0	85.2	93.8	1.0	0.867	0.0	84.3	-4.6	84.8	85.0	93	1.0	0.74	0.0	76.7	11.2	79.5	80.3	82
102.8	90.0	92.3	1.0	1.0	0.0	92.6	-20.7	90.7	93.0	102.8	1.0	1.0	0.0	92.7	-20.6	90.8	93.1	102	1.0	0.831	0.0	82.1	0.0	83.5	83.5	90
110.5	97.5	101.0	0.875	1.0	0.0	90.4	-33.1	88.1	94.1	110.5	0.883	1.0	0.0	90.6	-32.2	88.4	94.1	110	1.0	0.918	0.0	87.5	-10.6	87.3	88.0	97
117.6	105.0	109.7	0.75	1.0	0.0	88.5	-44.9	85.8	96.8	117.6	0.75	1.0	0.0	88.5	-44.8	85.8	96.9	117	0.965	1.0	0.0	92.0	-24.1	90.2	93.4	105
123.6	112.5	118.5	0.625	1.0	0.0	86.9	-55.8	83.9	100.7	123.6	0.633	1.0	0.0	87.1	-55.0	84.1	100.5	123	0.85	1.0	0.0	90.1	-35.4	87.8	94.7	112
128.3	120.0	127.2	0.5	1.0	0.0	85.7	-65.2	82.4	105.1	128.3	0.5	1.0	0.0	85.7	-65.1	82.4	105.1	128	0.7	1.0	0.0	87.9	-49.1	85.3	98.4	120
131.8	127.5	136.0	0.375	1.0	0.0	84.7	-72.8	81.2	109.1	131.8	0.383	1.0	0.0	84.8	-72.2	81.4	108.9	131	0.536	1.0	0.0	86.1	-62.4	83.0	103.9	127
134.1	135.0	144.7	0.25	1.0	0.0	84.1	-78.2	80.5	112.2	134.1	0.25	1.0	0.0	84.1	-78.2	80.5	112.3	134	0.173	1.0	0.0	83.9	-80.2	80.3	113.5	135
135.5	142.5	153.4	0.125	1.0	0.0	83.7	-81.4	80.0	114.2	135.5	0.133	1.0	0.0	83.8	-81.2	80.1	114.1	135	0.0	1.0	0.335	83.9	-78.7	61.6	100.0	142
136.0	150.0	162.2	0.0	1.0	0.0	83.6	-82.7	79.8	115.0	136.0	0.0	1.0	0.0	83.6	-82.7	79.9	115.0	136	0.0	1.0	0.523	84.4	-72.9	42.1	84.3	150
137.0	157.5	169.0	0.0	1.0	0.125	83.6	-82.1	76.6	112.3	137.0	0.0	1.0	0.117	83.7	-82.1	76.8	112.5	136	0.0	1.0	0.639	84.9	-67.8	28.8	73.8	157
139.3	165.0	175.9	0.0	1.0	0.25	83.8	-80.5	69.1	106.1	139.3	0.0	1.0	0.25	83.8	-80.5	69.1	106.2	139	0.0	1.0	0.742	85.3	-62.5	16.8	64.8	165
143.2	172.5	182.7	0.0	1.0	0.375	84.0	-77.8	58.1	97.1	143.2	0.0	1.0	0.367	84.0	-77.9	58.9	97.7	142	0.0	1.0	0.81	85.7	-58.8	8.3	59.5	172
148.6	180.0	189.6	0.0	1.0	0.5	84.3	-73.7	44.9	86.4	148.6	0.0	1.0	0.5	84.3	-73.7	45.0	86.4	148	0.0	1.0	0.883	86.1	-54.1	0.0	54.2	180
155.8	187.5	196.4	0.0	1.0	0.625	84.7	-68.5	30.6	75.0	155.8	0.0	1.0	0.617	84.8	-68.8	31.5	75.8	155	0.0	1.0	0.933	86.4	-51.1	-6.2	51.6	187
165.6	195.0	203.2	0.0	1.0	0.75	85.3	-62.0	15.9	64.0	165.6	0.0	1.0	0.75	85.4	-62.0	15.9	64.1	165	0.0	1.0	0.99	86.8	-46.9	-12.5	48.6	195
178.8	202.5	210.1	0.0	1.0	0.875	86.0	-54.5	1.0	54.5	178.8	0.0	1.0	0.867	86.0	-55.1	2.0	55.2	177	0.0	0.97	1.0	84.7	-43.2	-17.4	46.7	202
196.3	210.0	216.9	0.0	1.0	1.0	86.8	-46.1	-13.5	48.1	196.3	0.0	1.0	1.0	86.9	-46.1	-13.5	48.1	196	0.0	0.927	1.0	81.7	-38.6	-22.2	44.7	210
219.8	217.5	223.8	0.0	0.875	1.0	77.9	-32.3	-27.0	42.1	219.8	0.0	0.883	1.0	78.6	-33.3	-26.3	42.6	217	0.0	0.89	1.0	79.1	-34.1	-25.7	42.9	217
247.2	225.0	230.6	0.0	0.75	1.0	69.1	-17.0	-40.7	44.1	247.2	0.0	0.75	1.0	69.1	-17.0	-40.6	44.2	248	0.0	0.851	1.0	76.3	-30.0	-30.0	42.5	225
269.8	232.5	237.5	0.0	0.625	1.0	60.3	-0.1	-54.6	54.6	269.8	0.0	0.633	1.0	60.9	-1.5	-53.8	53.9	268	0.0	0.82	1.0	74.1	-26.4	-33.8	43.1	232
285.0	240.0	244.3	0.0	0.5	1.0	51.7	18.3	-68.3	70.7	285.0	0.0	0.5	1.0	51.8	18.3	-68.2	70.7	285	0.0	0.783	1.0	71.5	-21.7	-37.7	43.6	240
294.8	247.5	251.2	0.0	0.375	1.0	43.8	37.6	-81.2	89.5	294.8	0.0	0.383	1.0	44.4	36.2	-80.4	88.3	294	0.0	0.751	1.0	69.2	-17.2	-40.6	44.2	247
301.1	255.0	258.0	0.0	0.25	1.0	37.1	55.9	-92.3	107.9	301.1	0.0	0.25	1.0	37.2	55.9	-92.2	107.9	301	0.0	0.707	1.0	66.1	-12.3	-46.0	47.8	255
304.8	262.5	264.8	0.0	0.125	1.0	32.4	69.5	-100.0	121.8	304.8	0.0	0.133	1.0	32.8	68.6	-99.5	121.0	304	0.0	0.668	1.0	63.4	-7.0	-50.4	51.0	262
306.2	270.0	271.7	0.0	0.0	1.0	30.3	76.0	-103.5	128.5	306.2	0.0	0.0	1.0	30.4	76.1	-103.5	128.5	306	0.0	0.624	1.0	60.2	0.0	-54.7	54.8	270
306.6	277.5	278.8	0.125	0.0	1.0	31.0	76.2	-102.4	127.7	306.6	0.117	0.0	1.0	31.0	76.3	-102.5	127.8	306	0.0	0.566	1.0	56.3	7.6	-61.7	62.2	277
307.5	285.0	285.9	0.25	0.0	1.0	32.6	76.8	-99.8	125.9	307.5	0.25	0.0	1.0	32.6	76.8	-99.7	126.0	307	0.0	0.5	1.0	51.8	18.3	-68.2	70.7	285
309.2	292.5	293.0	0.375	0.0	1.0	35.1	77.9	-95.5	123.3	309.2	0.367	0.0	1.0	35.0	77.9	-95.7	123.5	309	0.0	0.412	1.0	46.2	31.5	-77.8	84.1	292
311.6	300.0	300.1	0.5	0.0	1.0	38.5	79.8	-89.7	120.0	311.6	0.5	0.0	1.0	38.6	79.9	-89.6	120.1	311	0.0	0.274	1.0	38.4	52.2	-90.4	104.5	300
314.8	307.5	307.2	0.625	0.0	1.0	42.7	82.5	-82.7	116.8	314.8	0.617	0.0	1.0	42.4	82.3	-83.2	117.1	314	0.172	0.0	1.0	31.6	76.5	-101.4	127.1	307
318.8	315.0	314.3	0.75	0.0	1.0	47.2	85.8	-75.1	114.0	318.8	0.75	0.0	1.0	47.3	85.9	-75.0	114.1	318	0.628	0.0	1.0	42.8	82.6	-82.5	116.8	315
323.3	322.5	321.4	0.875	0.0	1.0	52.1	89.8	-66.9	112.0	323.3	0.867	0.0	1.0	51.9	89.6	-67.4	112.2	323	0.838	0.0	1.0	50.7	88.8	-69.3	112.7	322
328.2	330.0	328.6	1.0	0.0	1.0	57.2	94.3	-58.4	110.9	328.2	1.0	0.0	1.0	57.3	94.4	-58.3	111.0	328	1.0	0.0	0.962	56.8	93.4	-53.8	107.8	330
334.0	337.5	335.7	1.0	0.0	0.875	55.6	90.3	-43.9	100.4	334.0	1.0															

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2$; Six hue angles of the elementary colours $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{dd64M}	$LAB^*_{ddx64M}(x=LabCh)$	$rgb^*_{dex361M}$	$LAB^*_{dex361M}$	rgb^*_{dd}	rgb^*_{ds}	rgb^*_{de}														
40.0	30.0	25.4	1.0	0.0	0.0	50.4	76.9	64.5	100.4	40.0	40.0	1.0	0.0	0.263	50.9	78.3	37.3	86.7	25				
41.3	37.5	33.8	1.0	0.125	0.0	51.5	73.9	64.9	98.3	41.3	41.3	1.0	0.0	0.156	50.7	77.7	51.0	92.9	33				
44.6	45.0	42.1	1.0	0.25	0.0	54.0	66.7	65.9	93.8	44.6	44.6	1.0	0.0	0.157	0.0	52.2	72.0	65.3	97.2	42			
50.7	52.5	50.5	1.0	0.375	0.0	58.2	55.4	67.9	87.7	50.7	50.7	1.0	0.0	0.358	0.0	57.7	56.9	67.8	88.6	49			
59.7	60.0	58.8	1.0	0.5	0.0	63.6	41.3	71.0	82.2	59.7	59.7	1.0	0.0	0.488	0.0	63.1	42.8	70.9	82.8	58			
71.0	67.5	67.2	1.0	0.625	0.0	70.1	25.7	75.0	79.3	71.0	71.0	1.0	0.0	0.577	0.0	67.6	31.8	73.9	80.5	66			
82.9	75.0	75.6	1.0	0.75	0.0	77.2	9.8	79.7	80.4	82.9	82.9	1.0	0.0	0.673	0.0	72.8	19.8	77.3	79.8	75			
93.8	82.5	83.9	1.0	0.875	0.0	84.8	-5.7	85.0	85.2	93.8	93.8	1.0	0.0	0.755	0.0	77.5	9.3	80.1	80.6	83			
102.8	90.0	92.3	1.0	1.0	0.0	92.6	-20.7	90.7	93.0	102.8	102.8	1.0	0.0	0.857	0.0	83.7	-3.3	84.5	84.6	92			
110.5	97.5	101.0	0.875	1.0	0.0	90.4	-33.1	88.1	94.1	110.5	110.5	1.0	0.0	0.967	0.0	90.6	-16.4	89.5	91.0	100			
117.6	105.0	109.7	0.75	1.0	0.0	88.5	-44.9	85.8	96.8	117.6	117.6	0.888	1.0	0.0	90.7	-31.7	88.5	94.0	109				
123.6	112.5	118.5	0.625	1.0	0.0	86.9	-55.8	83.9	100.7	123.6	123.6	0.743	1.0	0.0	88.5	-45.4	85.8	97.1	117				
128.3	120.0	127.2	0.5	1.0	0.0	85.7	-65.2	82.4	105.1	128.3	128.3	0.529	1.0	0.0	86.0	-62.9	82.9	104.1	127				
131.8	127.5	136.0	0.375	1.0	0.0	84.7	-72.8	81.2	109.1	131.8	131.8	0.132	1.0	0.0	83.8	-81.2	80.1	114.1	135				
134.1	135.0	144.7	0.25	1.0	0.0	84.1	-78.2	80.5	112.2	134.1	134.1	0.0	1.0	0.41	84.1	-76.8	54.3	94.1	144				
135.5	142.5	153.4	0.125	1.0	0.0	83.7	-81.4	80.0	114.2	135.5	135.5	0.0	1.0	0.573	84.6	-70.9	36.3	79.8	152				
136.0	150.0	162.2	0.0	1.0	0.0	83.6	-82.7	79.8	115.0	136.0	136.0	0.0	1.0	0.706	85.2	-64.6	20.7	67.9	162				
137.0	157.5	169.0	0.0	1.0	0.125	83.6	-82.1	76.6	112.3	137.0	137.0	0.0	1.0	0.778	85.5	-60.6	12.2	61.9	168				
139.3	165.0	175.9	0.0	1.0	0.25	83.8	-80.5	69.1	106.1	139.3	139.3	0.0	1.0	0.847	85.9	-56.4	4.0	56.7	175				
143.2	172.5	182.7	0.0	1.0	0.375	84.0	-77.8	58.1	97.1	143.2	143.2	0.0	1.0	0.9	86.2	-53.2	-2.0	53.3	182				
148.6	180.0	189.6	0.0	1.0	0.5	84.3	-73.7	44.9	86.4	148.6	148.6	0.0	1.0	0.952	86.6	-49.8	-8.3	50.6	189				
155.8	187.5	196.4	0.0	1.0	0.625	84.7	-68.5	30.6	75.0	155.8	155.8	0.0	1.0	0.997	86.9	-46.3	-13.2	48.3	195				
165.6	195.0	203.2	0.0	1.0	0.75	85.3	-62.0	15.9	64.0	165.6	165.6	0.0	0.963	1.0	84.3	-42.5	-18.2	46.4	203				
178.8	202.5	210.1	0.0	1.0	0.875	86.0	-54.5	1.0	54.5	178.8	178.8	0.0	0.929	1.0	81.8	-38.8	-22.1	44.7	209				
196.3	210.0	216.9	0.0	1.0	1.0	86.8	-46.1	-13.5	48.1	196.3	196.3	0.0	0.89	1.0	79.1	-34.2	-25.7	42.9	216				
219.8	217.5	223.8	0.0	0.875	1.0	77.9	-32.3	-27.0	42.1	219.8	219.8	0.0	0.859	1.0	76.9	-30.7	-29.0	42.4	223				
247.2	225.0	230.6	0.0	0.75	1.0	69.1	-17.0	-40.7	44.1	247.2	247.2	0.0	0.826	1.0	74.5	-27.1	-33.1	43.0	230				
269.8	232.5	237.5	0.0	0.625	1.0	60.3	-0.1	-54.6	54.6	269.8	269.8	0.0	0.797	1.0	72.4	-23.5	-36.3	43.4	237				
285.0	240.0	244.3	0.0	0.5	1.0	51.7	18.3	-68.3	70.7	285.0	285.0	0.0	0.763	1.0	70.1	-18.9	-39.5	44.0	244				
294.8	247.5	251.2	0.0	0.375	1.0	43.8	37.6	-81.2	89.5	294.8	294.8	0.0	0.731	1.0	67.8	-15.0	-43.1	45.8	250				
301.1	255.0	258.0	0.0	0.25	1.0	37.1	55.9	-92.3	107.9	301.1	301.1	0.0	0.69	1.0	64.9	-10.1	-48.0	49.2	258				
304.8	262.5	264.8	0.0	0.125	1.0	32.4	69.5	-100.0	121.8	304.8	304.8	0.0	0.655	1.0	62.4	-5.0	-51.8	52.1	264				
306.2	270.0	271.7	0.0	0.0	1.0	30.3	76.0	-103.5	128.5	306.2	306.2	0.0	0.609	1.0	59.3	1.7	-56.5	56.6	271				
306.6	277.5	278.8	0.125	0.0	1.0	31.0	76.2	-102.4	127.7	306.6	306.6	0.0	0.555	1.0	55.5	9.3	-62.9	63.7	278				
307.5	285.0	285.9	0.25	0.0	1.0	32.6	76.8	-99.8	125.9	307.5	307.5	0.0	0.488	1.0	51.0	19.9	-69.6	72.5	285				
309.2	292.5	293.0	0.375	0.0	1.0	35.1	77.9	-95.5	123.3	309.2	309.2	0.0	0.404	1.0	45.7	32.7	-78.5	85.2	292				
311.6	300.0	300.1	0.5	0.0	1.0	38.5	79.8	-89.7	120.0	311.6	311.6	0.0	0.27	1.0	38.2	52.8	-90.6	105.0	300				
314.8	307.5	307.2	0.625	0.0	1.0	42.7	82.5	-82.7	116.8	314.8	314.8	0.0	0.146	0.0	31.3	76.4	-102.0	127.5	306				
318.8	315.0	314.3	0.75	0.0	1.0	47.2	85.8	-75.1	114.0	318.8	318.8	0.0	0.0605	0.0	42.1	82.1	-83.8	117.4	314				
323.3	322.5	321.4	0.875	0.0	1.0	52.1	89.8	-66.9	112.0	323.3	323.3	0.0	0.811	0.0	49.7	87.9	-71.0	113.1	321				
328.2	330.0	328.6	1.0	0.0	1.0	57.2	94.3	-58.4	110.9	328.2	328.2	1.0	0.0	0.992	57.2	94.2	-57.4	110.3	328				
334.0	337.5	335.7	1.0	0.0	0.875	55.6	90.3	-43.9	100.4	334.0	334.0	1.0	0.0	0.856	55.4	89.9	-41.4	99.0	335				
341.6	345.0	342.8	1.0	0.0	0.75	54.2	86.7	-28.6	91.3	341.6	341.6	1.0	0.0	0.735	54.1	86.5	-26.6	90.6	342				
351.4	352.5	349.9	1.0	0.0	0.625	53.0	83.6	-12.6	84.6	351.4	351.4	1.0	0.0	0.65	53.3	84.5	-15.6	86.0	349				
362.9	360.0	357.0	1.0	0.0	0.5	52.0	81.1	4.1	81.2	362.9	362.9	1.0	0.0	0.618	53.0	83.6	-11.6	84.4	352				
375.2	367.5	364.1	1.0	0.0	0.375	51.3	79.2	21.6	82.1	375.2	375.2	1.0	0.0	0.533	52.3	82.2	-0.1	82.2	359				
386.7	375.0	371.2	1.0	0.0	0.25	50.8	77.9	39.2	87.2	386.7	386.7	1.0	0.0	0.441	51.7	80.7	12.5	81.7	368				
395.4	382.5	378.3	1.0	0.0	0.125	50.6	77.2	54.9	94.8	395.4	395.4	1.0	0.0	0.361	51.3	79.3	23.6	82.8	376				
400.0	390.0	385.4	1.0	0.0	0.0	50.4	76.9	64.5	100.4	400.0	400.0	1.0	0.0	0.263	50.9	78.3	37.3	86.7	385				

TUB registration: 20130201-SE02/SE02L0FA.TXT /.PS
application for measurement of display output, no separation

TUB material: code=rha4ta

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2$; Six hue angles of the elementary colours $RYGBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{dd361M}	$LAB^*_{dd361Mi}(x=LabCh)$	R_d	$rgb^*_{ds361Mi}$	$LAB^*_{ds361Mi}(x=LabCh)$	R_s	$rgb^*_{dd361Mi}$	$LAB^*_{dex361Mi}(x=LabCh)$	R_e	$rgb^*_{dd361Mi}$	rgb^*_{dd}	rgb^*_{ds}	rgb^*_{de}
40	30	25	1.0	0.0	0.0	50.4	76.9	64.5	100.4	40	1.0	0.0	0.0	0.0	0.0
40	31	26	1.0	0.016	0.0	50.6	76.5	64.6	100.1	40	1.0	0.0	0.017	0.0	0.0
40	32	27	1.0	0.033	0.0	50.7	76.1	64.6	99.8	40	1.0	0.0	0.033	0.0	0.0
40	33	28	1.0	0.05	0.0	50.9	75.7	64.7	99.6	40	1.0	0.0	0.05	0.0	0.0
40	34	29	1.0	0.066	0.0	51.0	75.3	64.7	99.3	40	1.0	0.0	0.067	0.0	0.0
40	35	31	1.0	0.083	0.0	51.1	74.9	64.8	99.0	40	1.0	0.0	0.083	0.0	0.0
41	36	32	1.0	0.1	0.0	51.3	74.5	64.8	98.7	41	1.0	0.0	0.1	0.0	0.0
41	37	33	1.0	0.116	0.0	51.4	74.1	64.9	98.5	41	1.0	0.0	0.117	0.0	0.0
41	38	34	1.0	0.133	0.0	51.7	73.4	65.0	98.0	41	1.0	0.0	0.133	0.0	0.0
41	39	35	1.0	0.15	0.0	52.0	72.4	65.2	97.4	41	1.0	0.0	0.15	0.0	0.0
42	40	36	1.0	0.166	0.0	52.3	71.4	65.3	96.8	42	1.0	0.0	0.167	0.0	0.0
42	41	37	1.0	0.183	0.0	52.7	70.5	65.5	96.2	42	1.0	0.0	0.183	0.0	0.0
43	42	38	1.0	0.2	0.0	53.0	69.5	65.6	95.6	43	1.0	0.0	0.2	0.0	0.0
43	43	39	1.0	0.216	0.0	53.4	68.6	65.7	95.0	43	1.0	0.0	0.217	0.0	0.0
44	44	41	1.0	0.233	0.0	53.7	67.6	65.8	94.4	44	1.0	0.0	0.233	0.0	0.0
44	45	42	1.0	0.25	0.0	54.0	66.7	65.9	93.8	44	1.0	0.0	0.25	0.0	0.0
45	46	43	1.0	0.266	0.0	54.6	65.1	66.3	93.0	45	1.0	0.0	0.267	0.0	0.0
46	47	44	1.0	0.283	0.0	55.1	63.6	66.6	92.2	46	1.0	0.0	0.283	0.0	0.0
47	48	45	1.0	0.3	0.0	55.7	62.1	66.9	91.3	47	1.0	0.0	0.3	0.0	0.0
47	49	46	1.0	0.316	0.0	56.2	60.6	67.2	90.5	47	1.0	0.0	0.317	0.0	0.0
48	50	47	1.0	0.333	0.0	56.8	59.1	67.5	89.7	48	1.0	0.0	0.333	0.0	0.0
49	51	48	1.0	0.35	0.0	57.3	57.6	67.7	88.9	49	1.0	0.0	0.35	0.0	0.0
50	52	49	1.0	0.366	0.0	57.9	56.2	67.9	88.1	50	1.0	0.0	0.367	0.0	0.0
51	53	51	1.0	0.383	0.0	58.5	54.5	68.2	87.3	51	1.0	0.0	0.383	0.0	0.0
52	54	52	1.0	0.4	0.0	59.3	52.6	68.8	86.6	52	1.0	0.0	0.4	0.0	0.0
53	55	53	1.0	0.416	0.0	60.0	50.7	69.3	85.9	53	1.0	0.0	0.417	0.0	0.0
54	56	54	1.0	0.433	0.0	60.7	48.8	69.7	85.1	54	1.0	0.0	0.433	0.0	0.0
56	57	55	1.0	0.45	0.0	61.4	46.9	70.1	84.4	56	1.0	0.0	0.45	0.0	0.0
57	58	56	1.0	0.466	0.0	62.2	45.1	70.4	83.6	57	1.0	0.0	0.467	0.0	0.0
58	59	57	1.0	0.483	0.0	62.9	43.2	70.7	82.9	58	1.0	0.0	0.483	0.0	0.0
59	60	58	1.0	0.5	0.0	63.6	41.3	71.0	82.2	59	1.0	0.0	0.5	0.0	0.0
61	61	60	1.0	0.516	0.0	64.5	39.3	71.7	81.8	61	1.0	0.0	0.517	0.0	0.0
62	62	61	1.0	0.533	0.0	65.3	37.2	72.4	81.4	62	1.0	0.0	0.533	0.0	0.0
64	63	62	1.0	0.55	0.0	66.2	35.1	73.0	81.0	64	1.0	0.0	0.55	0.0	0.0
65	64	63	1.0	0.566	0.0	67.1	33.0	73.5	80.6	65	1.0	0.0	0.567	0.0	0.0
67	65	64	1.0	0.583	0.0	67.9	31.0	74.0	80.3	67	1.0	0.0	0.583	0.0	0.0
68	66	65	1.0	0.6	0.0	68.8	28.9	74.5	79.9	68	1.0	0.0	0.6	0.0	0.0
70	67	66	1.0	0.616	0.0	69.6	26.8	74.8	79.5	70	1.0	0.0	0.617	0.0	0.0
71	68	67	1.0	0.633	0.0	70.5	24.7	75.4	79.4	71	1.0	0.0	0.633	0.0	0.0
73	69	68	1.0	0.65	0.0	71.5	22.7	76.2	79.5	73	1.0	0.0	0.65	0.0	0.0
75	70	70	1.0	0.666	0.0	72.4	20.6	76.9	79.7	75	1.0	0.0	0.667	0.0	0.0
76	71	71	1.0	0.683	0.0	73.4	18.5	77.6	79.8	76	1.0	0.0	0.683	0.0	0.0
78	72	72	1.0	0.7	0.0	74.3	16.3	78.2	79.9	78	1.0	0.0	0.7	0.0	0.0
79	73	73	1.0	0.716	0.0	75.3	14.2	78.8	80.1	79	1.0	0.0	0.717	0.0	0.0
81	74	74	1.0	0.733	0.0	76.2	12.0	79.3	80.2	81	1.0	0.0	0.733	0.0	0.0
82	75	75	1.0	0.75	0.0	77.2	9.8	79.7	80.4	82	1.0	0.0	0.75	0.0	0.0

1-113530-L0 SE020-73 LAB*la0, YN=0%, XYZnw=0.0, 0.0, 0.0, 84.2, 88.6, 96.5, LAB*nw=0.0, 0.0, 0.0, 95.4, 0.0, 0.0

Output: sRGB standard device; no separation, D65, page 6/29

TUB-test chart SE02; 16 step hue circle

input: $rgb/cmyk \rightarrow rgb_{de}$

48 step hue circles; $rgb-LabCh^*$ tables, 3D=1, de=1, sRGB* output: 3D-linearization to rgb^*_{de}

see similar files: <http://130.149.60.45/~farbmetrik/SE02/SE02L0FA.TXT> / .PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-SE02/SE02L0FA.TXT /.PS
application for measurement of display output, no separation

TUB material: code=rha4ta

chrometric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGCBM_s$; $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;

rs *RYGCBM*_d: $h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2$; Six hue angles of the elementary colours *RYGCBM*_e: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$		$h_{ab,s}$	$h_{ab,e}$	$rgb^*_{dd}361Mi$							$LAB^*_{d361Mi}(x=LabCh)$							$rgb^*_{ds}361Mi$							$LAB^*_{dsx361Mi}(x=LabCh)$							$rgb^*_{dd}361Mi$							$rgb^*_{de}361Mi$							$LAB^*_{dex361Mi}(x=LabCh)$							$rgb^*_{dd}361Mi$							rgb^*_{dd}	rgb^*_{ds}	rgb^*_{de}
82	75	75	1.0	0.75	0.0	77.2	9.8	79.7	80.4	82	1.0	0.667	0.0	72.5	20.6	77.0	79.7	75	1.0	0.75	0.0	1.0	0.673	0.0	72.8	19.8	77.3	79.8	75	1.0	0.75	0.0																														
84	76	76	1.0	0.766	0.0	78.2	7.8	80.6	81.0	84	1.0	0.677	0.0	73.1	19.3	77.4	79.8	76	1.0	0.767	0.0	1.0	0.685	0.0	73.5	18.3	77.7	79.9	76	1.0	0.767	0.0																														
85	77	77	1.0	0.783	0.0	79.2	5.8	81.4	81.7	85	1.0	0.688	0.0	73.7	18.0	77.8	79.9	77	1.0	0.783	0.0	1.0	0.696	0.0	74.2	16.9	78.2	80.0	77	1.0	0.783	0.0																														
87	78	78	1.0	0.8	0.0	80.2	3.8	82.2	82.3	87	1.0	0.698	0.0	74.3	16.6	78.2	80.0	78	1.0	0.8	0.0	1.0	0.708	0.0	74.8	15.3	78.6	80.1	78	1.0	0.8	0.0																														
88	79	80	1.0	0.816	0.0	81.2	1.7	82.9	83.0	88	1.0	0.708	0.0	74.9	15.3	78.6	80.1	79	1.0	0.817	0.0	1.0	0.72	0.0	75.5	13.8	78.9	80.1	80	1.0	0.817	0.0																														
90	80	81	1.0	0.833	0.0	82.2	-0.3	83.6	83.6	90	1.0	0.719	0.0	75.5	13.9	78.9	80.1	80	1.0	0.833	0.0	1.0	0.731	0.0	76.2	12.3	79.3	80.2	81	1.0	0.833	0.0																														
91	81	82	1.0	0.85	0.0	83.3	-2.5	84.2	84.3	91	1.0	0.729	0.0	76.1	12.6	79.2	80.2	81	1.0	0.85	0.0	1.0	0.743	0.0	76.8	10.8	79.6	80.3	82	1.0	0.85	0.0																														
93	82	83	1.0	0.866	0.0	84.3	-4.6	84.8	84.9	93	1.0	0.74	0.0	76.7	11.2	79.5	80.3	82	1.0	0.867	0.0	1.0	0.755	0.0	77.5	9.3	80.1	80.6	83	1.0	0.867	0.0																														
94	83	84	1.0	0.883	0.0	85.3	-6.7	85.5	85.8	94	1.0	0.75	0.0	77.3	9.8	79.8	80.4	83	1.0	0.883	0.0	1.0	0.768	0.0	78.3	7.8	80.7	81.1	84	1.0	0.883	0.0																														
95	84	85	1.0	0.9	0.0	86.3	-8.5	86.4	86.8	95	1.0	0.762	0.0	78.0	8.5	80.4	80.9	84	1.0	0.9	0.0	1.0	0.78	0.0	79.1	6.2	81.4	81.6	85	1.0	0.9	0.0																														
96	85	86	1.0	0.916	0.0	87.4	-10.5	87.2	87.8	96	1.0	0.773	0.0	78.7	7.1	81.0	81.3	85	1.0	0.917	0.0	1.0	0.793	0.0	79.9	4.7	82.0	82.1	86	1.0	0.917	0.0																														
98	86	87	1.0	0.933	0.0	88.4	-12.4	88.0	88.9	98	1.0	0.785	0.0	79.3	5.7	81.6	81.8	86	1.0	0.933	0.0	1.0	0.806	0.0	80.6	3.1	82.5	82.6	87	1.0	0.933	0.0																														
99	87	88	1.0	0.95	0.0	89.5	-14.4	88.7	89.9	99	1.0	0.796	0.0	80.0	4.3	82.1	82.2	87	1.0	0.95	0.0	1.0	0.819	0.0	81.4	1.5	83.1	83.1	88	1.0	0.95	0.0																														
100	88	90	1.0	0.966	0.0	90.5	-16.5	89.4	91.0	100	1.0	0.808	0.0	80.7	2.9	82.6	82.7	88	1.0	0.967	0.0	1.0	0.831	0.0	82.2	0.0	83.6	83.6	90	1.0	0.967	0.0																														
101	89	91	1.0	0.983	0.0	91.6	-18.5	90.1	92.0	101	1.0	0.819	0.0	81.4	1.5	83.1	83.1	89	1.0	0.983	0.0	1.0	0.844	0.0	83.0	-1.7	84.1	84.1	91	1.0	0.983	0.0																														
102	90	92	1.0	1.0	0.0	92.6	-20.7	90.7	93.0	102	Y_d	1.0	0.831	0.0	82.1	0.0	83.5	83.5	90	Y_s	1.0	1.0	0.0	1.0	0.857	0.0	83.7	-3.3	84.5	84.6	92	Y_e	1.0	1.0	0.0																											
103	91	93	0.983	1.0	0.0	92.3	-22.3	90.5	93.2	103	1.0	0.842	0.0	82.8	-1.4	84.0	84.0	91	0.983	1.0	0.0	1.0	0.87	0.0	84.5	-5.1	84.9	85.1	93	0.983	1.0	0.0																														
104	92	94	0.966	1.0	0.0	92.0	-24.0	90.2	93.3	104	1.0	0.853	0.0	83.5	-2.8	84.4	84.4	92	0.967	1.0	0.0	1.0	0.886	0.0	85.5	-6.9	85.7	85.9	94	0.967	1.0	0.0																														
105	93	95	0.95	1.0	0.0	91.7	-25.6	89.9	93.5	105	1.0	0.865	0.0	84.2	-4.3	84.8	84.9	93	0.95	1.0	0.0	1.0	0.902	0.0	86.5	-8.7	86.5	87.0	95	0.95	1.0	0.0																														
106	94	96	0.933	1.0	0.0	91.4	-27.3	89.5	93.6	106	1.0	0.877	0.0	84.9	-5.9	85.2	85.4	94	0.933	1.0	0.0	1.0	0.918	0.0	87.5	-10.6	87.3	88.0	96	0.933	1.0	0.0																														
108	95	98	0.916	1.0	0.0	91.1	-28.9	89.1	93.7	108	1.0	0.891	0.0	85.8	-7.4	85.9	86.3	95	0.917	1.0	0.0	1.0	0.934	0.0	88.5	-12.5	88.1	89.0	98	0.917	1.0	0.0																														
109	96	99	0.9	1.0	0.0	90.8	-30.6	88.7	93.9	109	1.0	0.904	0.0	86.7	-9.0	86.6	87.1	96	0.9	1.0	0.0	1.0	0.951	0.0	89.6	-14.4	88.8	90.0	99	0.9	1.0	0.0																														
110	97	100	0.883	1.0	0.0	90.5	-32.2	88.3	94.0	110	1.0	0.918	0.0	87.5	-10.6	87.3	88.0	97	0.883	1.0	0.0	1.0	0.967	0.0	90.6	-16.4	89.5	91.0	100	0.883	1.0	0.0																														
111	98	101	0.866	1.0	0.0	90.3	-33.8	88.0	94.3	111	1.0	0.932	0.0	88.4	-12.3	88.0	88.9	98	0.867	1.0	0.0	1.0	0.983	0.0	91.6	-18.5	90.1	92.0	101	0.867	1.0	0.0																														
111	99	102	0.85	1.0	0.0	90.0	-35.4	87.7	94.6	111	1.0	0.946	0.0	89.3	-13.9	88.6	89.7	99	0.85	1.0	0.0	1.0	0.999	0.0	92.6	-20.5	90.7	93.0	102	0.85	1.0	0.0																														
112	100	103	0.833	1.0	0.0	89.8	-37.0	87.5	95.0	112	1.0	0.96	0.0	90.2	-15.6	89.2	90.6	100	0.833	1.0	0.0	0.982	1.0	0.0	92.3	-22.4	90.5	93.2	103	0.833	1.0	0.0																														
113	101	105	0.816	1.0	0.0	89.5	-38.6	87.2	95.4	113	1.0	0.974	0.0	91.0	-17.4	89.8	91.5	101	0.817	1.0	0.0	0.963	1.0	0.0	92.0	-24.3	90.2	93.4	105	0.817	1.0	0.0																														
114	102	106	0.8	1.0	0.0	89.3	-40.1	86.9	95.7	114	1.0	0.988	0.0	91.9	-19.1	90.3	92.3	102	0.8	1.0	0.0	0.944	1.0	0.0	91.7	-26.1	89.8	93.6	106	0.8	1.0	0.0																														
115	103	107	0.783	1.0	0.0	89.0	-41.7	86.6	96.1	115	0.998	1.0	0.0	92.6	-20.8	90.7	93.1	103	0.783	1.0	0.0	0.926	1.0	0.0	91.3	-28.0	89.4	93.7	107	0.783	1.0	0.0																														
116	104	108	0.766	1.0	0.0	88.7	-43.3	86.2	96.5	116	0.981	1.0	0.0	92.3	-22.5	90.5	93.2	104	0.767	1.0	0.0	0.907	1.0	0.0	91.0	-29.9	89.0	93.9	108	0.767	1.0	0.0																														
117	105	109	0.75	1.0	0.0	88.5	-44.9	85.8	96.8	117	0.965	1.0	0.0	92.0	-24.1	90.2	93.4	105	0.75	1.0	0.0	0.888	1.0	0.0	90.7	-31.7	88.5	94.0	109	0.75	1.0	0.0																														
118	106	110	0.733	1.0	0.0	88.3	-46.3	85.6	97.4	118	0.949	1.0	0.0	91.8	-25.7	89.9	93.5	106	0.733	1.0	0.0	0.868	1.0	0.0	90.3	-33.6	88.0	94.3	110	0.733	1.0	0.0																														
119	107	112	0.716	1.0	0.0	88.1	-47.8	85.4	97.9	119	0.933	1.0	0.0	91.5	-27.3	89.6	93.6	107	0.717	1.0	0.0	0.848	1.0	0.0	90.0	-35.6	87.8	94.7	112	0.717	1.0	0.0																														
120	108	113	0.7	1.0	0.0	87.9	-49.2	85.2	98.4	120	0.917	1.0	0.0	91.2	-28.9	89.2	93.8	108	0.7	1.0	0.0	0.827	1.0	0.0	89.7	-37.5	87.4	95.2	113	0.7	1.0	0.0																														
120	109	114	0.683	1.0	0.0	87.6	-50.7	84.9	98.9	120	0.901	1.0	0.0	90.9	-30.5	88.8	93.9	109	0.683	1.0	0.0	0.806	1.0	0.0	89.4	-39.5	87.1	95.7	114	0.683	1.0	0.0																														
121	110	115	0.666	1.0	0.0	87.4	-52.1	84.7	99.4	121	0.884	1.0	0.0	90.6	-32.1	88.4	94.1	110	0.667	1.0	0.0	0.786	1.0	0.0	89.1	-41.5	86.7	96.1	115	0.667	1.0	0.0																														
122	111	116	0.65	1.0	0.0	87.2	-53.6	84.4	100.0	122	0.868	1.0	0.0	90.3	-33.7	88.0	94.3	111	0.65	1.0	0.0	0.765	1.0	0.0	88.8	-43.4	86.2	96.6	116	0.65	1.0	0.0																														
123	112	117	0.633	1.0	0.0	87.0	-55.0	84.1	100.5	123	0.85	1.0	0.0	90.1	-35.4	87.8	94.7	112	0.633	1.0	0.0	0.743	1.0	0.0	88.5	-45.4	85.8	97.1	117	0.633	1.0	0.0																														
123	113	119	0.616	1.0	0.0	86.8	-56.4	83.8	101.0	123	0.832	1.0	0.0	89.8	-37.1	87.5	95.1	113	0.617	1.0	0.0	0.719	1.0	0.0	88.2	-47.5	85.5	97.9	119	0.617	1.0	0.0																														
124	114	120	0.6	1.0	0.0	86.7	-57.6	83.7	101.6	124	0.814	1.0	0.0	89.5	-38.7	87.2	95.5	114	0.6	1.0	0.0	0.695	1.0	0.0	87.8	-49.6	85.2	98.6	120	0.6	1.0	0.0																														
125	115	121	0.583	1.0	0.0																																																									

1-113630-L0

SE020-73

LAB*la0, YN=0%, XYZnw=0.0, 0.0, 0.0, 84.2, 88.6, 96.5, LAB*nw=0.0, 0.0, 0.0, 95.4, 0.0, 0.0

Output: sRGB standard device; no separation, D65, page 7/29

TUB-test chart SE02; 16 step hue circle

input: $rgb/cmyk \rightarrow rgb_{de}$

48 step hue circles; *rgb-LabCh** tables, 3D=1, de=1, *sRGB** output: 3D-linearization to *rgb**_{de}

1-113630-F0

TUB registration: 20130201-SE02/SE02LOFA.TXT /.PSS

TUB material: code=rha4ta

http://130.149.60.45/~farbmetrik/SE02/SE02L0FA.TXT /.PS; 3D-linearization
F: 3D-linearization SE02/SE02LE30FA.DAT in file (F), page 8/29

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;

Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2$; Six hue angles of the elementary colours $RYGBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{dd361M}	$LAB^*_{dd361Mi}$ (x=LabCh)	$rgb^*_{ds361Mi}$	$LAB^*_{dsx361Mi}$ (x=LabCh)	$rgb^*_{dd361Mi}$	$rgb^*_{de361Mi}$	$LAB^*_{dex361Mi}$ (x=LabCh)	$rgb^*_{dd361Mi}$	rgb^*_{dd}	rgb^*_{ds}	rgb^*_{de}
128	120	127	0.5	1.0	0.0	85.7	-65.2	82.4	105.1	128	0.7	1.0	0.0
128	121	128	0.483	1.0	0.0	85.5	-66.2	82.3	105.6	128	0.68	1.0	0.0
129	122	129	0.466	1.0	0.0	85.4	-67.2	82.1	106.1	129	0.659	1.0	0.0
129	123	130	0.45	1.0	0.0	85.3	-68.2	82.0	106.7	129	0.638	1.0	0.0
130	124	131	0.433	1.0	0.0	85.2	-69.2	81.8	107.2	130	0.615	1.0	0.0
130	125	133	0.416	1.0	0.0	85.0	-70.2	81.7	107.8	130	0.589	1.0	0.0
131	126	134	0.4	1.0	0.0	84.9	-71.3	81.5	108.3	131	0.562	1.0	0.0
131	127	135	0.383	1.0	0.0	84.8	-72.3	81.3	108.8	131	0.536	1.0	0.0
132	128	136	0.366	1.0	0.0	84.7	-73.2	81.2	109.3	132	0.51	1.0	0.0
132	129	137	0.35	1.0	0.0	84.6	-73.9	81.1	109.7	132	0.477	1.0	0.0
132	130	138	0.333	1.0	0.0	84.5	-74.6	81.0	110.1	132	0.442	1.0	0.0
132	131	140	0.316	1.0	0.0	84.4	-75.3	80.9	110.6	132	0.406	1.0	0.0
133	132	141	0.3	1.0	0.0	84.3	-76.0	80.8	111.0	133	0.368	1.0	0.0
133	133	142	0.283	1.0	0.0	84.2	-76.8	80.7	111.4	133	0.314	1.0	0.0
133	134	143	0.266	1.0	0.0	84.2	-77.5	80.6	111.8	133	0.261	1.0	0.0
134	135	144	0.25	1.0	0.0	84.1	-78.2	80.5	112.2	134	0.173	1.0	0.0
134	136	145	0.233	1.0	0.0	84.0	-78.7	80.4	112.5	134	0.004	1.0	0.0
134	137	147	0.216	1.0	0.0	84.0	-79.1	80.4	112.8	134	0.0	1.0	0.125
134	138	148	0.2	1.0	0.0	83.9	-79.5	80.3	113.0	134	0.0	1.0	0.178
134	139	149	0.183	1.0	0.0	83.9	-79.9	80.2	113.3	134	0.0	1.0	0.231
135	140	150	0.166	1.0	0.0	83.8	-80.4	80.2	113.5	135	0.0	1.0	0.271
135	141	151	0.15	1.0	0.0	83.8	-80.8	80.1	113.8	135	0.0	1.0	0.303
135	142	152	0.133	1.0	0.0	83.7	-81.2	80.1	114.1	135	0.0	1.0	0.335
135	143	154	0.116	1.0	0.0	83.7	-81.5	80.0	114.2	135	0.0	1.0	0.368
135	144	155	0.1	1.0	0.0	83.7	-81.7	80.0	114.4	135	0.0	1.0	0.393
135	145	156	0.083	1.0	0.0	83.7	-81.9	80.0	114.5	135	0.0	1.0	0.416
135	146	157	0.066	1.0	0.0	83.7	-82.0	79.9	114.6	135	0.0	1.0	0.439
135	147	158	0.049	1.0	0.0	83.6	-82.2	79.9	114.7	135	0.0	1.0	0.462
135	148	159	0.033	1.0	0.0	83.6	-82.4	79.9	114.8	135	0.0	1.0	0.485
135	149	161	0.016	1.0	0.0	83.6	-82.6	79.9	114.9	135	0.0	1.0	0.506
136	150	162	0.0	1.0	0.0	83.6	-82.7	79.8	115.0	136	G_d	0.0	1.0
136	151	163	0.0	1.0	0.016	83.6	-82.7	79.4	114.6	136	0.0	1.0	0.541
136	152	164	0.0	1.0	0.033	83.6	-82.6	79.0	114.3	136	0.0	1.0	0.558
136	153	164	0.0	1.0	0.05	83.6	-82.5	78.5	113.9	136	0.0	1.0	0.575
136	154	165	0.0	1.0	0.066	83.6	-82.4	78.1	113.5	136	0.0	1.0	0.592
136	155	166	0.0	1.0	0.083	83.6	-82.3	77.6	113.2	136	0.0	1.0	0.61
136	156	167	0.0	1.0	0.1	83.6	-82.2	77.2	112.8	136	0.0	1.0	0.626
136	157	168	0.0	1.0	0.116	83.6	-82.1	76.8	112.5	136	0.0	1.0	0.639
137	158	169	0.0	1.0	0.133	83.6	-82.0	76.0	111.9	137	0.0	1.0	0.652
137	159	170	0.0	1.0	0.15	83.7	-81.8	75.0	111.0	137	0.0	1.0	0.665
137	160	171	0.0	1.0	0.166	83.7	-81.6	74.0	110.2	137	0.0	1.0	0.678
138	161	172	0.0	1.0	0.183	83.7	-81.4	73.0	109.4	138	0.0	1.0	0.691
138	162	173	0.0	1.0	0.2	83.7	-81.2	72.0	108.6	138	0.0	1.0	0.703
138	163	174	0.0	1.0	0.216	83.7	-81.0	71.1	107.8	138	0.0	1.0	0.716
139	164	175	0.0	1.0	0.233	83.7	-80.8	70.1	106.9	139	0.0	1.0	0.729
139	165	175	0.0	1.0	0.25	83.8	-80.5	69.1	106.1	139	0.0	1.0	0.742
139	165	175	0.0	1.0	0.25	83.8	-80.5	69.1	106.1	139	G_s	0.0	1.0
139	165	175	0.0	1.0	0.25	83.8	-80.5	69.1	106.1	139	0.0	1.0	0.523
139	165	175	0.0	1.0	0.25	83.8	-80.5	69.1	106.1	139	0.0	1.0	0.541
139	165	175	0.0	1.0	0.25	83.8	-80.5	69.1	106.1	139	0.0	1.0	0.558
139	165	175	0.0	1.0	0.25	83.8	-80.5	69.1	106.1	139	0.0	1.0	0.575
139	165	175	0.0	1.0	0.25	83.8	-80.5	69.1	106.1	139	0.0	1.0	0.592
139	165	175	0.0	1.0	0.25	83.8	-80.5	69.1	106.1	139	0.0	1.0	0.61
139	165	175	0.0	1.0	0.25	83.8	-80.5	69.1	106.1	139	0.0	1.0	0.626
139	165	175	0.0	1.0	0.25	83.8	-80.5	69.1	106.1	139	0.0	1.0	0.639
139	165	175	0.0	1.0	0.25	83.8	-80.5	69.1	106.1	139	0.0	1.0	0.652
139	165	175	0.0	1.0	0.25	83.8	-80.5	69.1	106.1	139	0.0	1.0	0.665
139	165	175	0.0	1.0	0.25	83.8	-80.5	69.1	106.1	139	0.0	1.0	0.678
139	165	175	0.0	1.0	0.25	83.8	-80.5	69.1	106.1	139	0.0	1.0	0.691
139	165	175	0.0	1.0	0.25	83.8	-80.5	69.1	106.1	139	0.0	1.0	0.703
139	165	175	0.0	1.0	0.25	83.8	-80.5	69.1	106.1	139	0.0	1.0	0.716
139	165	175	0.0	1.0	0.25	83.8	-80.5	69.1	106.1	139	0.0	1.0	0.729
139	165	175	0.0	1.0	0.25	83.8	-80.5	69.1	106.1	139	0.0	1.0	0.742
139	165	175	0.0	1.0	0.25	83.8	-80.5	69.1	106.1	139	0.0	1.0	0.759
139	165	175	0.0	1.0	0.25	83.8	-80.5	69.1	106.1	139	0.0	1.0	0.776
139	165	175	0.0	1.0	0.25	83.8	-80.5	69.1	106.1	139	0.0	1.0	0.793
139	165	175	0.0	1.0	0.25	83.8	-80.5	69.1	106.1	139	0.0	1.0	0.81
139	165	175	0.0	1.0	0.25	83.8	-80.5	69.1	106.1	139	0.0	1.0	0.826
139	165	175	0.0	1.0	0.25	83.8	-80.5	69.1	106.1	139	0.0	1.0	0.843
139	165	175	0.0	1.0	0.25	83.8	-80.5	69.1	106.1	139	0.0	1.0	0.859
139	165	175	0.0	1.0	0.25	83.8	-80.5	69.1	106.1	139	0.0	1.0	0.876
139	165	175	0.0	1.0	0.25	83.8	-80.5	69.1	106.1	139	0.0	1.0	0.893
139	165	175	0.0	1.0	0.25	83.8	-80.5	69.1	106.1	139	0.0	1.0	0.91
139	165	175	0.0	1.0	0.25	83.8	-80.5	69.1	106.1	139	0.0	1.0	0.926
139	165	175	0.0	1.0	0.25	83.8	-80.5	69.1	106.1	139	0.0	1.0	0.943
139	165	175	0.0	1.0	0.25	83.8	-80.5	69.1	106.1	139	0.0	1.0	0.959
139	165	175	0.0	1.0	0.25	83.8	-80.5	69.1	106.1	139	0.0	1.0	0.976
139	165	175	0.0	1.0	0.25	83.8	-80.5	69.1	106.1	139	0.0	1.0	0.993
139	165	175	0.0	1.0	0.25	83.8	-80.5	69.1	106.1	139	0.0	1.0	1.01
139	165	175	0.0	1.0	0.25	83.8	-80.5	69.1	106.1	139	0.0	1.0	1.026
139	165	175	0.0	1.0	0.25	83.8	-80.5	69.1	106.1	139	0.0	1	

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours <i>RYGBM_s</i> : <i>h_{ab,ds}</i> = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0; Six hue angles of the device colours <i>RYGCBM_d</i> : <i>h_{ab,d}</i> = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2; Six hue angles of the elementary colours <i>RYGCBM_e</i> : <i>h_{ab,e}</i> = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6																	
<i>h_{ab,d}</i>	<i>h_{ab,s}</i>	<i>h_{ab,e}</i>	<i>rgb*_{dd361M}</i>	<i>LAB*_{ddx361Mi}</i> (x=LabCh)	<i>rgb*_{ds361Mi}</i>	<i>LAB*_{dsx361Mi}</i> (x=LabCh)	<i>rgb*_{dd361Mi}</i>	<i>LAB*_{de361Mi}</i>	<i>LAB*_{dex361Mi}</i> (x=LabCh)	<i>rgb*_{dd361Mi}</i>	<i>rgb*_{de361Mi}</i>	<i>rgb*_{dd361Mi}</i>	<i>rgb*_{de361Mi}</i>	<i>rgb*_{dd361Mi}</i>	<i>rgb*_{de361Mi}</i>	<i>rgb*_{dd361Mi}</i>	<i>rgb*_{de361Mi}</i>
139	165	175	0.0	1.0	0.25	83.8	-80.5	69.1	106.1	139	0.0	1.0	0.25	83.8	-80.5	69.1	106.1
139	166	176	0.0	1.0	0.266	83.8	-80.2	67.6	104.9	139	0.0	1.0	0.267	83.8	-80.2	67.6	104.9
140	167	177	0.0	1.0	0.283	83.8	-79.9	66.1	103.7	140	0.0	1.0	0.283	83.8	-79.9	66.1	103.7
140	168	178	0.0	1.0	0.3	83.8	-79.6	64.6	102.5	140	0.0	1.0	0.3	83.8	-79.6	64.6	102.5
141	169	179	0.0	1.0	0.316	83.9	-79.2	63.1	101.3	141	0.0	1.0	0.317	83.9	-79.2	63.1	101.3
141	170	180	0.0	1.0	0.333	83.9	-78.8	61.7	100.1	141	0.0	1.0	0.333	83.9	-78.8	61.7	100.1
142	171	181	0.0	1.0	0.35	83.9	-78.4	60.2	98.9	142	0.0	1.0	0.35	83.9	-78.4	60.2	98.9
142	172	182	0.0	1.0	0.366	84.0	-78.0	58.8	97.7	142	0.0	1.0	0.367	84.0	-78.0	58.8	97.7
143	173	183	0.0	1.0	0.383	84.0	-77.6	57.2	96.4	143	0.0	1.0	0.383	84.0	-77.6	57.2	96.4
144	174	184	0.0	1.0	0.4	84.0	-77.1	55.4	94.9	144	0.0	1.0	0.4	84.0	-77.1	55.4	94.9
145	175	185	0.0	1.0	0.416	84.1	-76.6	53.6	93.5	145	0.0	1.0	0.417	84.1	-76.6	53.6	93.5
145	176	185	0.0	1.0	0.433	84.1	-76.1	51.8	92.1	145	0.0	1.0	0.433	84.1	-76.1	51.8	92.1
146	177	186	0.0	1.0	0.45	84.2	-75.6	50.0	90.6	146	0.0	1.0	0.45	84.2	-75.6	50.0	90.6
147	178	187	0.0	1.0	0.466	84.2	-75.0	48.3	89.2	147	0.0	1.0	0.467	84.2	-75.0	48.3	89.2
147	179	188	0.0	1.0	0.483	84.3	-74.4	46.6	87.8	147	0.0	1.0	0.483	84.3	-74.4	46.6	87.8
148	180	189	0.0	1.0	0.5	84.3	-73.7	44.9	86.4	148	0.0	1.0	0.5	84.3	-73.7	44.9	86.4
149	181	190	0.0	1.0	0.516	84.4	-73.2	42.9	84.8	149	0.0	1.0	0.517	84.4	-73.2	42.9	84.8
150	182	191	0.0	1.0	0.533	84.4	-72.6	40.9	83.3	150	0.0	1.0	0.533	84.4	-72.6	40.9	83.3
151	183	192	0.0	1.0	0.55	84.5	-71.9	39.0	81.8	151	0.0	1.0	0.55	84.5	-71.9	39.0	81.8
152	184	193	0.0	1.0	0.566	84.5	-71.2	37.0	80.3	152	0.0	1.0	0.567	84.5	-71.2	37.0	80.3
153	185	194	0.0	1.0	0.583	84.6	-70.5	35.2	78.8	153	0.0	1.0	0.583	84.6	-70.5	35.2	78.8
154	186	195	0.0	1.0	0.6	84.6	-69.7	33.3	77.3	154	0.0	1.0	0.6	84.6	-69.7	33.3	77.3
155	187	195	0.0	1.0	0.616	84.7	-68.9	31.5	75.8	155	0.0	1.0	0.617	84.7	-68.9	31.5	75.8
156	188	196	0.0	1.0	0.633	84.8	-68.1	29.5	74.3	156	0.0	1.0	0.633	84.8	-68.1	29.5	74.3
157	189	197	0.0	1.0	0.65	84.8	-67.4	27.4	72.8	157	0.0	1.0	0.65	84.8	-67.4	27.4	72.8
159	190	198	0.0	1.0	0.666	84.9	-66.7	25.4	71.3	159	0.0	1.0	0.667	84.9	-66.7	25.4	71.3
160	191	199	0.0	1.0	0.683	85.0	-65.8	23.4	69.9	160	0.0	1.0	0.683	85.0	-65.8	23.4	69.9
161	192	200	0.0	1.0	0.7	85.1	-65.0	21.4	68.4	161	0.0	1.0	0.7	85.1	-65.0	21.4	68.4
163	193	201	0.0	1.0	0.716	85.2	-64.0	19.5	67.0	163	0.0	1.0	0.717	85.2	-64.0	19.5	67.0
164	194	202	0.0	1.0	0.733	85.2	-63.1	17.6	65.5	164	0.0	1.0	0.733	85.2	-63.1	17.6	65.5
165	195	203	0.0	1.0	0.75	85.3	-62.0	15.9	64.0	165	0.0	1.0	0.75	85.3	-62.0	15.9	64.0
167	196	204	0.0	1.0	0.766	85.4	-61.2	13.7	62.8	167	0.0	1.0	0.767	85.4	-61.2	13.7	62.8
169	197	205	0.0	1.0	0.783	85.5	-60.4	11.5	61.5	169	0.0	1.0	0.783	85.5	-60.4	11.5	61.5
170	198	206	0.0	1.0	0.8	85.6	-59.5	9.5	60.2	170	0.0	1.0	0.8	85.6	-59.5	9.5	60.2
172	199	206	0.0	1.0	0.816	85.7	-58.5	7.5	59.0	172	0.0	1.0	0.817	85.7	-58.5	7.5	59.0
174	200	207	0.0	1.0	0.833	85.8	-57.4	5.5	57.7	174	0.0	1.0	0.833	85.8	-57.4	5.5	57.7
176	201	208	0.0	1.0	0.85	85.9	-56.3	3.7	56.4	176	0.0	1.0	0.85	85.9	-56.3	3.7	56.4
177	202	209	0.0	1.0	0.866	86.0	-55.1	1.9	55.2	177	0.0	1.0	0.867	86.0	-55.1	1.9	55.2
180	203	210	0.0	1.0	0.883	86.1	-54.1	0.0	54.1	180	0.0	1.0	0.883	86.1	-54.1	0.0	54.1
182	204	211	0.0	1.0	0.9	86.2	-53.2	-2.1	53.2	182	0.0	1.0	0.9	86.2	-53.2	-2.1	53.2
184	205	212	0.0	1.0	0.916	86.3	-52.2	-4.2	52.4	184	0.0	1.0	0.917	86.3	-52.2	-4.2	52.4
187	206	213	0.0	1.0	0.933	86.4	-51.1	-6.3	51.5	187	0.0	1.0	0.933	86.4	-51.1	-6.3	51.5
189	207	214	0.0	1.0	0.95	86.5	-50.0	-8.2	50.7	189	0.0	1.0	0.95	86.5	-50.0	-8.2	50.7
191	208	215	0.0	1.0	0.966	86.6	-48.8	-10.1	49.8	191	0.0	1.0	0.967	86.6	-48.8	-10.1	49.8
194	209	216	0.0	1.0	0.983	86.7	-47.5	-11.8	48.9	194	0.0	1.0	0.983	86.7	-47.5	-11.8	48.9
196	210	216	0.0	1.0	1.0	86.8	-46.1	-13.5	48.1	196	0.0	1.0	1.0	86.8	-46.1	-13.5	48.1

1-113830-L0 SE020-73 LAB*la0, YN=0%, XYZnw=0.0, 0.0, 0.0, 84.2, 88.6, 96.5, LAB*nw=0.0, 0.0, 0.0, 95.4, 0.0, 0.0

Output: sRGB standard device; no separation, D65, page 9/29

TUB-test chart SE02; 16 step hue circle
48 step hue circles; *rgb-LabCh**tables, 3D=1, de=1, *sRGB**

input: *rgb/cmyk* -> *rgb_{de}*
output: 3D-linearization to *rgb*_{de}*

TUB registration: 20130201-SE02/SE02L0FA.TXT /.PS
application for measurement of display output, no separation
TUB material: code=rha4ta

http://130.149.60.45/~farbmetrik/SE02/SE02L0FA.TXT /.PS; 3D-linearization
F: 3D-linearization SE02/SE02LE30FA.DAT in file (F), page 10/29

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2$; Six hue angles of the elementary colours $RYGBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{dd361M}	$LAB^*_{ddx361Mi}(x=LabCh)$	C_d	$rgb^*_{ds361Mi}$	$LAB^*_{dsx361Mi}(x=LabCh)$	C_s	$rgb^*_{dd361Mi}$	$rgb^*_{de361Mi}$	$LAB^*_{dex361Mi}(x=LabCh)$	$rgb^*_{dd361Mi}$	rgb^*_{dd}	rgb^*_{ds}	rgb^*_{de}														
196	210	216	0.0	1.0	1.0	86.8	-46.1 -13.5 48.1	196	0.0	0.927	1.0	81.7	-38.6 -22.2 44.7	210	0.0	0.983	1.0	0.0	0.89	1.0	79.1	-34.2 -25.7 42.9	216	0.0	1.0	1.0			
199	211	217	0.0	0.983	1.0	85.6	-44.6 -15.8 47.3	199	0.0	0.922	1.0	81.3	-38.0 -22.8 44.4	211	0.0	0.983	1.0	0.0	0.885	1.0	78.7	-33.6 -26.1 42.7	217	0.0	0.983	1.0			
202	212	218	0.0	0.966	1.0	84.5	-42.9 -17.9 46.5	202	0.0	0.917	1.0	81.0	-37.3 -23.3 44.2	212	0.0	0.967	1.0	0.0	0.881	1.0	78.4	-33.0 -26.5 42.4	218	0.0	0.967	1.0			
205	213	219	0.0	0.95	1.0	83.3	-41.1 -19.8 45.7	205	0.0	0.911	1.0	80.6	-36.7 -23.8 43.9	213	0.0	0.95	1.0	0.0	0.876	1.0	78.0	-32.3 -26.9 42.2	219	0.0	0.95	1.0			
208	214	220	0.0	0.933	1.0	82.1	-39.3 -21.7 44.9	208	0.0	0.906	1.0	80.2	-36.1 -24.3 43.6	214	0.0	0.933	1.0	0.0	0.871	1.0	77.7	-31.9 -27.4 42.2	220	0.0	0.933	1.0			
212	215	221	0.0	0.916	1.0	80.9	-37.4 -23.4 44.1	212	0.0	0.901	1.0	79.8	-35.4 -24.8 43.4	215	0.0	0.917	1.0	0.0	0.867	1.0	77.4	-31.5 -27.9 42.3	221	0.0	0.917	1.0			
215	216	222	0.0	0.9	1.0	79.7	-35.4 -24.9 43.3	215	0.0	0.895	1.0	79.5	-34.8 -25.3 43.1	216	0.0	0.9	1.0	0.0	0.863	1.0	77.2	-31.1 -28.5 42.3	222	0.0	0.9	1.0			
218	217	223	0.0	0.883	1.0	78.5	-33.4 -26.3 42.5	218	0.0	0.89	1.0	79.1	-34.1 -25.7 42.9	217	0.0	0.883	1.0	0.0	0.859	1.0	76.9	-30.7 -29.0 42.4	223	0.0	0.883	1.0			
221	218	224	0.0	0.866	1.0	77.4	-31.5 -28.1 42.2	221	0.0	0.885	1.0	78.7	-33.5 -26.1 42.6	218	0.0	0.867	1.0	0.0	0.855	1.0	76.6	-30.3 -29.6 42.5	224	0.0	0.867	1.0			
225	219	225	0.0	0.85	1.0	76.2	-29.9 -30.2 42.5	225	0.0	0.879	1.0	78.3	-32.8 -26.6 42.4	219	0.0	0.85	1.0	0.0	0.851	1.0	76.3	-29.9 -30.1 42.6	225	0.0	0.85	1.0			
228	220	226	0.0	0.833	1.0	75.0	-28.1 -32.3 42.8	228	0.0	0.874	1.0	77.9	-32.2 -27.0 42.2	220	0.0	0.833	1.0	0.0	0.846	1.0	76.0	-29.4 -30.6 42.6	226	0.0	0.833	1.0			
232	221	227	0.0	0.816	1.0	73.8	-26.1 -34.2 43.1	232	0.0	0.87	1.0	77.6	-31.8 -27.6 42.2	221	0.0	0.817	1.0	0.0	0.842	1.0	75.7	-29.0 -31.1 42.7	227	0.0	0.817	1.0			
236	222	227	0.0	0.8	1.0	72.6	-24.0 -36.0 43.3	236	0.0	0.865	1.0	77.3	-31.3 -28.2 42.3	222	0.0	0.8	1.0	0.0	0.838	1.0	75.4	-28.5 -31.6 42.8	227	0.0	0.8	1.0			
239	223	228	0.0	0.783	1.0	71.4	-21.8 -37.7 43.6	239	0.0	0.861	1.0	77.0	-30.9 -28.8 42.4	223	0.0	0.783	1.0	0.0	0.834	1.0	75.1	-28.1 -32.1 42.8	228	0.0	0.783	1.0			
243	224	229	0.0	0.766	1.0	70.2	-19.5 -39.3 43.9	243	0.0	0.856	1.0	76.7	-30.4 -29.4 42.5	224	0.0	0.767	1.0	0.0	0.83	1.0	74.8	-27.6 -32.6 42.9	229	0.0	0.767	1.0			
247	225	230	0.0	0.75	1.0	69.1	-17.0 -40.7 44.1	247	0.0	0.851	1.0	76.3	-30.0 -30.0 42.5	225	0.0	0.75	1.0	0.0	0.826	1.0	74.5	-27.1 -33.1 43.0	230	0.0	0.75	1.0			
250	226	231	0.0	0.733	1.0	67.9	-15.3 -42.9 45.5	250	0.0	0.847	1.0	76.0	-29.5 -30.6 42.6	226	0.0	0.733	1.0	0.0	0.821	1.0	74.2	-26.6 -33.6 43.0	231	0.0	0.733	1.0			
253	227	232	0.0	0.716	1.0	66.7	-13.5 -44.9 46.9	253	0.0	0.842	1.0	75.7	-29.0 -31.1 42.7	227	0.0	0.717	1.0	0.0	0.817	1.0	73.9	-26.1 -34.1 43.1	232	0.0	0.717	1.0			
256	228	233	0.0	0.7	1.0	65.5	-11.4 -46.9 48.3	256	0.0	0.838	1.0	75.4	-28.5 -31.7 42.8	228	0.0	0.7	1.0	0.0	0.813	1.0	73.6	-25.6 -34.6 43.2	233	0.0	0.7	1.0			
259	229	234	0.0	0.683	1.0	64.4	-9.2 -48.8 49.7	259	0.0	0.833	1.0	75.0	-28.0 -32.2 42.8	229	0.0	0.683	1.0	0.0	0.809	1.0	73.3	-25.1 -35.0 43.2	234	0.0	0.683	1.0			
262	230	235	0.0	0.666	1.0	63.2	-6.8 -50.6 51.1	262	0.0	0.829	1.0	74.7	-27.5 -32.8 42.9	230	0.0	0.667	1.0	0.0	0.805	1.0	73.0	-24.6 -35.5 43.3	235	0.0	0.667	1.0			
265	231	236	0.0	0.65	1.0	62.0	-4.2 -52.3 52.5	265	0.0	0.824	1.0	74.4	-26.9 -33.3 43.0	231	0.0	0.65	1.0	0.0	0.801	1.0	72.7	-24.1 -35.9 43.4	236	0.0	0.65	1.0			
268	232	237	0.0	0.633	1.0	60.9	-1.5 -53.9 53.9	268	0.0	0.82	1.0	74.1	-26.4 -33.8 43.1	232	0.0	0.633	1.0	0.0	0.797	1.0	72.4	-23.5 -36.3 43.4	237	0.0	0.633	1.0			
270	233	237	0.0	0.616	1.0	59.7	0.8 -55.6 55.7	270	0.0	0.815	1.0	73.7	-25.9 -34.3 43.1	233	0.0	0.617	1.0	0.0	0.792	1.0	72.1	-23.0 -36.8 43.5	237	0.0	0.617	1.0			
272	234	238	0.0	0.6	1.0	58.6	2.9 -57.7 57.8	272	0.0	0.81	1.0	73.4	-25.3 -34.9 43.2	234	0.0	0.6	1.0	0.0	0.788	1.0	71.8	-22.4 -37.2 43.6	238	0.0	0.6	1.0			
274	235	239	0.0	0.583	1.0	57.4	5.1 -59.7 59.9	274	0.0	0.806	1.0	73.1	-24.7 -35.4 43.3	235	0.0	0.583	1.0	0.0	0.784	1.0	71.5	-21.8 -37.6 43.6	239	0.0	0.583	1.0			
276	236	240	0.0	0.566	1.0	56.3	7.4 -61.6 62.1	276	0.0	0.801	1.0	72.8	-24.1 -35.8 43.4	236	0.0	0.567	1.0	0.0	0.78	1.0	71.2	-21.3 -38.0 43.7	240	0.0	0.567	1.0			
278	237	241	0.0	0.55	1.0	55.2	10.0 -63.5 64.2	278	0.0	0.797	1.0	72.4	-23.6 -36.3 43.4	237	0.0	0.55	1.0	0.0	0.776	1.0	70.9	-20.7 -38.4 43.8	241	0.0	0.55	1.0			
280	238	242	0.0	0.533	1.0	54.0	12.6 -65.2 66.4	280	0.0	0.792	1.0	72.1	-23.0 -36.8 43.5	238	0.0	0.533	1.0	0.0	0.772	1.0	70.6	-20.1 -38.8 43.8	242	0.0	0.533	1.0			
283	239	243	0.0	0.516	1.0	52.9	15.4 -66.8 68.5	283	0.0	0.788	1.0	71.8	-22.3 -37.2 43.6	239	0.0	0.517	1.0	0.0	0.767	1.0	70.3	-19.5 -39.2 43.9	243	0.0	0.517	1.0			
285	240	244	0.0	0.5	1.0	51.7	18.3 -68.3 70.7	285	0.0	0.783	1.0	71.5	-21.7 -37.7 43.6	240	0.0	0.5	1.0	0.0	0.763	1.0	70.1	-18.9 -39.5 44.0	244	0.0	0.5	1.0			
286	241	245	0.0	0.483	1.0	50.7	20.6 -70.2 73.2	286	0.0	0.779	1.0	71.1	-21.1 -38.1 43.7	241	0.0	0.483	1.0	0.0	0.759	1.0	69.8	-18.3 -39.9 44.0	245	0.0	0.483	1.0			
287	242	246	0.0	0.466	1.0	49.6	22.9 -72.1 75.7	287	0.0	0.774	1.0	70.8	-20.5 -38.6 43.8	242	0.0	0.467	1.0	0.0	0.755	1.0	69.5	-17.7 -40.2 44.1	246	0.0	0.467	1.0			
288	243	247	0.0	0.45	1.0	48.6	25.4 -74.0 78.2	288	0.0	0.769	1.0	70.5	-19.8 -39.0 43.9	243	0.0	0.45	1.0	0.0	0.751	1.0	69.2	-17.1 -40.6 44.2	247	0.0	0.45	1.0			
290	244	248	0.0	0.433	1.0	47.5	28.0 -75.7 80.7	290	0.0	0.765	1.0	70.2	-19.2 -39.4 43.9	244	0.0	0.433	1.0	0.0	0.746	1.0	68.8	-16.6 -41.2 44.5	248	0.0	0.433	1.0			
291	245	248	0.0	0.416	1.0	46.5	30.6 -77.4 83.2	291	0.0	0.76	1.0	69.8	-18.5 -39.8 44.0	245	0.0	0.417	1.0	0.0	0.741	1.0	68.5	-16.1 -41.8 45.0	248	0.0	0.417	1.0			
292	246	249	0.0	0.4	1.0																								

http://130.149.60.45/~farbmetrik/SE02/SE02L0FA.TXT /.PS; 3D-linearization
F: 3D-linearization SE02/SE02LE30FA.DAT in file (F), page 11/29

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours $RYGBM_s$: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;
Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2$; Six hue angles of the elementary colours $RYGBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	rgb^*_{dd361M}	$LAB^*_{dd361Mi} (x=LabCh)$	$rgb^*_{ds361Mi}$	$LAB^*_{dsx361Mi} (x=LabCh)$	$rgb^*_{dd361Mi}$	$rgb^*_{de361Mi}$	$LAB^*_{dex361Mi} (x=LabCh)$	$rgb^*_{dd361Mi}$																						
301	255	258	0.0	0.25	1.0	37.1	55.9	-92.3	107.9	301	0.0	0.707	1.0	66.1	-12.3	-46.0	47.8	255	0.0	0.25	1.0	0.0	0.69	1.0	64.9	-10.1	-48.0	49.2	258	0.0	0.25	1.0
301	256	258	0.0	0.233	1.0	36.5	57.6	-93.4	109.7	301	0.0	0.702	1.0	65.7	-11.6	-46.7	48.2	256	0.0	0.233	1.0	0.0	0.685	1.0	64.6	-9.4	-48.6	49.6	258	0.0	0.233	1.0
302	257	259	0.0	0.216	1.0	35.9	59.4	-94.5	111.6	302	0.0	0.696	1.0	65.3	-10.9	-47.3	48.7	257	0.0	0.217	1.0	0.0	0.68	1.0	64.2	-8.7	-49.1	50.0	259	0.0	0.217	1.0
302	258	260	0.0	0.2	1.0	35.2	61.2	-95.5	113.5	302	0.0	0.691	1.0	64.9	-10.1	-48.0	49.1	258	0.0	0.2	1.0	0.0	0.675	1.0	63.8	-8.0	-49.7	50.4	260	0.0	0.2	1.0
303	259	261	0.0	0.183	1.0	34.6	63.0	-96.6	115.3	303	0.0	0.685	1.0	64.5	-9.4	-48.6	49.6	259	0.0	0.183	1.0	0.0	0.67	1.0	63.5	-7.2	-50.2	50.9	261	0.0	0.183	1.0
303	260	262	0.0	0.166	1.0	34.0	64.8	-97.6	117.2	303	0.0	0.679	1.0	64.2	-8.6	-49.2	50.1	260	0.0	0.167	1.0	0.0	0.665	1.0	63.1	-6.5	-50.8	51.3	262	0.0	0.167	1.0
304	261	263	0.0	0.15	1.0	33.4	66.7	-98.6	119.1	304	0.0	0.674	1.0	63.8	-7.8	-49.8	50.5	261	0.0	0.15	1.0	0.0	0.66	1.0	62.8	-5.7	-51.3	51.7	263	0.0	0.15	1.0
304	262	264	0.0	0.133	1.0	32.8	68.6	-99.6	120.9	304	0.0	0.668	1.0	63.4	-7.0	-50.4	51.0	262	0.0	0.133	1.0	0.0	0.655	1.0	62.4	-5.0	-51.8	52.1	264	0.0	0.133	1.0
304	263	265	0.0	0.116	1.0	32.3	70.0	-100.3	122.3	304	0.0	0.663	1.0	63.0	-6.2	-51.0	51.5	263	0.0	0.117	1.0	0.0	0.65	1.0	62.1	-4.2	-52.3	52.5	265	0.0	0.117	1.0
305	264	266	0.0	0.1	1.0	32.0	70.8	-100.8	123.2	305	0.0	0.657	1.0	62.6	-5.3	-51.5	51.9	264	0.0	0.1	1.0	0.0	0.645	1.0	61.7	-3.4	-52.8	53.0	266	0.0	0.1	1.0
305	265	267	0.0	0.083	1.0	31.7	71.7	-101.2	124.1	305	0.0	0.652	1.0	62.2	-4.5	-52.1	52.4	265	0.0	0.083	1.0	0.0	0.64	1.0	61.4	-2.5	-53.2	53.4	267	0.0	0.083	1.0
305	266	268	0.0	0.066	1.0	31.5	72.5	-101.7	124.9	305	0.0	0.646	1.0	61.8	-3.6	-52.6	52.8	266	0.0	0.067	1.0	0.0	0.635	1.0	61.0	-1.7	-53.7	53.8	268	0.0	0.067	1.0
305	267	269	0.0	0.049	1.0	31.2	73.4	-102.2	125.8	305	0.0	0.641	1.0	61.4	-2.7	-53.1	53.3	267	0.0	0.05	1.0	0.0	0.63	1.0	60.6	-0.8	-54.1	54.2	269	0.0	0.05	1.0
305	268	269	0.0	0.033	1.0	30.9	74.3	-102.6	126.7	305	0.0	0.635	1.0	61.0	-1.8	-53.6	53.8	268	0.0	0.033	1.0	0.0	0.624	1.0	60.3	0.0	-54.6	54.7	269	0.0	0.033	1.0
306	269	270	0.0	0.016	1.0	30.6	75.1	-103.1	127.6	306	0.0	0.63	1.0	60.6	-0.8	-54.1	54.2	269	0.0	0.017	1.0	0.0	0.617	1.0	59.8	0.8	-55.6	55.7	270	0.0	0.017	1.0
306	270	271	0.0	0.0	1.0	30.3	76.0	-103.5	128.5	306	0.0	0.624	1.0	60.2	0.0	-54.7	54.8	270	0.0	0.0	1.0	0.0	0.609	1.0	59.3	1.7	-56.5	56.6	271	0.0	0.0	1.0
306	271	272	0.016	0.0	1.0	30.4	76.0	-103.4	128.4	306	0.0	0.615	1.0	59.7	1.0	-55.7	55.9	271	0.017	0.0	1.0	0.0	0.602	1.0	58.7	2.7	-57.5	57.6	272	0.017	0.0	1.0
306	272	273	0.033	0.0	1.0	30.5	76.1	-103.3	128.3	306	0.0	0.607	1.0	59.1	2.0	-56.8	56.9	272	0.033	0.0	1.0	0.0	0.594	1.0	58.2	3.7	-58.4	58.6	273	0.033	0.0	1.0
306	273	274	0.05	0.0	1.0	30.6	76.1	-103.1	128.2	306	0.0	0.599	1.0	58.5	3.0	-57.8	58.0	273	0.05	0.0	1.0	0.0	0.586	1.0	57.7	4.8	-59.4	59.7	274	0.05	0.0	1.0
306	274	275	0.066	0.0	1.0	30.7	76.1	-103.0	128.1	306	0.0	0.591	1.0	58.0	4.1	-58.8	59.0	274	0.067	0.0	1.0	0.0	0.578	1.0	57.1	5.8	-60.3	60.7	275	0.067	0.0	1.0
306	275	276	0.083	0.0	1.0	30.8	76.2	-102.8	128.0	306	0.0	0.583	1.0	57.4	5.2	-59.8	60.1	275	0.083	0.0	1.0	0.0	0.57	1.0	56.6	7.0	-61.2	61.7	276	0.083	0.0	1.0
306	276	277	0.1	0.0	1.0	30.9	76.2	-102.7	127.9	306	0.0	0.574	1.0	56.9	6.4	-60.7	61.2	276	0.1	0.0	1.0	0.0	0.563	1.0	56.1	8.1	-62.0	62.7	277	0.1	0.0	1.0
306	277	278	0.116	0.0	1.0	30.9	76.2	-102.5	127.8	306	0.0	0.566	1.0	56.3	7.6	-61.7	62.2	277	0.117	0.0	1.0	0.0	0.555	1.0	55.5	9.3	-62.9	63.7	278	0.117	0.0	1.0
306	278	279	0.133	0.0	1.0	31.1	76.3	-102.3	127.6	306	0.0	0.558	1.0	55.7	8.8	-62.6	63.3	278	0.133	0.0	1.0	0.0	0.547	1.0	55.0	10.5	-63.7	64.7	279	0.133	0.0	1.0
306	279	280	0.15	0.0	1.0	31.3	76.3	-101.9	127.4	306	0.0	0.55	1.0	55.2	10.1	-63.5	64.3	279	0.15	0.0	1.0	0.0	0.539	1.0	54.5	11.7	-64.5	65.7	280	0.15	0.0	1.0
306	280	281	0.166	0.0	1.0	31.5	76.4	-101.6	127.1	306	0.0	0.541	1.0	54.6	11.4	-64.3	65.4	280	0.167	0.0	1.0	0.0	0.531	1.0	53.9	13.0	-65.3	66.7	281	0.167	0.0	1.0
307	281	282	0.183	0.0	1.0	31.7	76.5	-101.2	126.9	307	0.0	0.533	1.0	54.1	12.7	-65.1	66.5	281	0.183	0.0	1.0	0.0	0.524	1.0	53.4	14.3	-66.1	67.7	282	0.183	0.0	1.0
307	282	283	0.2	0.0	1.0	31.9	76.6	-100.9	126.7	307	0.0	0.525	1.0	53.5	14.0	-66.0	67.5	282	0.2	0.0	1.0	0.0	0.516	1.0	52.9	15.6	-66.8	68.7	283	0.2	0.0	1.0
307	283	284	0.216	0.0	1.0	32.1	76.6	-100.5	126.4	307	0.0	0.517	1.0	52.9	15.4	-66.7	68.6	283	0.217	0.0	1.0	0.0	0.508	1.0	52.3	16.9	-67.5	69.7	284	0.217	0.0	1.0
307	284	285	0.233	0.0	1.0	32.3	76.7	-100.1	126.2	307	0.0	0.508	1.0	52.4	16.9	-67.5	69.7	284	0.233	0.0	1.0	0.0	0.5	1.0	51.8	18.3	-68.2	70.7	285	0.233	0.0	1.0
307	285	285	0.25	0.0	1.0	32.6	76.8	-99.8	125.9	307	0.0	0.5	1.0	51.8	18.3	-68.2	70.7	285	0.25	0.0	1.0	0.0	0.488	1.0	51.0	19.9	-69.6	72.5	285	0.25	0.0	1.0
307	286	286	0.266	0.0	1.0	32.9	77.0	-99.2	125.6	307	0.0	0.488	1.0	51.0	20.0	-69.7	72.6	286	0.267	0.0	1.0	0.0	0.476	1.0	50.3	21.6	-71.0	74.3	286	0.267	0.0	1.0
308	287	287	0.283	0.0	1.0	33.2	77.1	-98.6	125.2	308	0.0	0.475	1.0	50.2	21.8	-71.2	74.5	287	0.283	0.0	1.0	0.0	0.464	1.0	49.5	23.3	-72.4	76.1	287	0.283	0.0	1.0
308	288	288	0.3	0.0	1.0	33.6	77.3	-98.1	124.9	308	0.0	0.462	1.0	49.4	23.6	-72.6	76.4	288	0.3	0.0	1.0	0.0	0.452	1.0	48.8	25.1	-73.7	77.9	288	0.3	0.0	1.0
308	289	289	0.316	0.0	1.0	33.9	77.4	-97.5	124.5	308	0.0	0.45	1.0	48.6	25.5	-74.0	78.3	289	0.317	0.0	1.0	0.0	0.44	1.0	48.0	26.9	-75.0	79.8	289	0.317	0.0	1.0
308	290	290	0.333	0.0	1.0	34.3	77.6	-96.9	124.1	308	0.0	0.437	1.0	47.8	27.4	-75.3	80.2	290	0.333	0												

F: 3D-linearization SE02/SE02LE30FA.DAT in file (F), page 12/29

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours *RYGBM*: $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;

Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2$; Six hue angles of the elementary colours $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

$h_{ab,d}$	$h_{ab,s}$	$h_{ab,e}$	$rgb^*_{dd}361M$			$LAB^*_{dsx}361Mi$ (x=LabCh)			$rgb^*_{ds}361Mi$			$LAB^*_{dsx}361Mi$ (x=LabCh)			$rgb^*_{dd}361Mi$			$rgb^*_{de}361Mi$			$LAB^*_{dex}361Mi$ (x=LabCh)			$rgb^*_{dd}361Mi$			$rgb^*_{dd}361M$			$rgb^*_{ds}361Mi$			$rgb^*_{de}361M$					
311	300	300	0.5	0.0	1.0	38.5	79.8	-89.7	120.0	311	0.0	0.274	1.0	38.4	52.2	-90.4	104.5	300	0.5	0.0	1.0	0.0	0.27	1.0	38.2	52.8	-90.6	105.0	300	0.5	0.0	1.0						
312	301	301	0.516	0.0	1.0	39.1	80.2	-88.7	119.6	312	0.0	0.254	1.0	37.4	55.3	-91.9	107.4	301	0.517	0.0	1.0	0.0	0.251	1.0	37.2	55.7	-92.1	107.7	301	0.517	0.0	1.0						
312	302	302	0.533	0.0	1.0	39.6	80.6	-87.8	119.2	312	0.0	0.222	1.0	36.1	58.8	-94.1	111.0	302	0.533	0.0	1.0	0.0	0.22	1.0	36.0	59.1	-94.2	111.3	302	0.533	0.0	1.0						
312	303	303	0.55	0.0	1.0	40.2	80.9	-86.9	118.8	312	0.0	0.188	1.0	34.8	62.6	-96.3	114.9	303	0.55	0.0	1.0	0.0	0.187	1.0	34.8	62.6	-96.3	115.0	303	0.55	0.0	1.0						
313	304	303	0.566	0.0	1.0	40.7	81.3	-86.0	118.3	313	0.0	0.153	1.0	33.5	66.4	-98.4	118.8	304	0.567	0.0	1.0	0.0	0.154	1.0	33.6	66.3	-98.3	118.6	303	0.567	0.0	1.0						
313	305	304	0.583	0.0	1.0	41.3	81.6	-85.1	117.9	313	0.0	0.109	1.0	32.2	70.4	-100.4	122.7	305	0.583	0.0	1.0	0.0	0.117	1.0	32.4	70.0	-100.2	122.3	304	0.583	0.0	1.0						
314	306	305	0.6	0.0	1.0	41.8	82.0	-84.1	117.5	314	0.0	0.024	1.0	30.8	74.8	-102.8	127.2	306	0.6	0.0	1.0	0.0	0.036	1.0	31.0	74.2	-102.5	126.6	305	0.6	0.0	1.0						
314	307	306	0.616	0.0	1.0	42.4	82.3	-83.2	117.0	314	0.172	0.0	1.0	31.6	76.5	-101.4	127.1	307	0.617	0.0	1.0	0.146	0.0	1.0	31.3	76.4	-102.0	127.5	306	0.617	0.0	1.0						
315	308	307	0.633	0.0	1.0	43.0	82.7	-82.2	116.6	315	0.282	0.0	1.0	33.2	77.2	-98.6	125.3	308	0.633	0.0	1.0	0.263	0.0	1.0	32.9	77.0	-99.3	125.7	307	0.633	0.0	1.0						
315	309	308	0.65	0.0	1.0	43.6	83.2	-81.2	116.3	315	0.357	0.0	1.0	34.8	77.8	-96.0	123.7	309	0.65	0.0	1.0	0.335	0.0	1.0	34.3	77.6	-96.8	124.2	308	0.65	0.0	1.0						
316	310	309	0.666	0.0	1.0	44.2	83.7	-80.2	115.9	316	0.414	0.0	1.0	36.2	78.6	-93.6	122.3	310	0.667	0.0	1.0	0.396	0.0	1.0	35.8	78.3	-94.4	122.8	309	0.667	0.0	1.0						
316	311	310	0.683	0.0	1.0	44.8	84.1	-79.2	115.5	316	0.465	0.0	1.0	37.6	79.4	-91.2	121.0	311	0.683	0.0	1.0	0.445	0.0	1.0	37.1	79.1	-92.2	121.5	310	0.683	0.0	1.0						
317	312	311	0.7	0.0	1.0	45.4	84.6	-78.1	115.2	317	0.513	0.0	1.0	39.0	80.1	-88.9	119.8	312	0.7	0.0	1.0	0.493	0.0	1.0	38.4	79.8	-89.9	120.3	311	0.7	0.0	1.0						
317	313	312	0.716	0.0	1.0	46.0	85.0	-77.1	114.8	317	0.551	0.0	1.0	40.3	81.0	-86.8	118.8	313	0.717	0.0	1.0	0.532	0.0	1.0	39.6	80.6	-87.9	119.3	312	0.717	0.0	1.0						
318	314	313	0.733	0.0	1.0	46.6	85.4	-76.1	114.4	318	0.59	0.0	1.0	41.6	81.8	-84.6	117.8	314	0.733	0.0	1.0	0.569	0.0	1.0	40.8	81.4	-85.8	118.3	313	0.733	0.0	1.0						
318	315	314	0.75	0.0	1.0	47.2	85.8	-75.1	114.0	318	0.628	0.0	1.0	42.8	82.6	-82.5	116.8	315	0.75	0.0	1.0	0.605	0.0	1.0	42.1	82.1	-83.8	117.4	314	0.75	0.0	1.0						
319	316	315	0.766	0.0	1.0	47.9	86.4	-74.0	113.8	319	0.66	0.0	1.0	44.0	83.5	-80.6	116.1	316	0.767	0.0	1.0	0.639	0.0	1.0	43.2	82.9	-81.8	116.6	315	0.767	0.0	1.0						
320	317	316	0.783	0.0	1.0	48.5	87.0	-72.9	113.5	320	0.692	0.0	1.0	45.2	84.4	-78.6	115.4	317	0.783	0.0	1.0	0.669	0.0	1.0	44.3	83.8	-80.0	115.9	316	0.783	0.0	1.0						
320	318	317	0.8	0.0	1.0	49.2	87.5	-71.8	113.2	320	0.724	0.0	1.0	46.3	85.2	-76.6	114.7	318	0.8	0.0	1.0	0.699	0.0	1.0	45.4	84.6	-78.1	115.2	317	0.8	0.0	1.0						
321	319	318	0.816	0.0	1.0	49.8	88.1	-70.7	113.0	321	0.755	0.0	1.0	47.5	86.0	-74.7	114.0	319	0.817	0.0	1.0	0.729	0.0	1.0	46.5	85.4	-76.3	114.5	318	0.817	0.0	1.0						
321	320	319	0.833	0.0	1.0	50.5	88.6	-69.6	112.7	321	0.783	0.0	1.0	48.6	87.0	-72.9	113.6	320	0.833	0.0	1.0	0.758	0.0	1.0	47.6	86.2	-74.5	114.0	319	0.833	0.0	1.0						
322	321	320	0.85	0.0	1.0	51.2	89.1	-68.5	112.4	322	0.81	0.0	1.0	49.7	87.9	-71.1	113.1	321	0.85	0.0	1.0	0.785	0.0	1.0	48.6	87.1	-72.8	113.5	320	0.85	0.0	1.0						
323	322	321	0.866	0.0	1.0	51.8	89.6	-67.4	112.1	323	0.838	0.0	1.0	50.7	88.8	-69.3	112.7	322	0.867	0.0	1.0	0.811	0.0	1.0	49.7	87.9	-71.0	113.1	321	0.867	0.0	1.0						
323	323	321	0.883	0.0	1.0	52.5	90.1	-66.3	111.9	323	0.866	0.0	1.0	51.8	89.6	-67.4	112.2	323	0.883	0.0	1.0	0.837	0.0	1.0	50.7	88.8	-69.3	112.7	321	0.883	0.0	1.0						
324	324	322	0.9	0.0	1.0	53.2	90.8	-65.2	111.8	324	0.892	0.0	1.0	52.9	90.5	-65.7	111.9	324	0.9	0.0	1.0	0.864	0.0	1.0	51.7	89.5	-67.6	112.2	322	0.9	0.0	1.0						
324	325	323	0.916	0.0	1.0	53.8	91.4	-64.1	111.6	324	0.918	0.0	1.0	53.9	91.5	-64.0	111.7	325	0.917	0.0	1.0	0.889	0.0	1.0	52.8	90.4	-65.9	111.9	323	0.917	0.0	1.0						
325	326	324	0.933	0.0	1.0	54.5	92.0	-62.9	111.5	325	0.943	0.0	1.0	55.0	92.4	-62.2	111.5	326	0.933	0.0	1.0	0.913	0.0	1.0	53.7	91.3	-64.3	111.7	324	0.933	0.0	1.0						
326	327	325	0.95	0.0	1.0	55.2	92.6	-61.8	111.4	326	0.969	0.0	1.0	56.0	93.3	-60.5	111.3	327	0.95	0.0	1.0	0.937	0.0	1.0	54.7	92.2	-62.6	111.5	325	0.95	0.0	1.0						
326	328	326	0.966	0.0	1.0	55.9	93.2	-60.7	111.2	326	0.994	0.0	1.0	57.1	94.2	-58.7	111.0	328	0.967	0.0	1.0	0.961	0.0	1.0	55.7	93.1	-61.0	111.3	326	0.967	0.0	1.0						
327	329	327	0.983	0.0	1.0	56.6	93.8	-59.5	111.1	327	1.0	0.0	0.984	57.1	93.9	-56.4	109.6	329	0.983	0.0	1.0	0.985	0.0	1.0	56.7	93.9	-59.3	111.1	327	0.983	0.0	1.0						
328	330	328	1.0	0.0	1.0	57.2	94.3	-58.4	110.9	328	M_d 1.0	0.0	0.962	56.8	93.4	-53.8	107.8	330	M_s 1.0	0.0	1.0	1.0	0.0	0.992	57.2	94.2	-57.4	110.3	328	M_e 1.0	0.0	1.0						
329	331	329	1.0	0.0	0.983	57.0	93.9	-56.4	109.5	329	1.0	0.0	0.941	56.5	92.7	-51.3	106.0	331	1.0	0.0	0.983	1.0	0.0	0.972	56.9	93.6	-54.9	108.6	329	1.0	0.0	0.983						
329	332	330	1.0	0.0	0.966	56.8	93.4	-54.4	108.1	329	1.0	0.0	0.919	56.2	92.0	-48.8	104.2	332	1.0	0.0	0.967	1.0	0.0	0.951	56.7	93.0	-52.5	106.9	330	1.0	0.0	0.967						
330	333	331	1.0	0.0	0.95	56.6	92.9	-52.4	106.7	330	1.0	0.0	0.898	55.9	91.2	-46.4	102.4	333	1.0	0.0	0.95	1.0	0.0	0.931	56.4	92.4	-50.2	105.2	331	1.0	0.0	0.95						
331	334	332	1.0	0.0	0.933	56.4	92.4	-50.5	105.3	331	1.0	0.0	0.876	55.7	90.4	-44.0	100.5	334	1.0	0.0	0.933	1.0	0.0	0.911	56.1	91.7	-47.8	103.4	332	1.0	0.0	0.933						
332	335	333	1.0	0.0	0.916	56.1	91.8	-48.6	103.9	332	1.0	0.0	0.86	55.5	90.0	-41.9	99.3	335	1.0	0.0	0.917	1.0	0.0	0.89	55.8	90.9	-45.5	101.7	333	1.0	0.0	0.917						
332	336	334	1.0	0.0	0.9	55.9	91.2	-46.7	102.5	332	1.0	0.0	0.843	55.3	89.6	-39.8	98.1	336	1.0	0.0	0.9	1.0	0.0	0.871	55.6	90.2	-43.3	100.2	334	1.0	0.0	0.9						
333	337	335	1.0	0.0	0.883	55.7	90.6	-44.8	101.1	333	1.0	0.0	0.827	55.1	89.2	-37.8	96.9	337	1.0	0.0	0.883	1.0	0.0	0.856	55.4	89.9	-41.4	99.0	335	1.0	0.0	0.883						
334	338	336	1.0	0.0	0.866	55.5	90.1	-42.																														

1-1131130-L0

SE020-73

LAB*la0, YN=0%, XYZnw=0.0, 0.0, 0.0, 84.2, 88.6, 96.5, LAB*nw=0.0, 0.0, 0.0, 95.4, 0.0, 0.0

Output: sRGB standard device; no separation, D65, page 12/29

TUB-test chart SE02; 16 step hue circle

input: *rgb/cmyk* $\rightarrow$ *rgb_{de}*

48 step hue circles; *rgb-LabCh** tables, 3D=1, de=1, *sRGB** output: 3D-linearization to *rgb**_{de}

1-1131130-F0

TUB registration: 20130201-SE02/SE02LOFA.TXT /.PSS

TUB material: code=rha4ta

see similar files: <http://130.149.60.45/~farbmeyrik/SE02/SE02.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmeyrik>

F: 3D-linearization SE02/SE02LE30FA.DAT in file (F), page 13/29

Data of Maximum color M in colorimetric system sRGB standard device; no separation, D65 for input or output; Six hue angles of the 60 degree standard colours RYGBM; $h_{ab,ds} = 30.0, 90.0, 150.0, 210.0, 270.0, 330.0$;

Six hue angles of the device colours $RYGCBM_d$: $h_{ab,d} = 40.0, 102.9, 136.0, 196.4, 306.3, 328.2$; Six hue angles of the elementary colours $RYGCBM_e$: $h_{ab,e} = 25.5, 92.3, 162.2, 217.0, 271.7, 328.6$

[illegible]

TUV registration: 20130201-SE02/SE02LOFA.TXT /.PS
application for measurement of display output, no separation

TUB material: code=rha4ta

Output: sRGB standard device; no separation, D65, page 13/29

TUB-test chart SE02; 16 step hue circle

48 step hue circles; *rgb-LabCh** tables,

input: $rgb/cmyk \rightarrow rgb_{de}$

* output: 3D-linearization to rgb^*_{de}

~~1-1131230-F0~~

~~1-1131230-F0~~

http://130.149.60.45/~farbmetrik/SE02/SE02L0FA.TXT /.PS; 3D-linearization
F: 3D-linearization SE02/SE02LE30FA.DAT in file (F), page 14/29

see similar files: <http://130.149.60.45/~farbmetrik/SE02/SE02L0FA.TXT> /.PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-SE02/SE02L0FA.TXT /.PS
application for measurement of display output, no separation
TUB material: code=rha4ta

n/j	HIC*F _{de}	rgb_F _{de}	ict_F _{de}	hsi_F _{de}	rgb*F _{de}	LabCh*F _{de}	rgb**F _{de}	LabCh**F _{de}	DE**F _{de} hsiM _{de}	rgb**M _{de}	LabCh**M _{de}
0/648	R00Y_100_100de	1.0 0.0 0.0	1.0 1.0 0.5	390	1.0 0.0 0.263	50.9 78.3 37.3	86.7 25.4	1.0 0.0 0.264	50.9 78.1 37.1	86.5 25.4	0.2 375
1/657	R13Y_100_100de	1.0 0.125 0.0	1.0 1.0 0.5	37	1.0 0.0 0.156	50.6 77.6 50.9	92.9 33.2	1.0 0.0 0.157	50.6 77.3 51.2	92.8 33.5	0.4 381
2/666	R25Y_100_100de	1.0 0.25 0.0	1.0 1.0 0.5	44	1.0 0.102 0.0	51.3 74.4 64.8	98.7 41.0	0.999 0.102 0.0	51.2 74.7 64.8	98.9 40.9	0.2 35
3/675	R38Y_100_100de	1.0 0.375 0.0	1.0 1.0 0.5	52	1.0 0.358 0.0	57.6 56.9 67.8	88.5 49.9	0.999 0.359 0.0	57.6 57.0 67.6	88.4 49.8	0.1 50
4/684	R50Y_100_100de	1.0 0.5 0.0	1.0 1.0 0.5	60	1.0 0.487 0.0	63.1 42.7 70.8	82.7 58.8	0.999 0.489 0.0	63.1 42.6 70.7	82.5 58.9	0.1 59
5/693	R63Y_100_100de	1.0 0.625 0.0	1.0 1.0 0.5	68	1.0 0.589 0.0	68.2 30.2 74.2	80.1 67.8	1.0 0.588 0.0	68.1 30.4 73.7	79.8 67.5	0.4 65
6/702	R75Y_100_100de	1.0 0.75 0.0	1.0 1.0 0.5	76	1.0 0.684 0.0	73.5 18.3 77.7	79.8 76.0	1.0 0.682 0.0	73.3 18.4 77.1	79.3 76.5	0.5 72
7/711	R88Y_100_100de	1.0 0.875 0.0	1.0 1.0 0.5	83	1.0 0.767 0.0	78.3 7.7 80.7	81.0 84.5	1.0 0.766 0.0	78.2 7.7 80.4	80.8 84.4	0.2 77
8/720	Y00G_100_100de	1.0 1.0 0.0	1.0 1.0 0.5	90	1.0 0.856 0.0	83.7 -3.4 84.5	84.5 92.3	1.0 0.856 0.0	83.6 -3.4 84.2	84.3 92.3	0.2 82
9/639	Y13G_100_100de	0.875 1.0 0.0	1.0 1.0 0.5	97	1.0 0.966 0.0	90.5 -16.5 89.4	91.0 100.4	1.0 0.966 0.0	90.5 -16.7 89.1	90.7 100.6	0.3 88
10/558	Y25G_100_100de	0.75 1.0 0.0	1.0 1.0 0.5	104	0.906 1.0 0.0	91.0 -29.9 88.9	93.8 108.6	0.906 1.0 0.0	90.9 -30.0 88.7	93.6 108.6	0.2 94
11/477	Y38G_100_100de	0.625 1.0 0.0	1.0 1.0 0.5	112	0.743 1.0 0.0	88.4 -45.5 85.7	97.1 117.9	0.742 0.999 0.0	88.4 -45.6 85.7	97.0 118.0	0.1 104
12/396	Y50G_100_100de	0.5 1.0 0.0	1.0 1.0 0.5	120	0.528 1.0 0.0	85.9 -63.0 82.8	104.1 127.2	0.53 0.999 0.0	85.9 -63.0 82.7	104.0 127.3	0.1 118
13/315	Y63G_100_100de	0.375 1.0 0.0	1.0 1.0 0.5	128	0.0 1.0 0.072	83.6 -82.4 77.9	113.4 136.5	0.005 1.0 0.072	83.6 -82.3 78.4	113.7 136.4	0.4 153
14/234	Y75G_100_100de	0.25 1.0 0.0	1.0 1.0 0.5	136	0.0 1.0 0.436	84.1 -76.0 51.4	91.8 145.9	0.0 1.0 0.439	84.1 -75.8 51.4	91.6 145.8	0.1 175
15/153	Y88G_100_100de	0.125 1.0 0.0	1.0 1.0 0.5	143	0.0 1.0 0.593	84.6 -70.0 34.0	77.9 154.0	0.0 1.0 0.594	84.6 -69.9 34.2	77.8 153.9	0.2 186
16/72	G00C_100_100de	0.0 1.0 0.0	1.0 1.0 0.5	150	0.0 1.0 0.706	85.1 -64.6 20.7	67.9 162.2	0.0 1.0 0.707	85.1 -64.3 20.9	67.6 162.0	0.3 193
17/73	G13C_100_100de	0.0 1.0 0.125	1.0 1.0 0.5	157	0.0 1.0 0.778	85.5 -60.7 12.2	61.9 168.6	0.0 1.0 0.779	85.5 -60.3 12.3	61.5 168.4	0.3 197
18/74	G25C_100_100de	0.0 1.0 0.25	1.0 1.0 0.5	164	0.0 1.0 0.838	85.8 -57.1 4.9	57.3 175.0	0.0 1.0 0.841	85.8 -56.6 5.0	56.9 174.8	0.4 201
19/75	G38C_100_100de	0.0 1.0 0.375	1.0 1.0 0.5	172	0.0 1.0 0.899	86.2 -53.2 -2.1	53.3 182.3	0.0 1.0 0.901	86.2 -52.8 -2.0	52.8 182.2	0.4 204
20/76	G50C_100_100de	0.0 1.0 0.5	1.0 1.0 0.5	180	0.0 1.0 0.951	86.5 -49.9 -8.4	50.6 189.6	0.0 1.0 0.955	86.5 -49.2 -8.4	49.9 189.6	0.6 207
21/77	G63C_100_100de	0.0 1.0 0.625	1.0 1.0 0.5	188	0.0 0.997 1.0	86.6 -45.9 -13.9	47.9 196.9	0.0 0.997 1.0	86.6 -45.8 -13.8	47.9 196.8	0.1 210
22/78	G75C_100_100de	0.0 1.0 0.75	1.0 1.0 0.5	196	0.0 0.958 1.0	83.9 -42.0 -18.9	46.1 204.2	0.0 0.959 1.0	83.9 -41.8 -17.9	45.4 203.1	1.0 212
23/79	G88C_100_100de	0.0 1.0 0.875	1.0 1.0 0.5	203	0.0 0.924 1.0	81.4 -38.3 -22.6	44.5 210.5	0.0 0.925 1.0	81.5 -38.0 -21.5	43.7 209.5	1.1 213
24/80	C00B_100_100de	0.0 1.0 1.0	1.0 1.0 0.5	210	0.0 0.89 1.0	79.0 -34.2 -25.7	42.8 216.9	0.0 0.89 1.0	79.0 -34.1 -25.3	42.5 216.6	0.4 215
25/71	C13B_100_100de	0.0 0.875 1.0	1.0 1.0 0.5	217	0.0 0.858 1.0	76.8 -30.8 -29.1	42.4 223.3	0.0 0.859 1.0	76.8 -30.5 -28.7	41.9 223.2	0.5 217
26/62	C25B_100_100de	0.0 0.75 1.0	1.0 1.0 0.5	224	0.0 0.829 1.0	74.7 -27.7 -32.7	42.8 229.7	0.0 0.831 1.0	74.8 -27.1 -31.8	41.8 229.5	1.0 219
27/53	C38B_100_100de	0.0 0.625 1.0	1.0 1.0 0.5	232	0.0 0.796 1.0	72.4 -23.6 -36.4	43.4 237.0	0.0 0.797 1.0	72.5 -23.0 -35.4	42.3 236.9	1.0 221
28/44	C50B_100_100de	0.0 0.5 1.0	1.0 1.0 0.5	240	0.0 0.763 1.0	70.0 -19.0 -39.6	43.9 244.3	0.0 0.763 1.0	70.0 -18.7 -39.3	43.5 244.5	0.4 223
29/35	C63B_100_100de	0.0 0.375 1.0	1.0 1.0 0.5	248	0.0 0.725 1.0	67.4 -14.5 -43.8	46.2 251.6	0.0 0.726 1.0	67.4 -13.9 -43.3	45.5 252.1	0.7 225
30/26	C75B_100_100de	0.0 0.25 1.0	1.0 1.0 0.5	256	0.0 0.685 1.0	64.5 -9.4 -48.6	49.5 258.9	0.0 0.686 1.0	64.6 -8.7 -47.7	48.5 259.6	1.1 227
31/17	C88B_100_100de	0.0 0.125 1.0	1.0 1.0 0.5	263	0.0 0.649 1.0	62.0 -4.2 -52.3	52.5 265.3	0.0 0.65 1.0	62.0 -3.7 -51.8	49.1 265.9	0.7 230
32/8	B00M_100_100de	0.0 0.0 1.0	1.0 1.0 0.5	270	0.0 0.609 1.0	59.2 1.7 -56.6	56.6 271.7	0.0 0.609 1.0	59.2 2.0 -56.3	56.3 272.1	0.4 232
33/89	B13M_100_100de	0.125 0.0 1.0	1.0 1.0 0.5	277	0.0 0.554 1.0	55.5 9.2 -63.0	63.6 278.3	0.0 0.557 1.0	55.6 9.6 -62.0	62.7 278.8	1.0 236
34/170	B25M_100_100de	0.25 0.0 1.0	1.0 1.0 0.5	284	0.0 0.5 1.0	51.8 18.3 -68.3	70.7 285.0	0.0 0.502 1.0	51.9 18.0 -68.0	70.4 284.8	0.3 239
35/251	B38M_100_100de	0.375 0.0 1.0	1.0 1.0 0.5	292	0.0 0.404 1.0	45.7 32.7 -78.6	85.1 292.5	0.0 0.407 1.0	45.8 32.6 -78.0	84.5 292.7	0.6 246
36/332	B50M_100_100de	0.5 0.0 1.0	1.0 1.0 0.5	300	0.0 0.27 1.0	38.2 52.7 -90.7	104.9 300.1	0.0 0.272 1.0	38.2 52.8 -90.5	104.8 300.2	0.2 254
37/413	B63M_100_100de	0.625 0.0 1.0	1.0 1.0 0.5	308	0.263 0.0 1.0	32.8 76.9 -99.3	125.7 307.7	0.264 0.0 0.999	32.8 76.9 -99.4	125.7 307.7	0.0 284
38/494	B75M_100_100de	0.75 0.0 1.0	1.0 1.0 0.5	316	0.638 0.0 1.0	43.2 82.9 -81.9	116.5 315.3	0.637 0.0 1.0	43.1 82.8 -82.0	116.5 315.2	0.1 309
39/575	B88M_100_100de	0.875 0.0 1.0	1.0 1.0 0.5	323	0.837 0.0 1.0	50.7 88.7 -69.4	112.6 321.9	0.837 0.0 1.0	50.6 88.6 -69.4	112.5 321.9	0.1 321
40/656	M00R_100_100de	1.0 0.0 1.0	1.0 1.0 0.5	330	1.0 0.0 0.991	57.1 94.1 -57.4	110.3 328.6	1.0 0.0 0.991	57.1 94.0 -57.4	110.2 328.5	0.0 330
41/655	M13R_100_100de	1.0 0.0 0.875	1.0 1.0 0.5	337	1.0 0.0 0.855	55.4 89.9 -41.4	99.0 335.2	1.0 0.0 0.854	55.3 89.7 -41.4	98.8 335.1	0.2 337
42/654	M25R_100_100de	1.0 0.0 0.75	1.0 1.0 0.5	344	1.0 0.0 0.747	54.1 86.7 -28.3	91.2 341.8	1.0 0.0 0.746	54.1 86.6 -28.2	91.1 341.9	0.1 344
43/653	M38R_100_100de	1.0 0.0 0.625	1.0 1.0 0.5	352	1.0 0.0 0.65	53.2 84.5 -15.7	85.9 349.4	1.0 0.0 0.647	53.2 84.1 -15.6	85.6 349.4	0.3 350
44/652	M50R_100_100de	1.0 0.0 0.5	1.0 1.0 0.5	360	1.0 0.0 0.617	52.9 83.6 -11.6	84.4 352.0	1.0 0.0 0.616	52.9 83.4 -11.5	84.2 352.1	0.1 352
45/651	M63R_100_100de	1.0 0.0 0.375	1.0 1.0 0.5	368	1.0 0.0 0.521	52.2 81.8 1.3	81.8 0.9	1.0 0.0 0.522	52.2 81.5 1.1	81.5 0.7	0.3 358
46/650	M75R_100_100de	1.0 0.0 0.25	1.0 1.0 0.5	376	1.0 0.0 0.429	51.6 80.5 14.0	81.7 9.8	1.0 0.0 0.431	51.6 80.0 13.7	81.2 9.7	0.6 364
47/649	M88R_100_100de	1.0 0.0 0.125	1.0 1.0 0.5	383	1.0 0.0 0.348	51.2 79.3 25.2	83.2 17.6	1.0 0.0 0.35	51.2 78.9 25.0	82.8 17.6	0.3 369
48/648	R00Y_100_100de	1.0 0.0 0.0	1.0 1.0 0.5	390	1.0 0.0 0.263	50.9 78.3 37.3	86.7 25.4	1.0 0.0 0.264	50.9 78.1 37.1	86.5 25.4	0.2 375
49/0	NW_000de	0.0 0.0 0.0	0.0 0.0 0.0	360	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0	0.0 360
50/91	NW_013de	0.125 0.125 0.125	0.125 0.0 0.125	360	0.125 0.125 0.125	11.9 0.0 0.0	0.0 0.0	0.129 0.132 0.132	11.9 -0.2 0.0	0.2 198.6	0.2 360
51/182	NW_025de	0.25 0.25 0.25	0.25 0.0 0.25	360	0.25 0.25 0.25	23.8 0.0 0.0	0.0 0.0	0.232 0.236 0.237	23.7 -0.4 -0.2	0.4 207.2	0.4 360
52/273	NW_038de	0.375 0.375 0.375	0.375 0.0 0.375	360	0.375 0.375 0.375	35.7 0.0 0.0	0.0 0.0	0.345 0.35 0.35	35.7 -0.4 -0.2	0.5 205.6	0.5 360
53/364	NW_050de	0.5 0.5 0.5	0.5 0.0 0.5	360	0.5 0.5 0.5	47.7 0.0 0.0	0.0 0.0	0.466 0.47 0.471	47.7 -0.3 -0.1	0.4 205.6	0.4 360
54/455	NW_063de	0.625 0.625 0.625	0.625 0.0 0.625	360	0.625 0.625 0.625	59.6 0.0 0.0	0.0 0.0	0.59 0.593 0.594	59.4 -0.2 -0.1	0.3 206.3	0.3 360
55/546	NW_075de	0.75 0.75 0.75	0.75 0.0 0.75	360	0.75 0.75 0.75	71.5 0.0 0.0	0.0 0.0	0.721 0.724 0.724	71.3 -0.1 0.0	0.2 207.8	0.2 360
56/637	NW_088de	0.875 0.875 0.875	0.875 0.0 0.875	360	0.875 0.875 0.875	83.4 0.0 0.0	0.0 0.0	0.858 0.86 0.86	83.3 0.0 0.0	0.1 212.6	0.1 360
57/728	NW_100de	1.0 1.0 1.0	1.0 0.0 1.0	360	1.0 1.0 1.0	95.4 0.0 0.0	0.0 0.0	1.0 1.0 1.0	95.4 0.0 0.0	0.0 325.2	0.0 360

Mean color difference of this page: $\Delta E^* = 0.4$

delta E** = 0.4

TUB-test chart SE02; 16 step hue circle
colors and differences, ΔE^* , 3D=1, de=1, sRGB*

input: $rgb/cmyk \rightarrow rgb_{de}$
output: 3D-linearization to rgb^*_{de}

http://130.149.60.45/~farbmetrik/SE02/SE02L0FA.TXT /.PS; 3D-linearization
F: 3D-linearization SE02/SE02LE30FA.DAT in file (F), page 15/29

see similar files: <http://130.149.60.45/~farbmetrik/SE02/SE02L0FA.TXT> / .PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-SE02/SE02L0FA.TXT /.PS
application for measurement of display output, no separation
TUB material: code=rha4ta

n/j	HIC*F _{de}	rgb_F _{de}	ict_F _{de}	hsi_F _{de}	rgb*F _{de}	LabCh*F _{de}	rgb*F _{de}	LabCh*F _{de}	DE**F _{de} hsiM _{de}	rgb*M _{de}	LabCh*M _{de}
0/648	R00Y_100_100de	1.0 0.0 0.0	1.0 1.0 0.5	390	1.0 0.0 0.263	50.9 78.3 37.3	86.7 25.4	1.0 0.0 0.264	50.9 78.1 37.1	86.5 25.4 0.2	375
1/666	R25Y_100_100de	1.0 0.25 0.0	1.0 1.0 0.5	44	1.0 0.102 0.0	51.3 74.4 64.8	98.7 41.0	0.999 0.102 0.0	51.2 74.7 64.8	98.9 40.9 0.2	35
2/684	R50Y_100_100de	1.0 0.5 0.0	1.0 1.0 0.5	60	1.0 0.487 0.0	63.1 42.7 70.8	82.7 58.8	0.999 0.489 0.0	63.1 42.6 70.7	82.5 58.9 0.1	59
3/702	R75Y_100_100de	1.0 0.75 0.0	1.0 1.0 0.5	76	1.0 0.684 0.0	73.5 18.3 77.7	79.8 76.7	1.0 0.682 0.0	73.3 18.4 77.1	79.3 76.5 0.5	72
4/720	Y00G_100_100de	1.0 1.0 0.0	1.0 1.0 0.5	90	1.0 0.856 0.0	83.7 -3.4 84.5	84.5 92.3	1.0 0.856 0.0	83.6 -3.4 84.2	84.3 92.3 0.2	82
5/558	Y25G_100_100de	0.75 1.0 0.0	1.0 1.0 0.5	104	0.906 1.0 0.0	91.0 -29.9 88.9	93.8 108.6	0.906 1.0 0.0	90.9 -30.0 88.7	93.6 108.6 0.2	94
6/396	Y50G_100_100de	0.5 1.0 0.0	1.0 1.0 0.5	120	0.528 1.0 0.0	85.9 -63.0 82.8	104.1 127.2	0.53 0.999 0.0	85.9 -63.0 82.7	104.0 127.3 0.1	118
7/234	Y75G_100_100de	0.25 1.0 0.0	1.0 1.0 0.5	136	0.0 1.0 0.436	84.1 -76.0 51.4	91.8 145.9	0.0 1.0 0.439	84.1 -75.8 51.4	91.6 145.8 0.1	175
8/72	G00B_100_100de	0.0 1.0 0.0	1.0 1.0 0.5	150	0.0 1.0 0.706	85.1 -64.6 20.7	67.9 162.2	0.0 1.0 0.707	85.1 -64.3 20.9	67.6 162.0 0.3	193
9/72	G00B_100_100de	0.0 1.0 0.0	1.0 1.0 0.5	150	0.0 1.0 0.706	85.1 -64.6 20.7	67.9 162.2	0.0 1.0 0.707	85.1 -64.3 20.9	67.6 162.0 0.3	193
10/76	G25B_100_100de	0.0 1.0 0.5	1.0 1.0 0.5	180	0.0 1.0 0.951	86.5 -49.9 -8.4	50.6 189.6	0.0 1.0 0.955	86.5 -49.2 -8.4	49.9 189.6 0.6	207
11/80	G50B_100_100de	0.0 1.0 1.0	1.0 1.0 0.5	210	0.0 0.89 1.0	79.0 -34.2 -25.7	42.8 216.9	0.0 0.89 1.0	79.0 -34.1 -25.3	42.5 216.6 0.4	215
12/44	G75B_100_100de	0.0 0.5 1.0	1.0 1.0 0.5	240	0.0 0.763 1.0	70.0 -19.0 -39.6	43.9 244.3	0.0 0.763 1.0	70.0 -18.7 -39.3	43.5 244.5 0.4	223
13/8	B00M_100_100de	0.0 0.0 1.0	1.0 1.0 0.5	270	0.0 0.609 1.0	59.2 1.7 -56.6	56.6 271.7	0.0 0.609 1.0	59.2 2.0 -56.3	56.3 272.1 0.4	232
14/332	B25R_100_100de	0.5 0.0 1.0	1.0 1.0 0.5	300	0.0 0.27 1.0	38.2 52.7 -90.7	104.9 300.1	0.0 0.272 1.0	38.2 52.8 -90.5	104.8 300.2 0.2	254
15/656	B50R_100_100de	1.0 0.0 1.0	1.0 1.0 0.5	330	1.0 0.0 0.991	57.1 94.1 -57.4	110.3 328.6	1.0 0.0 0.991	57.1 94.0 -57.4	110.2 328.5 0.0	330
16/652	B75R_100_100de	1.0 0.0 0.5	1.0 1.0 0.5	360	1.0 0.0 0.617	52.9 83.6 -11.6	84.4 352.0	1.0 0.0 0.616	52.9 83.4 -11.5	84.2 352.1 0.1	352
17/648	R00Y_100_100de	1.0 0.0 0.0	1.0 1.0 0.5	390	1.0 0.0 0.263	50.9 78.3 37.3	86.7 25.4	1.0 0.0 0.264	50.9 78.1 37.1	86.5 25.4 0.2	375
18/688	R00Y_100_050de	1.0 0.5 0.5	1.0 0.5 0.75	390	1.0 0.5 0.631	73.1 39.1 18.6	43.3 25.4	1.0 0.622 0.61	71.4 33.9 16.1	37.6 25.4 5.9	375
19/706	R50Y_100_050de	1.0 0.75 0.5	1.0 0.5 0.75	60	1.0 0.743 0.5	79.2 31.3 35.4	41.3 58.8	1.0 0.745 0.545	77.9 16.5 33.4	37.3 63.6 5.3	59
20/724	Y00G_100_050de	1.0 1.0 0.5	1.0 0.5 0.75	90	1.0 0.928 0.5	89.5 -1.7 42.2	42.2 92.3	1.0 0.925 0.594	88.9 -4.7 41.4	41.7 96.5 3.2	82
21/562	Y50G_100_050de	0.75 1.0 0.5	1.0 0.5 0.75	120	0.764 1.0 0.5	90.7 -31.5 41.4	52.0 127.2	0.803 1.0 0.5	90.2 -31.1 41.0	51.5 127.1 0.6	118
22/490	G00B_100_050de	0.5 1.0 0.5	1.0 0.5 0.75	150	0.5 1.0 0.853	90.2 -32.3 10.3	33.9 162.2	0.673 1.0 0.853	89.6 -31.6 9.5	33.9 163.2 1.2	193
23/404	G50B_100_050de	0.5 1.0 1.0	1.0 0.5 0.75	210	0.5 0.945 1.0	87.2 -17.1 -12.8	21.4 216.9	0.676 0.947 1.0	87.1 -17.5 -12.7	21.7 216.0 0.4	215
24/368	B00R_100_050de	0.5 0.5 1.0	1.0 0.5 0.75	270	0.5 0.804 1.0	77.3 0.8 -28.3	28.3 271.7	0.66 0.797 1.0	77.1 0.3 -27.9	27.9 270.8 0.6	232
25/692	B50R_100_050de	1.0 0.5 1.0	1.0 0.5 0.75	330	1.0 0.5 0.995	76.3 47.0 -28.7	55.1 328.6	1.0 0.645 1.0	75.4 45.0 -29.9	54.1 326.3 2.5	330
26/688	R00Y_100_050de	1.0 0.5 0.5	1.0 0.5 0.75	390	1.0 0.5 0.631	73.1 39.1 18.6	43.3 25.4	1.0 0.622 0.61	71.4 33.9 16.1	37.6 25.4 5.9	375
27/506	R00Y_075_050de	0.75 0.25 0.25	0.75 0.5 0.5	390	0.75 0.25 0.381	49.3 39.1 18.6	43.3 25.4	0.762 0.363 0.365	49.2 39.0 18.4	43.1 25.2 0.2	375
28/524	R50Y_075_050de	0.75 0.5 0.25	0.75 0.5 0.5	60	0.75 0.493 0.25	55.4 21.3 35.4	41.3 58.8	0.756 0.487 0.298	55.4 20.9 35.4	41.2 59.3 0.3	59
29/542	Y00G_075_050de	0.75 0.75 0.25	0.75 0.5 0.5	90	0.75 0.678 0.25	65.7 -1.7 42.2	42.2 92.3	0.745 0.655 0.341	65.6 -1.7 42.1	42.2 92.3 0.1	82
30/380	Y50G_075_050de	0.5 0.75 0.25	0.75 0.5 0.5	120	0.514 0.75 0.25	66.8 -31.5 41.4	52.0 127.2	0.532 0.728 0.352	66.7 -31.5 41.3	52.0 127.3 0.1	118
31/218	G00B_075_050de	0.25 0.75 0.25	0.75 0.5 0.5	150	0.25 0.75 0.603	66.4 -32.3 10.3	33.9 162.2	0.404 0.73 0.587	66.3 -32.5 10.3	34.1 162.4 0.2	193
32/222	G50B_075_050de	0.25 0.75 0.75	0.75 0.5 0.5	210	0.25 0.695 0.75	63.3 -17.1 -12.8	21.4 216.9	0.408 0.674 0.726	63.2 -17.3 -12.9	21.6 216.8 0.2	215
33/186	B00R_075_050de	0.25 0.25 0.75	0.75 0.5 0.5	270	0.25 0.554 0.75	53.4 0.8 -28.3	28.3 271.7	0.394 0.538 0.728	53.4 0.4 -28.1	28.1 270.8 0.4	232
34/510	B50R_075_050de	0.75 0.25 0.75	0.75 0.5 0.5	330	0.75 0.25 0.745	52.4 47.0 -28.7	55.1 328.6	0.743 0.385 0.724	52.4 46.7 -28.6	54.8 328.4 0.3	330
35/506	R00Y_075_050de	0.75 0.25 0.25	0.75 0.5 0.5	390	0.75 0.25 0.381	49.3 39.1 18.6	43.3 25.4	0.762 0.363 0.365	49.2 39.0 18.4	43.1 25.2 0.2	375
36/324	R00Y_050_050de	0.5 0.0 0.0	0.5 0.5 0.25	390	0.5 0.0 0.131	25.4 39.1 18.6	43.3 25.4	0.482 0.102 0.144	25.2 39.8 18.4	43.9 24.8 0.7	375
37/342	R50Y_050_050de	0.5 0.25 0.0	0.5 0.5 0.25	60	0.5 0.243 0.0	31.5 21.3 35.4	41.3 58.8	0.48 0.247 0.061	31.5 21.4 36.4	42.2 59.4 0.9	59
38/360	Y00G_050_050de	0.5 0.5 0.0	0.5 0.5 0.25	90	0.5 0.428 0.0	41.8 -1.7 42.2	42.2 92.3	0.476 0.408 0.088	41.9 -1.9 43.0	43.1 92.5 0.8	82
39/198	Y50G_050_050de	0.25 0.5 0.0	0.5 0.5 0.25	120	0.264 0.5 0.0	42.9 -31.5 41.4	52.0 127.2	0.273 0.472 0.095	43.0 -32.2 42.2	53.1 127.3 1.0	118
40/36	G00B_050_050de	0.0 0.5 0.0	0.5 0.5 0.25	150	0.0 0.5 0.353	42.5 -32.3 10.3	33.9 162.2	0.126 0.473 0.343	42.7 -32.9 10.5	34.5 162.2 0.6	193
41/40	G50B_050_050de	0.0 0.5 0.5	0.5 0.5 0.25	210	0.0 0.445 0.5	39.5 -17.1 -12.8	21.4 216.9	0.126 0.424 0.472	39.6 -17.6 -12.9	21.9 216.1 0.5	215
42/4	B00R_050_050de	0.0 0.0 0.5	0.5 0.5 0.25	270	0.0 0.304 0.5	29.6 0.8 -28.3	28.3 271.7	0.112 0.3 0.473	29.6 0.1 -28.5	28.5 270.3 0.7	232
43/328	B50R_050_050de	0.5 0.0 0.5	0.5 0.5 0.25	330	0.5 0.0 0.495	28.5 47.0 -28.7	55.1 328.6	0.475 0.121 0.469	28.5 47.2 -29.1	55.4 328.3 0.4	330
44/324	R00Y_050_050de	0.5 0.0 0.0	0.5 0.5 0.25	390	0.5 0.0 0.131	25.4 39.1 18.6	43.3 25.4	0.482 0.102 0.144	25.2 39.8 18.4	43.9 24.8 0.7	375
45/0	NW_000de	0.0 0.0 0.0	0.0 0.0 0.0	360	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	360
46/91	NW_013de	0.125 0.125 0.125	0.125 0.0 0.125	360	0.125 0.125 0.125	11.9 0.0 0.0	0.0 0.0	0.129 0.132 0.132	11.9 -0.2 0.0	0.2 198.6 0.2	360
47/182	NW_025de	0.25 0.25 0.25	0.25 0.0 0.25	360	0.25 0.25 0.25	23.8 0.0 0.0	0.0 0.0	0.232 0.236 0.237	23.7 -0.4 -0.2	0.4 207.2 0.4	360
48/273	NW_038de	0.375 0.375 0.375	0.375 0.0 0.375	360	0.375 0.375 0.375	35.7 0.0 0.0	0.0 0.0	0.345 0.35 0.35	35.7 -0.4 -0.2	0.5 205.6 0.5	360
49/364	NW_050de	0.5 0.5 0.5	0.5 0.0 0.5	360	0.5 0.5 0.5	47.7 0.0 0.0	0.0 0.0	0.466 0.47 0.471	47.7 -0.3 -0.1	0.4 205.6 0.4	360
50/455	NW_063de	0.625 0.625 0.625	0.625 0.0 0.625	360	0.625 0.625 0.625	59.6 0.0 0.0	0.0 0.0	0.59 0.593 0.594	59.4 -0.2 -0.1	0.3 206.3 0.3	360
51/546	NW_075de	0.75 0.75 0.75	0.75 0.0 0.75	360	0.75 0.75 0.75	71.5 0.0 0.0	0.0 0.0	0.721 0.724 0.724	71.3 -0.1 0.0	0.2 207.8 0.2	360
52/637	NW_088de	0.875 0.875 0.875	0.875 0.0 0.875	360	0.875 0.875 0.875	83.4 0.0 0.0	0.0 0.0	0.858 0.86 0.86	83.3 0.0 0.0	0.1 212.6 0.1	360
53/728	NW_100de	1.0 1.0 1.0	1.0 0.0 1.0	360	1.0 1.0 1.0	95.4 0.0 0.0	0.0 0.0	1.0 1.0 1.0	95.4 0.0 0.0	0.0 325.2 0.0	360

Mean color difference of this page:

delta E** = 0.8

TUB-test chart SE02; 16 step hue circle
colors and differences, ΔE^* , 3D=1, de=1, sRGB*

input: *rgb/cmyk* -> *rgb_{de}*
output: 3D-linearization to *rgb*_{de}*

http://130.149.60.45/~farbmetrik/SE02/SE02L0FA.TXT /.PS; 3D-linearization
F: 3D-linearization SE02/SE02LE30FA.DAT in file (F), page 16/29

see similar files: <http://130.149.60.45/~farbmetrik/SE02/SE02L0FA.TXT> /.PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

n=j	HIC*F _{de}	rgb_F _{de}	ict_F _{de}	hsi_F _{de}	rgb*F _{de}	LabCh*F _{de}	rgb*F _{de}	LabCh*F _{de}	DE*F _{de} hsi _{de}	rgb*F _{de}	LabCh*F _{de}
0	NW_000de	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
1	B00R_012_012de	0.0	0.0	0.125	0.125	0.125	0.062	0.270	0.0	0.0	0.0
2	B00R_025_025de	0.0	0.0	0.25	0.25	0.25	0.125	0.270	0.0	0.0	0.0
3	B00R_037_037de	0.0	0.0	0.375	0.375	0.375	0.187	0.270	0.0	0.0	0.0
4	B00R_050_050de	0.0	0.0	0.5	0.5	0.5	0.25	0.270	0.0	0.0	0.0
5	B00R_062_062de	0.0	0.0	0.625	0.625	0.625	0.312	0.270	0.0	0.0	0.0
6	B00R_075_075de	0.0	0.0	0.75	0.75	0.75	0.375	0.270	0.0	0.0	0.0
7	B00R_087_087de	0.0	0.0	0.875	0.875	0.875	0.437	0.270	0.0	0.0	0.0
8	B00R_100_100de	0.0	0.0	1.0	1.0	1.0	0.5	0.270	0.0	0.0	0.0
9	G00B_012_012de	0.0	0.125	0.0	0.125	0.125	0.062	0.150	0.0	0.125	0.0
10	G50B_012_012de	0.0	0.125	0.125	0.125	0.125	0.062	0.210	0.0	0.125	0.125
11	G75B_025_025de	0.0	0.125	0.25	0.25	0.25	0.125	0.240	0.0	0.125	0.25
12	G84B_037_037de	0.0	0.125	0.375	0.375	0.375	0.187	0.251	0.0	0.125	0.375
13	G88B_050_050de	0.0	0.125	0.5	0.5	0.5	0.25	0.256	0.0	0.125	0.5
14	G90B_062_062de	0.0	0.125	0.625	0.625	0.625	0.312	0.259	0.0	0.125	0.625
15	G92B_075_075de	0.0	0.125	0.75	0.75	0.75	0.375	0.261	0.0	0.125	0.75
16	G93B_087_087de	0.0	0.125	0.875	0.875	0.875	0.437	0.262	0.0	0.125	0.875
17	G94B_100_100de	0.0	0.125	1.0	1.0	1.0	0.5	0.263	0.0	0.125	1.0
18	G00B_025_025de	0.0	0.25	0.0	0.25	0.25	0.125	0.150	0.0	0.25	0.0
19	G25B_025_025de	0.0	0.25	0.125	0.25	0.25	0.125	0.180	0.0	0.25	0.125
20	G50B_025_025de	0.0	0.25	0.25	0.25	0.25	0.125	0.210	0.0	0.25	0.25
21	G65B_037_037de	0.0	0.25	0.375	0.375	0.375	0.187	0.229	0.0	0.25	0.375
22	G75B_050_050de	0.0	0.25	0.5	0.5	0.5	0.25	0.240	0.0	0.25	0.5
23	G80B_062_062de	0.0	0.25	0.625	0.625	0.625	0.312	0.247	0.0	0.25	0.625
24	G84B_075_075de	0.0	0.25	0.75	0.75	0.75	0.375	0.251	0.0	0.25	0.75
25	G86B_087_087de	0.0	0.25	0.875	0.875	0.875	0.437	0.254	0.0	0.25	0.875
26	G88B_100_100de	0.0	0.25	1.0	1.0	1.0	0.5	0.256	0.0	0.25	1.0
27	G00B_037_037de	0.0	0.375	0.0	0.375	0.375	0.187	0.150	0.0	0.375	0.0
28	G15B_037_037de	0.0	0.375	0.125	0.375	0.375	0.187	0.169	0.0	0.375	0.125
29	G34B_037_037de	0.0	0.375	0.25	0.375	0.375	0.187	0.191	0.0	0.375	0.25
30	G50B_037_037de	0.0	0.375	0.375	0.375	0.375	0.187	0.210	0.0	0.375	0.375
31	G61B_050_050de	0.0	0.375	0.5	0.5	0.5	0.25	0.224	0.0	0.375	0.5
32	G69B_062_062de	0.0	0.375	0.625	0.625	0.625	0.312	0.233	0.0	0.375	0.625
33	G75B_075_075de	0.0	0.375	0.75	0.75	0.75	0.375	0.240	0.0	0.375	0.75
34	G79B_087_087de	0.0	0.375	0.875	0.875	0.875	0.437	0.245	0.0	0.375	0.875
35	G81B_100_100de	0.0	0.375	1.0	1.0	1.0	0.5	0.248	0.0	0.375	1.0
36	G00B_050_050de	0.0	0.5	0.0	0.5	0.5	0.25	0.150	0.0	0.5	0.0
37	G11B_050_050de	0.0	0.5	0.125	0.5	0.5	0.25	0.164	0.0	0.5	0.125
38	G25B_050_050de	0.0	0.5	0.25	0.5	0.5	0.25	0.180	0.0	0.5	0.25
39	G38B_050_050de	0.0	0.5	0.375	0.5	0.5	0.25	0.196	0.0	0.5	0.375
40	G50B_050_050de	0.0	0.5	0.5	0.5	0.5	0.25	0.210	0.0	0.5	0.5
41	G59B_062_062de	0.0	0.625	0.625	0.625	0.625	0.312	0.221	0.0	0.625	0.625
42	G65B_075_075de	0.0	0.5	0.75	0.75	0.75	0.375	0.229	0.0	0.625	0.75
43	G70B_087_087de	0.0	0.5	0.875	0.875	0.875	0.437	0.235	0.0	0.625	0.875
44	G75B_100_100de	0.0	0.5	1.0	1.0	1.0	0.5	0.240	0.0	0.625	1.0
45	G00B_062_062de	0.0	0.625	0.0	0.625	0.625	0.312	0.150	0.0	0.625	0.0
46	G09B_062_062de	0.0	0.625	0.125	0.625	0.625	0.312	0.161	0.0	0.625	0.125
47	G19B_062_062de	0.0	0.625	0.25	0.625	0.625	0.312	0.173	0.0	0.625	0.25
48	G30B_062_062de	0.0	0.625	0.375	0.625	0.625	0.312	0.187	0.0	0.625	0.375
49	G40B_062_062de	0.0	0.625	0.5	0.625	0.625	0.312	0.199	0.0	0.625	0.5
50	G50B_062_062de	0.0	0.625	0.625	0.625	0.625	0.312	0.210	0.0	0.625	0.625
51	G57B_075_075de	0.0	0.625	0.75	0.75	0.75	0.375	0.219	0.0	0.625	0.75
52	G63B_087_087de	0.0	0.625	0.875	0.875	0.875	0.437	0.226	0.0	0.625	0.875
53	G68B_100_100de	0.0	0.625	1.0	1.0	1.0	0.5	0.232	0.0	0.625	1.0
54	G00B_075_075de	0.0	0.75	0.0	0.75	0.75	0.375	0.150	0.0	0.75	0.0
55	G07B_075_075de	0.0	0.75	0.125	0.75	0.75	0.375	0.159	0.0	0.75	0.125
56	G15B_075_075de	0.0	0.75	0.25	0.75	0.75	0.375	0.169	0.0	0.75	0.25
57	G25B_075_075de	0.0	0.75	0.375	0.75	0.75	0.375	0.180	0.0	0.75	0.375
58	G34B_075_075de	0.0	0.75	0.5	0.75	0.75	0.375	0.191	0.0	0.75	0.5
59	G42B_075_075de	0.0	0.75	0.625	0.75	0.75	0.375	0.201	0.0	0.75	0.625
60	G50B_075_075de	0.0	0.75	0.75	0.75	0.75	0.375	0.210	0.0	0.75	0.75
61	G56B_087_087de	0.0	0.75	0.875	0.875	0.875	0.437	0.218	0.0	0.75	0.875
62	G61B_100_100de	0.0	0.75	1.0	1.0	1.0	0.5	0.224	0.0	0.75	1.0
63	G00B_087_087de	0.0	0.875	0.0	0.875	0.875	0.437	0.150	0.0	0.875	0.0
64	G06B_087_087de	0.0	0.875	0.125	0.875	0.875	0.437	0.158	0.0	0.875	0.125
65	G13B_087_087de	0.0	0.875	0.25	0.875	0.875	0.437	0.166	0.0	0.875	0.25
66	G20B_087_087de	0.0	0.875	0.375	0.875	0.875	0.437	0.175	0.0	0.875	0.375
67	G29B_087_087de	0.0	0.875	0.5	0.875	0.875	0.437	0.185	0.0	0.875	0.5
68	G36B_087_087de	0.0	0.875	0.625	0.875	0.875	0.437	0.194	0.0	0.875	0.625
69	G43B_087_087de	0.0	0.875	0.75	0.875	0.875	0.437	0.202	0.0	0.875	0.75
70	G50B_087_087de	0.0	0.875	0.875	0.875	0.875	0.437	0.210	0.0	0.875	0.875
71	G55B_100_100de	0.0	0.875	1.0	1.0	1.0	0.5	0.217	0.0	0.875	1.0
72	G00B_100_100de	0.0	1.0	0.0	1.0	1.0	0.5	0.150	0.0	1.0	0.0
73	G05B_100_100de	0.0	1.0	0.125	1.0	1.0	0.5	0.157	0.0	1.0	0.125
74	G11B_100_100de	0.0	1.0	0.25	1.0	1.0	0.5	0.164	0.0	1.0	0.25
75	G18B_100_100de	0.0	1.0	0.375	1.0	1.0	0.5	0.172	0.0	1.0	0.375
76	G25B_100_100de	0.0	1.0	0.5	1.0	1.0	0.5	0.180	0.0	1.0	0.5
77	G31B_100_100de	0.0	1.0	0.625	1.0	1.0	0.5	0.188	0.0	1.0	0.625
78	G38B_100_100de	0.0	1.0	0.75	1.0	1.0	0.5	0.196	0.0	1.0	0.75
79	G44B_100_100de	0.0	1.0	0.875	1.0	1.0	0.5	0.203	0.0	1.0	0.875
80	G50B_100_100de	0.0	1.0	1.0	1.0	1.0	0.5	0.210	0.0	1.0	1.0

1-1131530-F0

SE020-7N, Page 16/29-F

TUB-test chart SE02; 16 step hue circle
colors and differences, ΔE^* , 3D=1, de=1, sRGB*

Mean color difference of this page:

delta E* = 0.6

input: *rgb/cmyk* -> *rgb_{de}*
output: 3D-linearization to *rgb*_{de}*

TUB registration: 20130201-SE02/SE02L0FA.TXT /.PS
application for measurement of display output, no separation
TUB material: code=rha4ta

http://130.149.60.45/~farbmetrik/SE02/SE02L0FA.TXT /.PS; 3D-linearization
F: 3D-linearization SE02/SE02LE30FA.DAT in file (F), page 17/29

n	HIC*F _{de}	rgb_F _{de}	ict_F _{de}	hsi_F _{de}	rgb*F _{de}	LabCh*F _{de}	rgb*F _{de}	LabCh*F _{de}	DE**F _{de} hsi _{de}	rgb*M _{de}	LabCh*M _{de}	
81	R00Y_012_012ae	0.125 0.0 0.0	0.125 0.125 0.062	390	0.125 0.0 0.032	6.3 9.7 4.6	10.8 25.4	0.146 0.043 0.037	5.3 11.5 4.6	12.4 21.9 2.0	375 0.0 0.0 0.263	50.9 78.3 37.3 86.7 25.4
82	B50R_012_012ae	0.125 0.0 0.125	0.125 0.125 0.062	330	0.125 0.0 0.123	7.1 11.7 -7.1	13.7 328.6	0.137 0.052 0.133	6.1 14.1 -8.8	16.6 328.0 3.0	330 1.0 0.0 0.091	57.1 94.1 -57.4 110.3 328.6
83	B25R_025_025ae	0.125 0.0 0.25	0.25 0.25 0.125	300	0.0 0.067 0.25	9.5 13.1 -22.6	26.2 300.1	0.093 0.083 0.24	8.6 14.1 -24.3	28.1 300.2 2.1	254 0.0 0.27 1.0	38.2 52.7 -90.7 104.9 300.1
84	B15R_037_037ae	0.125 0.0 0.375	0.375 0.375 0.187	289	0.0 0.165 0.375	17.9 10.1 -28.9	29.9 289.7	0.101 0.173 0.354	17.7 9.4 -28.8	30.3 288.2 0.9	243 0.0 0.44 1.0	47.9 26.9 -75.0 79.7 289.7
85	B11R_050_050ae	0.125 0.0 0.5	0.5 0.5 0.25	284	0.0 0.25 0.5	25.9 9.1 -34.1	35.3 285.0	0.129 0.25 0.473	25.9 9.1 -34.4	35.6 284.8 0.2	239 0.0 0.5 1.0	51.8 18.3 -68.3 70.7 285.0
86	B09R_062_062ae	0.125 0.0 0.625	0.625 0.625 0.312	281	0.0 0.327 0.625	33.3 8.9 -41.3	42.3 281.2	0.101 0.324 0.597	33.2 8.1 -41.4	42.2 281.0 0.8	238 0.0 0.523 1.0	53.3 14.2 -66.1 67.7 282.1
87	B07R_075_075ae	0.125 0.0 0.75	0.75 0.75 0.375	279	0.0 0.404 0.75	40.8 8.7 -48.4	49.2 280.2	0.071 0.401 0.728	40.8 8.0 -48.3	49.0 279.4 0.7	237 0.0 0.539 1.0	54.4 11.7 -64.6 65.6 280.2
88	B06R_087_087ae	0.125 0.0 0.875	0.875 0.875 0.437	278	0.0 0.478 0.875	48.1 9.1 -55.8	56.5 279.3	0.0 0.478 0.875	48.1 8.7 -55.7	56.4 278.9 0.3	236 0.0 0.546 1.0	54.9 10.4 -63.8 64.6 279.3
89	B05R_100_100ae	0.125 0.0 1.0	1.0 1.0 0.5	277	0.0 0.554 1.0	55.5 9.2 -63.0	63.6 278.3	0.0 0.557 1.0	55.6 9.6 -62.0	62.7 278.8 1.0	236 0.0 0.554 1.0	55.5 9.2 -63.0 63.6 278.3
90	Y00G_012_012ae	0.125 0.125 0.0	0.125 0.125 0.062	90	0.125 0.107 0.0	10.4 -0.4 10.5	10.5 92.3	0.139 0.115 0.038	10.1 -0.3 11.5	11.5 91.7 1.0	82 1.0 0.856 0.0	83.7 -3.4 84.5 84.5 92.3
91	NW_012ae	0.125 0.125 0.125	0.125 0.0 0.125	360	0.125 0.125 0.125	11.9 0.0 0.0	0.0 0.0	0.129 0.132 0.132	11.9 -0.2 0.0	0.2 198.6 0.2	360 1.0 1.0 0.0	95.4 0.0 0.0 0.0 0.0
92	B00R_025_012ae	0.125 0.125 0.25	0.25 0.125 0.187	270	0.124 0.201 0.25	19.3 0.2 -7.0	7.0 271.7	0.162 0.197 0.238	19.0 -0.7 -7.5	7.5 264.4 1.0	232 0.0 0.609 1.0	59.2 1.7 -56.6 56.6 271.7
93	B00R_037_025ae	0.125 0.125 0.375	0.375 0.25 0.25	270	0.124 0.277 0.375	26.7 0.4 -14.1	14.1 271.7	0.199 0.267 0.353	26.6 -0.3 -14.5	14.5 268.5 0.9	232 0.0 0.609 1.0	59.2 1.7 -56.6 56.6 271.7
94	B00R_050_037ae	0.125 0.125 0.5	0.5 0.375 0.312	270	0.124 0.353 0.5	34.1 0.6 -21.2	21.2 271.7	0.232 0.34 0.473	34.1 0.0 -21.5	21.5 270.2 0.6	232 0.0 0.609 1.0	59.2 1.7 -56.6 56.6 271.7
95	B00R_062_050ae	0.125 0.125 0.625	0.625 0.5 0.375	270	0.125 0.429 0.625	41.5 0.8 -28.3	28.3 271.7	0.261 0.416 0.597	41.5 0.2 -28.1	28.1 270.4 0.6	232 0.0 0.609 1.0	59.2 1.7 -56.6 56.6 271.7
96	B00R_075_062ae	0.125 0.125 0.75	0.75 0.625 0.437	270	0.125 0.505 0.75	48.9 1.0 -35.3	35.3 271.7	0.282 0.494 0.727	48.9 0.4 -35.1	35.1 270.7 0.6	232 0.0 0.609 1.0	59.2 1.7 -56.6 56.6 271.7
97	B00R_087_075ae	0.125 0.125 0.875	0.875 0.75 0.5	270	0.125 0.582 0.875	56.3 1.2 -42.4	42.4 271.7	0.294 0.573 0.863	56.2 0.9 -42.5	42.5 271.2 0.4	232 0.0 0.609 1.0	59.2 1.7 -56.6 56.6 271.7
98	B00R_100_087ae	0.125 0.125 1.0	1.0 0.875 0.562	270	0.125 0.658 1.0	63.7 1.5 -49.5	49.5 271.7	0.304 0.654 1.0	63.5 1.1 -49.3	49.4 271.3 0.4	232 0.0 0.609 1.0	59.2 1.7 -56.6 56.6 271.7
99	Y50G_025_025ae	0.125 0.25 0.0	0.25 0.25 0.125	120	0.132 0.25 0.0	21.4 -15.7 20.7	26.0 127.2	0.15 0.238 0.071	21.4 -16.8 21.9	27.6 127.4 1.6	118 0.528 1.0 0.0	85.9 -63.0 82.8 104.1 127.2
100	G00B_025_012ae	0.125 0.25 0.125	0.25 0.125 0.187	150	0.124 0.25 0.213	22.5 -8.0 2.5	8.4 162.2	0.165 0.239 0.208	22.4 -9.1 2.3	9.4 165.6 1.0	193 0.0 1.0 0.706	85.1 -64.6 20.7 67.9 162.2
101	G50B_025_012ae	0.125 0.25 0.25	0.25 0.125 0.187	210	0.124 0.236 0.25	21.8 -4.2 -3.2	5.3 216.9	0.167 0.226 0.237	21.6 -5.1 -3.5	6.2 214.5 0.9	215 0.0 0.89 1.0	79.0 -34.2 -25.7 42.8 216.9
102	G75B_037_025ae	0.125 0.25 0.375	0.375 0.25 0.25	240	0.124 0.315 0.375	29.4 -4.7 -9.9	10.9 244.3	0.199 0.301 0.352	29.3 -5.8 -10.2	11.7 240.2 1.1	223 0.0 0.763 1.0	70.0 -19.0 -39.6 43.9 244.3
103	G84B_050_037ae	0.125 0.25 0.5	0.5 0.375 0.312	251	0.124 0.391 0.5	36.8 -4.7 -17.1	17.8 254.3	0.235 0.375 0.474	36.8 -5.1 -17.3	18.1 253.5 0.4	226 0.0 0.71 1.0	66.3 -12.7 -45.7 47.4 254.3
104	G88B_062_050ae	0.125 0.25 0.625	0.625 0.5 0.375	256	0.125 0.467 0.625	44.2 -4.7 -24.3	24.7 258.9	0.256 0.453 0.598	44.2 -5.4 -24.1	24.7 257.3 0.6	227 0.0 0.685 1.0	64.5 -9.4 -48.6 49.5 258.9
105	G90B_075_062ae	0.125 0.25 0.75	0.75 0.625 0.437	259	0.125 0.543 0.75	51.6 -4.5 -31.4	31.7 261.6	0.273 0.531 0.729	51.6 -5.1 -31.3	31.7 260.6 0.6	228 0.0 0.67 1.0	63.4 -7.3 -50.3 50.8 261.6
106	G92B_087_075ae	0.125 0.25 0.875	0.875 0.75 0.5	261	0.125 0.619 0.875	59.0 -4.3 -38.5	38.7 263.5	0.287 0.61 0.864	58.8 -4.5 -38.7	38.9 263.2 0.2	229 0.0 0.659 1.0	62.7 -5.8 -51.3 51.7 263.5
107	G93B_100_087ae	0.125 0.25 1.0	1.0 0.875 0.562	262	0.125 0.698 1.0	65.4 -4.4 -45.3	45.6 266.4	0.294 0.696 1.0	65.3 -4.9 -45.0	45.2 263.6 0.7	229 0.0 0.654 1.0	62.4 -5.0 -51.8 52.1 264.4
108	Y68G_037_037ae	0.125 0.375 0.0	0.375 0.375 0.187	131	0.0 0.375 0.102	31.4 -30.0 25.1	39.1 140.0	0.125 0.354 0.133	31.5 -30.0 25.4	39.7 140.1 0.5	165 0.0 1.0 0.273	83.8 -80.1 67.0 140.0 140.0
109	G00B_037_025ae	0.125 0.375 0.125	0.375 0.25 0.25	150	0.124 0.375 0.301	33.2 -16.1 5.1	16.9 162.2	0.203 0.354 0.289	33.1 -17.2 5.0	17.9 163.7 1.1	193 0.0 1.0 0.706	85.1 -64.6 20.7 67.9 162.2
110	G25B_037_025ae	0.125 0.375 0.25	0.375 0.25 0.25	180	0.124 0.375 0.362	33.5 -12.4 -2.1	12.6 189.6	0.208 0.353 0.341	33.5 -13.4 -2.3	13.6 189.7 1.0	207 0.0 1.0 0.951	86.5 -49.9 -8.4 50.6 189.6
111	G50B_037_025ae	0.125 0.375 0.375	0.375 0.25 0.25	210	0.124 0.347 0.375	31.6 -8.5 -6.4	10.7 216.9	0.204 0.329 0.351	31.6 -9.6 -6.7	11.7 214.7 1.1	215 0.0 0.89 1.0	79.0 -34.2 -25.7 42.8 216.9
112	G65B_050_037ae	0.125 0.375 0.5	0.5 0.375 0.312	229	0.124 0.428 0.5	39.4 -9.4 -13.1	16.2 234.3	0.237 0.41 0.474	39.5 -10.0 -13.2	16.6 232.9 0.5	220 0.0 0.808 1.0	73.3 -25.2 -35.1 43.2 234.3
113	G75B_062_050ae	0.125 0.375 0.625	0.625 0.5 0.375	240	0.125 0.506 0.625	46.9 -9.5 -19.8	21.9 244.3	0.266 0.489 0.596	47.0 -10.1 -19.6	22.0 242.7 0.6	223 0.0 0.763 1.0	70.0 -19.0 -39.6 43.9 244.3
114	G80B_075_062ae	0.125 0.375 0.75	0.75 0.625 0.437	247	0.125 0.581 0.75	54.2 -9.4 -27.0	28.6 250.7	0.28 0.566 0.726	54.1 -9.9 -26.9	28.7 249.8 0.4	225 0.0 0.73 1.0	67.7 -15.1 -43.2 45.7 250.7
115	G84B_087_075ae	0.125 0.375 0.875	0.875 0.75 0.5	251	0.125 0.657 0.875	61.6 -9.5 -34.3	35.6 254.3	0.287 0.648 0.864	61.5 -9.7 -34.4	35.8 254.2 0.2	226 0.0 0.71 1.0	66.3 -12.7 -45.7 47.4 254.3
116	G86B_100_087ae	0.125 0.375 1.0	1.0 0.875 0.562	254	0.125 0.733 1.0	69.0 -9.4 -41.5	42.6 257.1	0.29 0.733 1.0	68.8 -10.0 -41.0	42.2 256.2 0.7	227 0.0 0.695 1.0	65.2 -10.8 -47.5 48.7 257.1
117	Y76G_050_050ae	0.125 0.5 0.0	0.5 0.5 0.25	136	0.0 0.5 0.218	42.0 -38.0 25.7	45.9 145.9	0.131 0.474 0.226	42.2 -38.6 26.1	46.6 145.8 0.7	175 0.0 1.0 0.436	84.1 -76.0 51.4 91.8 145.9
118	G00B_050_037ae	0.125 0.5 0.125	0.5 0.375 0.312	150	0.124 0.5 0.389	43.8 -24.2 7.7	25.4 162.2	0.245 0.475 0.375	44.0 -24.6 7.8	25.8 162.3 0.4	193 0.0 1.0 0.706	85.1 -64.6 20.7 67.9 162.2
119	G15B_050_037ae	0.125 0.5 0.25	0.5 0.375 0.312	169	0.124 0.5 0.455	44.2 -20.3 0.1	20.3 179.5	0.248 0.474 0.431	44.3 -20.9 0.1	20.9 179.6 0.5	203 0.0 1.0 0.88	86.0 -54.3 0.4 54.3 179.5
120	G34B_050_037ae	0.125 0.5 0.375	0.5 0.375 0.312	191	0.124 0.493 0.5	44.0 -16.7 -5.9	17.7 199.6	0.251 0.468 0.472	44.1 -17.1 -5.9	18.1 199.2 0.4	210 0.0 0.982 1.0	85.6 -44.5 -15.8 47.3 199.6
121	G50B_050_037ae	0.125 0.5 0.5	0.5 0.375 0.312	210	0.124 0.458 0.5	41.5 -12.8 -9.6	16.0 216.9	0.243 0.437 0.472	41.6 -13.4 -9.7	16.6 215.9 0.6	215 0.0 0.89 1.0	79.0 -34.2 -25.7 42.8 216.9
122	G61B_062_050ae	0.125 0.5 0.625	0.625 0.5 0.375	224	0.125 0.539 0.625	49.3 -13.8 -16.3	21.4 229.7	0.264 0.52 0.597	49.3 -14.4 -16.1	21.6 228.3 0.5	219 0.0 0.829 1.0	74.7 -27.7 -32.7 42.8 229.7
123	G69B_075_062ae	0.125 0.5 0.75	0.75 0.625 0.437	233	0.125 0.62 0.75	57.0 -14.4 -23.0	27.1 237.9	0.28 0.603 0.728	56.8 -14.7 -23.0	27.3 237.4 0.3	221 0.0 0.792 1.0	72.1 -23.0 -36.8 43.4 237.9
124	G75B_087_075ae	0.125 0.5 0.875	0.875 0.75 0.5	240	0.125 0.697 0.875	64.4 -14.2 -29.7	32.9 244.3	0.299 0.687 0.862	64.3 -14.5 -29.8	33.2 244.0 0.3	223 0.0 0.763 1.0	70.0 -19.0 -39.6 43.9 244.3
125	G79B_100_087ae	0.125 0.5 1.0	1.0 0.875 0.562	245	0.125 0.773 1.0	71.8 -14.1 -36.7	39.3 248.9	0.311 0.772 1.0	71.7 -14.4 -36.6	39.3 248.4 0.3	224 0.0 0.74 1.0	68.4 -16.1 -41.9 44.9 248.9
126	Y81G_062_062ae	0.125 0.625 0.0	0.625 0.625 0.312	139	0.0 0.625 0.32	52.7 -45.8 27.1	53.2 149.4	0.13 0.596 0.319	52.6 -46.1 27.1	53.5 149.5 0.3	180 0.0 1.0 0.513	84.3 -73.3 43.3 85.2 149.4
127	G00B_062_050ae	0.125 0.625 0.125	0.625 0.5 0.375	150	0.125 0.625 0.478	54.5 -32.3 10.3	33.9 162.2	0.269 0.598 0.463	54.4 -32.6 10.0	34.1 162.8 0.4	193 0.0 1.0 0.706	85.1 -64.6 20.7 67.9 162.2
128	G11B_062_050ae	0.125 0.625 0.25	0.625 0.5 0.375	164	0.125 0.625 0.544	54.8 -28.5 2.4	28.6 175.0	0.272 0.598 0.523	54.7 -28.8 2.2	28.8 175.6 0.3	201 0.0 1.0 0.838	85.8 -57.1 4.9 57.3 175.0
129	G25B_062_050ae	0.125 0.625 0.375	0.625 0.5 0.375	180	0.125 0.625 0.6	55.2 -24.9 -4.2	25.3 189.6	0.276 0.597 0.574	55.1 -25.3 -4.3	25.6 189.6 0.3	207 0.0 1.0 0.951	86.5 -49.9 -8.4 50.6 189.6
130	G38B_062_050ae	0.125 0.625 0.5	0.625 0.5 0.375	196	0.125 0.604 0.625	53.8 -21.0 9.4	23.0 204.2	0.274 0.578 0.597	53.8 -21.4 -9.4	23.4 203.6 0.4	212 0.0 0.958 1.0	83.9 -42.0 -18.9 46.1 204.2
131	G50B_062_050ae	0.125 0.625 0.625	0.625 0.5 0.375	210</								

http://130.149.60.45/~farbmetrik/SE02/SE02L0FA.TXT /.PS; 3D-linearization
F: 3D-linearization SE02/SE02LE30FA.DAT in file (F), page 18/29

see similar files: <http://130.149.60.45/~farbmetrik/SE02/SE02L0FA.TXT> /.PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

n	HIC*Fde	rgb_Fde	ict_Fde	hsi_Fde	rgb*Fde	LabCh*Fde	rgb*Fde	LabCh*Fde	DE**Fde hsiMde	rgb*Mde	LabCh*Mde
162	R00Y_025_025de	0.25 0.0 0.0	0.25 0.25 0.125	390	0.25 0.0 0.065	12.7 19.5 9.3	21.6 25.4	0.248 0.077 0.076	12.1 20.4 10.6	23.0 27.4 1.6	375
163	R00Y_025_025de	0.25 0.0 0.125	0.25 0.25 0.125	360	0.25 0.0 0.154	13.2 20.9 -2.9	21.1 352.0	0.241 0.08 0.162	12.6 21.8 -4.0	22.2 349.6 1.5	352
164	B50R_025_025de	0.25 0.0 0.25	0.25 0.25 0.125	330	0.25 0.0 0.247	14.2 23.5 -14.3	27.5 328.6	0.241 0.086 0.237	13.7 24.5 -15.3	28.9 327.9 1.4	330
165	B34R_037_037de	0.25 0.0 0.375	0.375 0.375 0.187	311	0.166 0.0 0.375	13.9 29.6 -34.5	45.5 310.5	0.187 0.069 0.353	13.1 30.7 -36.1	47.4 310.3 2.0	296
166	B25R_050_050de	0.25 0.0 0.5	0.5 0.5 0.25	300	0.0 0.135 0.5	19.1 26.3 -45.3	52.4 300.1	0.131 0.148 0.474	18.9 26.6 -46.0	53.1 300.0 0.7	254
167	B19R_062_062de	0.25 0.0 0.625	0.625 0.625 0.312	293	0.0 0.245 0.625	28.0 21.7 -49.8	54.3 293.5	0.129 0.248 0.597	28.0 21.5 -49.8	54.2 293.3 0.2	247
168	B15R_075_075de	0.25 0.0 0.75	0.75 0.75 0.375	289	0.0 0.33 0.75	35.9 20.2 -56.2	59.8 289.7	0.078 0.33 0.728	35.7 19.6 -56.4	59.8 289.2 0.5	243
169	B13R_087_087de	0.25 0.0 0.875	0.875 0.875 0.437	286	0.0 0.416 0.875	43.9 18.9 -62.2	65.0 286.9	0.043 0.417 0.862	44.0 18.4 -62.1	64.8 286.5 0.5	241
170	B11R_100_100de	0.25 0.0 1.0	1.0 1.0 0.5	284	0.0 0.5 1.0	51.8 18.3 -68.3	70.7 285.0	0.0 0.502 1.0	51.9 18.0 -68.0	70.4 284.8 0.3	239
171	R50Y_025_025de	0.25 0.125 0.0	0.25 0.25 0.125	60	0.25 0.121 0.0	15.7 10.6 17.7	20.6 58.8	0.247 0.138 0.042	15.6 10.4 19.2	21.9 61.4 1.5	59
172	R00Y_025_012de	0.25 0.125 0.125	0.25 0.125 0.187	390	0.25 0.124 0.157	18.2 9.7 4.6	10.8 25.4	0.247 0.163 0.16	18.0 9.4 4.3	10.4 24.7 0.5	375
173	B50R_025_012de	0.25 0.125 0.25	0.25 0.125 0.187	330	0.25 0.124 0.248	19.0 11.7 -7.1	13.7 328.6	0.239 0.168 0.237	18.8 11.6 -7.6	13.8 326.6 0.5	330
174	B25R_037_025de	0.25 0.125 0.375	0.375 0.25 0.25	300	0.124 0.192 0.375	21.4 13.1 -22.6	26.2 300.1	0.206 0.192 0.355	21.0 12.8 -23.5	26.7 298.6 0.9	254
175	B15R_050_037de	0.25 0.125 0.5	0.5 0.375 0.312	289	0.124 0.29 0.5	29.9 10.1 -28.1	29.9 289.7	0.235 0.281 0.475	29.8 9.7 -28.5	30.1 288.7 0.5	243
176	B11R_062_050de	0.25 0.125 0.625	0.625 0.375 0.437	284	0.124 0.375 0.625	37.8 9.1 -34.1	35.3 285.0	0.266 0.363 0.597	37.8 8.7 -34.1	35.2 284.3 0.4	239
177	B09R_075_062de	0.25 0.125 0.75	0.75 0.625 0.437	281	0.125 0.452 0.75	45.3 8.9 -41.3	42.3 281.0	0.279 0.441 0.729	45.2 8.2 -41.2	42.0 281.2 0.6	238
178	B07R_087_075de	0.25 0.125 0.875	0.875 0.75 0.5	279	0.125 0.529 0.875	52.7 8.7 -48.4	49.2 280.2	0.29 0.522 0.865	52.7 8.2 -48.4	49.1 279.6 0.5	237
179	B06R_100_087de	0.25 0.125 1.0	1.0 0.875 0.562	278	0.125 0.603 1.0	60.0 9.1 -55.8	56.5 279.3	0.295 0.6 1.0	59.8 8.5 -55.3	55.9 278.7 0.8	236
180	Y00G_025_025de	0.25 0.25 0.0	0.25 0.25 0.125	90	0.25 0.214 0.0	20.9 -0.8 21.1	21.1 92.3	0.24 0.207 0.065	20.7 -1.5 22.6	22.6 93.8 1.6	82
181	Y00G_025_012de	0.25 0.25 0.125	0.25 0.125 0.187	90	0.25 0.232 0.124	22.3 -0.4 10.5	10.5 92.3	0.24 0.221 0.158	22.2 -1.0 10.4	10.5 95.4 0.6	82
182	NW_025de	0.25 0.25 0.25	0.25 0.0 0.25	360	0.25 0.25 0.25	23.8 0.0 0.0	0.0 0.0	0.232 0.236 0.237	23.7 -0.4 -0.2	0.4 207.2 0.4	360
183	B00R_037_012de	0.25 0.25 0.375	0.375 0.125 0.312	270	0.249 0.326 0.375	31.2 0.2 -7.0	7.0 271.7	0.276 0.308 0.352	31.1 -0.4 -7.3	7.3 266.8 0.6	232
184	B00R_050_025de	0.25 0.25 0.5	0.5 0.25 0.375	270	0.249 0.402 0.5	38.6 0.4 -14.1	14.1 271.7	0.32 0.382 0.473	38.6 0.0 -14.4	14.4 269.8 0.5	232
185	B00R_062_037de	0.25 0.25 0.625	0.625 0.375 0.437	270	0.25 0.478 0.625	46.0 0.6 -21.2	21.2 271.7	0.359 0.459 0.597	46.0 0.0 -21.0	21.0 270.0 0.6	232
186	B00R_075_050de	0.25 0.25 0.75	0.75 0.5 0.5	270	0.25 0.554 0.75	53.4 0.8 -28.3	28.3 271.7	0.394 0.538 0.728	53.4 0.4 -28.1	28.1 270.8 0.4	232
187	B00R_087_062de	0.25 0.25 0.875	0.875 0.625 0.562	270	0.25 0.63 0.875	60.8 1.0 -35.3	35.3 271.7	0.424 0.617 0.864	60.7 1.0 -35.5	35.5 271.6 0.2	232
188	B00R_100_075de	0.25 0.25 1.0	1.0 0.75 0.625	270	0.25 0.707 1.0	68.2 1.2 -42.4	42.4 271.7	0.45 0.701 1.0	68.1 0.9 -42.1	42.1 271.2 0.5	232
189	Y31G_037_037de	0.25 0.375 0.0	0.375 0.375 0.187	109	0.302 0.375 0.0	33.5 -14.8 32.6	35.8 114.4	0.292 0.35 0.089	33.4 -15.5 33.4	36.9 114.9 1.0	100
190	Y50G_037_025de	0.25 0.375 0.125	0.375 0.25 0.25	120	0.257 0.375 0.124	33.4 -15.7 20.7	26.0 127.2	0.264 0.353 0.185	33.4 -16.5 21.0	26.7 128.0 0.8	118
191	G00B_037_012de	0.25 0.375 0.25	0.375 0.125 0.312	150	0.249 0.375 0.338	34.4 -8.0 2.5	8.4 162.2	0.279 0.353 0.32	34.4 -8.7 2.4	9.1 164.6 0.7	193
192	G50B_037_012de	0.25 0.375 0.375	0.375 0.125 0.312	210	0.249 0.361 0.375	33.7 -4.2 -3.2	5.3 216.9	0.281 0.34 0.351	33.6 -4.9 -3.4	6.0 215.0 0.6	215
193	G75B_050_025de	0.25 0.375 0.5	0.5 0.25 0.375	240	0.249 0.44 0.5	41.3 -4.7 -9.9	10.9 244.3	0.321 0.419 0.472	41.3 -5.4 -10.1	11.5 241.8 0.7	223
194	G84B_062_037de	0.25 0.375 0.625	0.625 0.375 0.437	251	0.25 0.516 0.625	48.7 -4.7 -17.1	17.8 254.3	0.36 0.497 0.597	48.8 -5.2 -16.9	17.7 257.2 0.5	226
195	G88B_075_050de	0.25 0.375 0.75	0.75 0.5 0.5	256	0.25 0.592 0.75	56.1 -4.7 -24.3	24.7 258.9	0.39 0.575 0.729	56.0 -5.0 -24.2	24.8 258.2 0.3	227
196	G90B_087_062de	0.25 0.375 0.875	0.875 0.625 0.562	259	0.25 0.668 0.875	63.5 -4.5 -31.4	31.7 261.6	0.418 0.657 0.865	63.3 -4.7 -31.6	31.9 261.5 0.2	228
197	G92B_100_075de	0.25 0.375 1.0	1.0 0.75 0.625	261	0.25 0.744 1.0	70.9 -4.3 -38.5	38.7 263.5	0.446 0.741 1.0	70.7 -4.7 -38.0	38.3 262.8 0.6	229
198	Y50G_050_050de	0.25 0.5 0.0	0.5 0.5 0.25	120	0.264 0.5 0.0	42.9 -31.5 41.4	52.0 127.2	0.273 0.472 0.095	43.0 -32.2 42.2	53.1 127.3 1.0	118
199	Y68G_050_037de	0.25 0.5 0.125	0.5 0.375 0.312	131	0.124 0.5 0.227	43.3 -30.0 25.1	39.1 140.0	0.252 0.476 0.246	43.5 -30.4 25.3	39.6 140.1 0.4	165
200	G00B_050_025de	0.25 0.5 0.25	0.5 0.25 0.375	150	0.249 0.5 0.426	45.1 -16.1 5.1	16.9 162.2	0.325 0.475 0.407	45.1 -16.8 5.0	17.5 163.4 0.6	193
201	G25B_050_025de	0.25 0.5 0.375	0.5 0.25 0.375	180	0.249 0.5 0.487	45.4 -12.4 -2.1	12.6 189.6	0.329 0.474 0.461	45.5 -13.1 -2.2	13.3 189.8 0.7	207
202	G50B_050_025de	0.25 0.5 0.5	0.5 0.25 0.375	210	0.249 0.472 0.5	43.6 -8.5 -6.4	10.7 216.9	0.324 0.448 0.471	43.6 -9.3 -6.6	11.5 215.3 0.8	215
203	G65B_062_037de	0.25 0.5 0.625	0.625 0.375 0.437	229	0.25 0.553 0.625	51.3 -9.4 -13.1	16.2 234.3	0.364 0.532 0.597	51.4 -9.9 -12.9	16.3 232.5 0.5	220
204	G75B_075_050de	0.25 0.5 0.75	0.75 0.5 0.5	240	0.25 0.631 0.75	58.8 -9.5 -19.8	21.9 244.3	0.4 0.612 0.727	58.7 -9.5 -19.8	22.0 244.2 0.1	223
205	G80B_087_062de	0.25 0.5 0.875	0.875 0.625 0.562	247	0.25 0.706 0.875	66.1 -9.4 -27.0	28.6 250.7	0.425 0.695 0.863	66.0 -9.6 -27.1	28.8 250.5 0.2	225
206	G84B_100_075de	0.25 0.5 1.0	1.0 0.75 0.625	251	0.25 0.782 1.0	73.6 -9.5 -34.3	35.6 254.3	0.446 0.781 1.0	73.4 -10.0 -33.8	35.3 254.3 0.6	226
207	Y61G_062_062de	0.25 0.625 0.0	0.625 0.625 0.312	127	0.082 0.625 0.0	52.3 -50.8 50.0	71.3 135.4	0.159 0.596 0.093	52.2 -51.3 50.6	72.0 135.4 0.7	142
208	Y76G_062_050de	0.25 0.625 0.125	0.625 0.5 0.375	136	0.125 0.625 0.343	54.0 -38.0 25.7	45.9 145.9	0.272 0.599 0.344	53.9 -38.3 25.6	46.1 146.2 0.3	175
209	G00B_062_037de	0.25 0.625 0.25	0.625 0.375 0.437	150	0.25 0.625 0.514	55.7 -24.2 7.7	25.4 162.2	0.37 0.599 0.497	55.7 -24.1 7.4	25.3 162.8 0.3	193
210	G15B_062_037de	0.25 0.625 0.375	0.625 0.375 0.437	169	0.25 0.625 0.58 0.561	-20.3 0.1 20.3	179.5	0.375 0.598 0.554	56.0 -20.4 0.0	20.4 179.9 0.1	203
211	G34B_062_037de	0.25 0.625 0.5	0.625 0.375 0.437	191	0.25 0.618 0.625 0.559	-16.7 -5.9 17.7	199.6	0.379 0.591 0.595	55.8 -16.8 -5.9	17.9 199.3 0.1	210
212	G50B_062_037de	0.25 0.625 0.625	0.625 0.375 0.437	210	0.25 0.583 0.625 0.535	-12.8 -9.6 16.0	216.9	0.3			

http://130.149.60.45/~farbmetrik/SE02/SE02L0FA.TXT /.PS; 3D-linearization
F: 3D-linearization SE02/SE02LE30FA.DAT in file (F), page 19/29

see similar files: <http://130.149.60.45/~farbmetrik/SE02/SE02L0FA.TXT> / .PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-SE02/SE02L0FA.TXT /.PS
application for measurement of display output, no separation

TUB material: code=rha4ta

n	HIC*F _{de}	rgb_F _{de}	ict_F _{de}	hsi_F _{de}	rgb*F _{de}	LabCh*F _{de}	rgb*F _{de}	LabCh*F _{de}	DE*F _{de} hsi _{de}
243	R00Y_037_037 _{de}	0.375 0.0 0.0	0.375 0.375 0.187	390	0.375 0.0 0.098	19.0 29.3 13.9	32.5 25.4	0.363 0.092 0.113	18.7 30.3 14.0 33.4 24.7 1.0 375
244	R18Y_037_037 _{de}	0.375 0.0 0.125	0.375 0.375 0.187	371	0.375 0.0 0.182	19.4 30.4 2.2	30.5 4.3	0.358 0.096 0.188	19.1 31.2 1.6 31.2 2.9 1.0 360
245	B65R_037_037 _{de}	0.375 0.0 0.25	0.375 0.375 0.187	349	0.375 0.0 0.257	20.1 32.0 -7.6	32.9 346.6	0.358 0.098 0.252	19.8 33.0 -8.2 34.0 346.0 1.1 347
246	B50R_037_037 _{de}	0.375 0.0 0.375	0.375 0.375 0.187	330	0.375 0.0 0.371	21.4 35.3 -21.5	41.3 328.6	0.355 0.106 0.351	21.1 35.8 -22.2 42.2 328.2 0.9 330
247	B38R_050_050 _{de}	0.375 0.0 0.5	0.5 0.5 0.25	316	0.319 0.0 0.5	21.6 41.4 -40.9	58.2 315.3	0.317 0.085 0.473	21.1 42.4 -42.1 59.8 315.2 1.6 309
248	B30R_062_062 _{de}	0.375 0.0 0.625	0.625 0.625 0.312	307	0.091 0.0 0.625	19.5 47.7 -63.7	79.6 306.8	0.166 0.055 0.596	18.9 48.7 -64.6 80.9 306.9 1.4 277
249	B25R_075_075 _{de}	0.375 0.0 0.75	0.75 0.75 0.375	300	0.0 0.202 0.75	28.6 39.5 -68.0	78.7 300.1	0.12 0.206 0.727	28.3 39.9 -68.4 79.2 300.2 0.6 254
250	B20R_087_087 _{de}	0.375 0.0 0.875	0.875 0.875 0.437	295	0.0 0.318 0.875	37.8 34.2 -72.0	79.7 295.4	0.061 0.318 0.861	37.6 34.0 -72.3 79.9 295.2 0.3 248
251	B18R_100_100 _{de}	0.375 0.0 1.0	1.0 1.0 0.5	292	0.0 0.404 1.0	45.7 32.7 -78.6	85.1 292.5	0.0 0.407 1.0	45.8 32.6 -78.0 84.5 292.7 0.6 246
252	R31Y_037_037 _{de}	0.375 0.125 0.0	0.375 0.375 0.187	49	0.375 0.108 0.0	20.7 23.6 25.0	34.4 46.6	0.364 0.138 0.042	20.6 23.8 26.4 35.6 47.8 1.3 46
253	R00Y_037_025 _{de}	0.375 0.125 0.125	0.375 0.25 0.25	390	0.375 0.124 0.19	24.6 19.5 9.3	21.6 25.4	0.368 0.189 0.189	24.3 19.8 8.9 21.7 24.2 0.5 375
254	R00Y_037_025 _{de}	0.375 0.125 0.25	0.375 0.25 0.25	360	0.375 0.124 0.279	25.1 20.9 -2.9	21.1 352.0	0.361 0.193 0.27	24.8 21.3 -3.5 21.6 350.6 0.7 352
255	B50R_037_025 _{de}	0.375 0.125 0.375	0.375 0.25 0.25	330	0.375 0.124 0.372	26.2 23.5 -14.3	27.5 328.6	0.357 0.199 0.351	25.9 23.9 -15.0 28.2 327.7 0.8 330
256	B34R_050_037 _{de}	0.375 0.125 0.5	0.5 0.375 0.312	311	0.291 0.124 0.5	25.8 29.6 -34.5	45.5 310.5	0.313 0.185 0.476	25.4 30.0 -35.5 46.5 310.7 1.1 296
257	B25R_062_050 _{de}	0.375 0.125 0.625	0.625 0.5 0.375	300	0.125 0.26 0.625	31.0 26.3 -45.3	52.4 300.1	0.276 0.258 0.599	30.9 26.0 -45.4 52.3 299.8 0.3 254
258	B19R_075_062 _{de}	0.375 0.125 0.75	0.75 0.625 0.437	293	0.125 0.37 0.75	40.0 21.7 -49.8	54.3 293.5	0.289 0.36 0.729	39.9 21.3 -49.8 54.2 293.1 0.3 247
259	B15R_087_075 _{de}	0.375 0.125 0.875	0.875 0.75 0.5	289	0.125 0.455 0.875	47.9 20.2 -56.2	59.8 289.7	0.296 0.448 0.866	47.8 19.7 -56.3 59.6 289.3 0.4 243
260	B13R_100_087 _{de}	0.375 0.125 1.0	1.0 0.875 0.562	286	0.125 0.541 1.0	55.9 18.9 -62.2	65.0 286.9	0.307 0.537 1.0	55.8 18.1 -61.7 64.3 286.3 0.9 241
261	R68Y_037_037 _{de}	0.375 0.25 0.0	0.375 0.375 0.187	71	0.375 0.234 0.0	26.3 9.6 28.1	29.7 71.1	0.358 0.232 0.067	26.1 9.6 29.2 30.7 71.7 1.0 68
262	R50Y_037_025 _{de}	0.375 0.25 0.125	0.375 0.25 0.25	60	0.375 0.246 0.124	27.7 10.6 17.7	20.6 58.8	0.367 0.245 0.161	27.6 10.5 17.8 20.7 59.3 0.1 59
263	R00Y_037_012 _{de}	0.375 0.25 0.25	0.375 0.125 0.312	390	0.375 0.249 0.282	30.2 9.7 4.6	10.8 25.6	0.366 0.273 0.268	30.1 9.6 4.5 10.6 25.2 0.2 375
264	B50R_037_012 _{de}	0.375 0.25 0.375	0.375 0.125 0.312	330	0.375 0.249 0.373	31.0 11.7 -7.1	13.7 328.6	0.355 0.279 0.351	30.9 11.5 -7.4 13.7 326.9 0.4 330
265	B25R_050_025 _{de}	0.375 0.25 0.5	0.5 0.25 0.375	300	0.249 0.317 0.5	33.4 13.1 -22.6	26.2 300.1	0.327 0.304 0.476	33.2 12.7 -23.1 26.4 298.8 0.6 254
266	B15R_062_037 _{de}	0.375 0.25 0.625	0.625 0.375 0.437	289	0.25 0.415 0.625	41.8 10.1 -28.1	29.9 289.7	0.362 0.398 0.6	41.8 9.6 -28.0 29.6 288.9 0.4 243
267	B11R_075_050 _{de}	0.375 0.25 0.75	0.75 0.5 0.5	284	0.25 0.5 0.75	49.7 9.1 -34.1	35.3 285.0	0.399 0.483 0.728	49.7 8.6 -33.9 35.0 284.3 0.5 239
268	B09R_087_062 _{de}	0.375 0.25 0.875	0.875 0.625 0.562	281	0.25 0.577 0.875	57.2 8.9 -41.3	42.3 282.1	0.423 0.563 0.866	57.1 8.6 -41.4 42.3 281.8 0.2 238
269	B07R_100_075 _{de}	0.375 0.25 1.0	1.0 0.75 0.625	279	0.25 0.654 1.0	64.6 8.7 -48.4	49.2 280.2	0.447 0.646 1.0	64.4 8.2 -47.8 48.5 279.8 0.8 237
270	Y00G_037_037 _{de}	0.375 0.375 0.0	0.375 0.375 0.187	90	0.375 0.321 0.0	31.3 -1.2 31.6	31.7 92.3	0.354 0.305 0.081	31.3 -1.7 32.6 32.6 93.0 1.0 82
271	Y00G_037_025 _{de}	0.375 0.375 0.125	0.375 0.25 0.25	90	0.375 0.339 0.124	32.8 -0.8 21.1	21.1 92.3	0.357 0.319 0.18	32.7 -0.4 21.3 21.3 93.7 0.6 82
272	Y00G_037_012 _{de}	0.375 0.375 0.25	0.375 0.125 0.312	90	0.375 0.357 0.249	34.3 -0.4 10.5	10.5 92.3	0.356 0.334 0.267	34.2 -0.8 10.4 10.4 94.5 0.4 82
273	NW_037 _{de}	0.375 0.375 0.375	0.375 0.0 0.375	360	0.375 0.375 0.375	35.7 0.0 0.0	0.0 0.0	0.345 0.35 0.35	35.7 -0.4 -0.2 0.5 205.6 0.5 360
274	B00R_050_012 _{de}	0.375 0.375 0.5	0.5 0.125 0.437	270	0.375 0.451 0.5	43.1 0.2 -7.0	7.0 271.7	0.396 0.426 0.472	43.2 -0.2 -7.2 7.2 268.3 0.4 232
275	B00R_062_025 _{de}	0.375 0.375 0.625	0.625 0.25 0.5	270	0.375 0.527 0.625	50.5 0.4 -14.1	14.1 271.7	0.445 0.504 0.597	50.6 0.0 -14.0 14.0 270.1 0.4 232
276	B00R_075_037 _{de}	0.375 0.375 0.75	0.75 0.375 0.562	270	0.375 0.603 0.75	57.9 0.6 -21.2	21.2 271.7	0.487 0.582 0.728	57.9 0.4 -21.2 21.2 271.3 0.1 232
277	B00R_087_050 _{de}	0.375 0.375 0.875	0.875 0.5 0.625	270	0.375 0.679 0.875	65.4 0.8 -28.3	28.3 271.7	0.527 0.664 0.864	65.2 0.8 -28.4 28.4 271.6 0.2 232
278	B00R_100_062 _{de}	0.375 0.375 1.0	1.0 0.625 0.687	270	0.375 0.755 1.0	72.8 1.0 -35.3	35.3 271.7	0.564 0.748 1.0	72.6 0.7 -34.9 34.9 271.2 0.5 232
279	Y23G_050_050 _{de}	0.375 0.5 0.0	0.5 0.5 0.25	104	0.453 0.5 0.0	45.5 -14.9 44.4	46.9 108.6	0.432 0.47 0.099	45.5 -15.4 45.1 47.7 108.8 0.8 94
280	Y31G_050_037 _{de}	0.375 0.5 0.125	0.5 0.375 0.312	109	0.427 0.5 0.124	45.4 -14.8 32.6	35.8 114.4	0.416 0.471 0.209	45.4 -15.4 33.1 36.5 114.9 0.7 100
281	Y50G_050_025 _{de}	0.375 0.5 0.25	0.5 0.25 0.375	120	0.382 0.5 0.249	45.3 -15.7 20.7	26.0 127.2	0.384 0.474 0.299	45.4 -16.2 20.8 26.4 127.9 0.5 118
282	G00B_050_012 _{de}	0.375 0.5 0.375	0.5 0.125 0.437	150	0.375 0.5 0.463	46.4 -8.0 2.5	8.4 162.2	0.399 0.474 0.438	46.4 -8.5 2.4 8.9 163.9 0.5 193
283	G50B_050_012 _{de}	0.375 0.5 0.5	0.5 0.125 0.437	210	0.375 0.486 0.5	45.6 -4.2 -3.2	5.3 216.9	0.4 0.459 0.471	45.7 -4.7 -3.3 5.8 215.5 0.4 215
284	G75B_062_025 _{de}	0.375 0.5 0.625	0.625 0.25 0.5	240	0.375 0.565 0.625	53.2 -4.7 -9.9	10.9 244.3	0.445 0.541 0.595	53.2 -5.2 -9.8 11.1 242.0 0.4 223
285	G84B_075_037 _{de}	0.375 0.5 0.75	0.75 0.375 0.562	251	0.375 0.641 0.75	60.6 -4.7 -17.1	17.8 254.3	0.489 0.62 0.728	60.5 -4.6 -17.2 17.8 254.7 0.1 226
286	G88B_087_050 _{de}	0.375 0.5 0.875	0.875 0.5 0.625	256	0.375 0.717 0.875	68.0 -4.7 -24.3	24.7 258.9	0.524 0.704 0.865	67.9 -4.7 -24.4 24.9 258.9 0.1 227
287	G90B_100_062 _{de}	0.375 0.5 1.0	1.0 0.625 0.687	259	0.375 0.793 1.0	75.4 -4.5 -31.4	31.7 261.6	0.558 0.79 1.0	75.2 -5.1 -30.9 31.3 260.5 0.7 228
288	Y38G_062_062 _{de}	0.375 0.625 0.0	0.625 0.625 0.312	113	0.449 0.625 0.0	55.0 -29.7 53.4	61.1 119.1	0.439 0.594 0.096	54.9 -29.9 53.9 61.6 119.0 0.5 105
289	Y50G_062_050 _{de}	0.375 0.625 0.125	0.625 0.5 0.375	120	0.389 0.625 0.125	54.9 -31.5 41.4	52.0 127.2	0.402 0.597 0.226	54.8 -31.7 41.6 52.3 127.3 0.2 118
290	Y68G_062_037 _{de}	0.375 0.625 0.25	0.625 0.375 0.437	131	0.25 0.625 0.352	55.2 -30.0 25.1	39.1 140.0	0.377 0.6 0.363	55.2 -30.0 25.0 39.0 140.1 0.1 165
291	G00B_062_025 _{de}	0.375 0.625 0.375	0.625 0.25 0.5	150	0.375 0.625 0.551	57.0 -16.1 5.1	16.9 162.2	0.449 0.599 0.529	56.9 -16.2 4.8 16.9 163.4 0.3 193
292	G25B_062_025 _{de}	0.375 0.625 0.5	0.625 0.25 0.5	180	0.375 0.625 0.612	57.4 -12.4 -2.1	12.6 189.6	0.453 0.597 0.584	57.2 -12.8 -2.2 13.0 189.9 0.4 207
293	G50B_062_025 _{de}	0.375 0.625 0.625	0.625 0.25 0.5	210	0.375 0.597 0.625	55.5 -8.5 -6.4	10.7 216.9	0.459 0.571 0.595	55.4 -9.0 -6.4 11.1 215.6 0.4 215
294	G65B_075_037 _{de}	0.375 0.625 0.75	0.75 0.375 0.562	229	0.375 0.678 0.75	63.2 -9.4 -13.1	16.2 234.3	0.492 0.658 0.727	63.1 -9.4 -13.1 16.2 234.1 0.0 220
295	G75B_087_050 _{de}	0.375 0.625 0.875	0.875 0.5 0.625	240	0.375 0.756 0.875	70.8 -9.5 -19.8	21.9 244.3	0.534 0.744 0.862	70.6 -9.4 -19.8 22.0 244.4 0.1 223
296	G80B_100_062 _{de}	0.375 0.625 1.0	1.0 0.625 0.687	247	0.375 0.831 1.0	78.1 -9.4 -27.0	28.6 250.7	0.564 0.829 1.0	77.9 -9.8 -26.7 28.5 249.8 0.5 225
297	Y50G_075_075 _{de}	0.375 0.75 0.0	0.75 0.75 0.375	120	0.				

http://130.149.60.45/~farbmetrik/SE02/SE02L0FA.TXT /PS; 3D-linearization
F: 3D-linearization SE02/SE02LE30FA.DAT in file (F), page 20/29

SE0211s

see similar files: <http://130.149.60.45/~farbmetrik/SE02/SE02L0FA.TXT> /PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-SE02/SE02L0FA.TXT /PS
application for measurement of display output, no separation

TUB material: code=rha4ta

n	HIC*Fde	rgb_Fde	ict_Fde	hsi_Fde	rgb*Fde	LabCh*Fde	rgb*Fde	LabCh*Fde	DE**Fde hsiMde																	
324	R00Y_050_050a	0.5	0.0	0.0	0.5	0.5	0.25	390	0.5	0.0	0.131	25.4	39.1	18.6	43.3	25.4	0.482	0.102	0.144	25.2	39.8	18.4	43.9	24.8	0.7	375
325	R26Y_050_050a	0.5	0.0	0.125	0.5	0.5	0.25	376	0.5	0.0	0.214	25.8	40.2	7.0	40.8	9.8	0.48	0.104	0.218	25.6	40.9	6.7	41.4	9.3	0.7	364
326	R00Y_050_050a	0.5	0.0	0.25	0.5	0.5	0.25	360	0.5	0.0	0.308	26.4	41.8	-5.8	42.2	352.0	0.476	0.11	0.304	26.3	42.2	-6.3	42.7	351.5	0.6	352
327	B61R_050_050a	0.5	0.0	0.375	0.5	0.5	0.25	344	0.5	0.0	0.373	27.0	43.3	-14.1	45.6	341.8	0.476	0.113	0.361	27.0	43.7	-14.5	46.1	341.6	0.5	344
328	B50R_050_050a	0.5	0.0	0.5	0.5	0.5	0.25	330	0.5	0.0	0.495	28.5	47.0	-28.7	55.1	328.6	0.475	0.121	0.469	28.5	47.2	-29.1	55.4	328.3	0.4	330
329	B40R_062_062a	0.5	0.0	0.625	0.625	0.625	0.312	319	0.455	0.0	0.625	29.0	53.3	-47.7	71.5	318.1	0.446	0.093	0.569	28.7	53.9	-48.2	72.4	318.2	0.8	314
330	B34R_075_075a	0.5	0.0	0.75	0.75	0.75	0.375	311	0.333	0.0	0.75	27.8	59.3	-69.1	91.1	310.5	0.344	0.058	0.726	27.4	60.0	-69.7	92.0	310.7	1.0	296
331	B29R_087_087a	0.5	0.0	0.875	0.875	0.875	0.437	305	0.0	0.102	0.875	28.3	61.2	-87.7	107.0	304.9	0.093	0.112	0.861	28.0	61.5	-88.1	107.4	304.9	0.4	263
332	B25R_100_100a	0.5	0.0	1.0	1.0	1.0	0.5	300	0.0	0.27	1.0	38.2	52.7	-90.7	104.9	300.1	0.0	0.272	1.0	38.2	52.8	-90.5	104.8	300.2	0.2	254
333	R23Y_050_050a	0.5	0.125	0.0	0.5	0.5	0.25	44	0.5	0.051	0.0	25.6	37.2	32.4	49.3	41.0	0.484	0.119	0.039	25.6	37.5	33.6	50.4	41.8	1.2	35
334	R00Y_050_037a	0.5	0.125	0.125	0.5	0.375	0.312	390	0.5	0.124	0.223	31.0	29.3	13.9	32.5	25.4	0.494	0.214	0.219	30.8	29.8	13.7	32.9	24.7	0.5	375
335	R18Y_050_037a	0.5	0.125	0.25	0.5	0.375	0.312	371	0.5	0.124	0.307	31.4	30.4	2.2	30.5	4.3	0.487	0.217	0.298	31.2	30.8	1.8	30.9	3.3	0.6	360
336	B65R_050_037a	0.5	0.125	0.375	0.5	0.375	0.312	349	0.5	0.124	0.382	32.0	32.0	-7.6	32.9	346.6	0.485	0.221	0.367	31.8	32.6	-8.0	33.6	346.0	0.7	347
337	B50R_050_037a	0.5	0.125	0.5	0.5	0.375	0.312	330	0.5	0.124	0.496	33.3	35.0	-21.5	41.3	328.6	0.481	0.229	0.471	33.2	35.6	-22.0	41.9	328.2	0.6	330
338	B38R_062_050a	0.5	0.125	0.625	0.625	0.5	0.375	316	0.444	0.125	0.625	33.5	41.4	-40.9	58.2	315.3	0.448	0.216	0.598	33.2	41.8	-41.3	58.8	315.3	0.6	309
339	B30R_075_062a	0.5	0.125	0.75	0.75	0.625	0.437	307	0.216	0.125	0.75	31.4	47.7	-63.7	79.6	306.8	0.327	0.187	0.73	31.0	48.1	-64.3	80.4	306.8	0.8	277
340	B25R_087_075a	0.5	0.125	0.875	0.875	0.75	0.5	300	0.125	0.327	0.875	40.6	39.5	-68.0	78.7	300.1	0.313	0.321	0.865	40.3	39.5	-68.3	78.9	300.0	0.4	254
341	B20R_100_087a	0.5	0.125	1.0	1.0	0.875	0.562	295	0.125	0.443	1.0	49.7	34.2	-72.0	79.7	295.4	0.319	0.436	1.0	49.6	33.5	-71.7	79.1	295.1	0.7	248
342	R50Y_050_050a	0.5	0.25	0.0	0.5	0.5	0.25	60	0.5	0.243	0.0	31.5	21.3	35.4	41.3	58.8	0.48	0.247	0.061	31.5	21.4	36.4	42.2	59.4	0.9	59
343	R31Y_050_037a	0.5	0.25	0.125	0.5	0.375	0.312	49	0.5	0.233	0.124	32.7	23.6	25.0	34.4	46.6	0.496	0.253	0.159	32.7	23.6	25.3	34.6	46.9	0.2	46
344	R00Y_050_025a	0.5	0.25	0.25	0.5	0.25	0.375	390	0.5	0.249	0.315	36.5	19.5	9.3	21.6	25.5	0.497	0.305	0.3	36.5	19.6	9.1	21.6	25.0	0.1	375
345	R00Y_050_025a	0.5	0.25	0.375	0.5	0.25	0.375	360	0.5	0.249	0.404	37.0	20.9	-2.9	21.1	352.0	0.486	0.309	0.385	37.0	21.0	-3.2	21.3	351.2	0.3	352
346	B50R_050_025a	0.5	0.25	0.5	0.5	0.25	0.375	330	0.5	0.249	0.497	38.1	23.5	-14.3	27.5	328.6	0.482	0.316	0.472	38.0	23.6	-14.8	27.9	327.9	0.4	330
347	B34R_062_037a	0.5	0.25	0.625	0.625	0.375	0.437	311	0.416	0.25	0.625	37.7	29.6	-34.5	45.5	310.5	0.44	0.302	0.6	37.5	29.5	-34.8	45.6	310.3	0.2	296
348	B25R_075_050a	0.5	0.25	0.75	0.75	0.5	0.5	300	0.25	0.385	0.75	42.9	26.3	-45.3	52.4	300.1	0.412	0.373	0.732	42.9	26.1	-45.1	52.2	300.0	0.3	254
349	B19R_087_062a	0.5	0.25	0.875	0.875	0.625	0.562	293	0.25	0.495	0.875	51.9	21.7	-49.8	54.3	293.5	0.432	0.48	0.866	51.8	21.3	-49.8	54.2	293.1	0.3	247
350	B15R_100_075a	0.5	0.25	1.0	1.0	0.75	0.625	289	0.25	0.58	1.0	59.8	20.2	-56.2	59.8	289.7	0.453	0.57	1.0	59.6	19.4	-55.5	58.8	289.3	1.0	243
351	R76Y_050_050a	0.5	0.375	0.0	0.5	0.5	0.25	76	0.5	0.342	0.0	36.7	9.1	38.8	39.9	76.7	0.476	0.33	0.072	36.6	9.1	39.7	40.7	77.0	0.8	72
352	R68Y_050_037a	0.5	0.375	0.125	0.5	0.375	0.312	71	0.5	0.359	0.124	38.2	9.6	28.1	29.7	71.1	0.486	0.346	0.182	38.2	9.4	28.5	30.7	71.5	0.3	68
353	R50Y_050_025a	0.5	0.375	0.25	0.5	0.25	0.375	60	0.5	0.371	0.249	39.6	10.6	17.7	20.6	58.8	0.494	0.359	0.271	39.6	10.6	17.6	20.6	58.9	0.0	59
354	R00Y_050_012a	0.5	0.375	0.375	0.5	0.125	0.437	390	0.5	0.375	0.407	42.1	9.7	4.6	10.8	25.5	0.491	0.39	0.384	42.2	9.7	4.5	10.7	25.2	0.1	375
355	B50R_050_012a	0.5	0.375	0.5	0.5	0.125	0.437	330	0.5	0.375	0.498	42.9	11.7	-7.1	13.7	328.6	0.478	0.396	0.472	42.9	11.5	-7.3	13.7	327.3	0.2	330
356	B25R_062_025a	0.5	0.375	0.625	0.625	0.25	0.5	300	0.375	0.442	0.625	45.3	13.1	-22.6	26.2	300.1	0.452	0.422	0.6	45.3	12.6	-22.6	25.9	299.2	0.5	254
357	B15R_075_037a	0.5	0.375	0.75	0.75	0.375	0.562	289	0.375	0.54	0.75	53.7	10.1	-28.1	29.9	289.7	0.491	0.52	0.731	53.8	9.7	-27.9	29.5	289.3	0.3	243
358	B11R_087_050a	0.5	0.375	0.875	0.875	0.5	0.625	284	0.375	0.625	0.875	61.6	9.1	-34.1	35.3	285.0	0.532	0.606	0.864	61.5	9.2	-34.2	35.4	285.0	0.1	239
359	B09R_100_062a	0.5	0.375	1.0	1.0	0.625	0.687	281	0.375	0.702	1.0	69.1	8.9	-41.3	42.3	282.1	0.562	0.691	1.0	68.9	8.3	-40.8	41.6	281.6	0.8	238
360	Y00G_050_050a	0.5	0.5	0.0	0.5	0.5	0.25	90	0.5	0.428	0.0	41.8	-1.7	42.2	42.2	92.3	0.476	0.408	0.088	41.9	-1.9	43.0	43.1	92.5	0.8	82
361	Y00G_050_037a	0.5	0.5	0.125	0.5	0.375	0.312	90	0.5	0.446	0.124	43.3	-1.2	31.6	31.7	92.3	0.482	0.422	0.199	43.3	-1.6	32.2	32.2	92.9	0.6	82
362	Y00G_050_025a	0.5	0.5	0.25	0.5	0.25	0.375	90	0.5	0.464	0.249	44.7	-0.8	21.1	21.1	92.3	0.483	0.437	0.294	44.8	-1.1	21.2	21.2	93.2	0.3	82
363	Y00G_050_012a	0.5	0.5	0.375	0.5	0.125	0.437	90	0.5	0.482	0.375	46.2	-0.4	10.5	10.5	92.3	0.479	0.454	0.383	46.2	-0.6	10.4	10.5	93.7	0.2	82
364	NW_050a	0.5	0.5	0.5	0.5	0.0	0.5	360	0.5	0.5	0.5	47.7	0.0	0.0	0.0	0.0	0.466	0.47	0.471	47.7	-0.3	-0.1	0.4	205.6	0.4	360
365	B00R_062_012a	0.5	0.5	0.625	0.625	0.125	0.562	270	0.5	0.576	0.625	55.1	0.2	-7.0	7.0	271.7	0.52	0.548	0.595	55.0	0.0	-7.0	7.0	269.2	0.3	232

http://130.149.60.45/~farbmetrik/SE02/SE02L0FA.TXT /.PS; 3D-linearization
F: 3D-linearization SE02/SE02LE30FA.DAT in file (F), page 21/29

see similar files: <http://130.149.60.45/~farbmetrik/SE02/SE02L0FA.TXT> /.PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-SE02/SE02L0FA.TXT /.PS
application for measurement of display output, no separation

TUB material: code=rha4ta

n	HIC*Fde	rgb_Fde	ict_Fde	hsi_Fde	rgb*Fde	LabCh*Fde	rgb*Fde	LabCh*Fde	DE**Fde hsiMde
405	R00Y_062_062de	0.625 0.0 0.0	0.625 0.625 0.312	390	0.625 0.0 0.164	31.8 48.9 23.3	54.2 25.4	0.603 0.103 0.172	31.5 49.2 23.1 54.4 25.1 0.4 375
406	R31Y_062_062de	0.625 0.0 0.125	0.625 0.625 0.312	379	0.625 0.0 0.247	32.1 49.9 11.7	51.2 13.2	0.603 0.104 0.25	31.9 50.3 11.3 51.6 12.6 0.6 366
407	R11Y_062_062de	0.625 0.0 0.25	0.625 0.625 0.312	367	0.625 0.0 0.333	32.7 51.3 -0.1	51.3 359.8	0.6 0.107 0.329	32.4 51.6 -0.7 51.6 359.2 0.6 357
408	B69R_062_062de	0.625 0.0 0.375	0.625 0.625 0.312	353	0.625 0.0 0.398	33.2 52.5 -8.8	53.3 350.4	0.599 0.111 0.39	33.0 52.8 -9.4 53.6 349.9 0.6 350
409	B59R_062_062de	0.625 0.0 0.5	0.625 0.625 0.312	341	0.625 0.0 0.495	34.1 55.1 -21.1	59.0 339.0	0.599 0.114 0.479	34.0 55.3 -21.6 59.4 338.5 0.6 341
410	B50R_062_062de	0.625 0.0 0.625	0.625 0.625 0.312	330	0.625 0.0 0.619	35.7 58.8 -35.9	68.9 328.6	0.597 0.124 0.591	35.6 58.6 -36.0 68.8 328.4 0.2 330
411	B42R_075_075de	0.625 0.0 0.75	0.75 0.75 0.375	321	0.588 0.0 0.75	36.4 65.2 -54.6	85.1 320.0	0.575 0.084 0.725	36.1 65.7 -55.0 85.7 320.0 0.7 318
412	B36R_087_087de	0.625 0.0 0.875	0.875 0.875 0.437	314	0.497 0.0 0.875	35.7 71.1 -75.1	103.5 313.4	0.501 0.04 0.861	35.6 71.7 -75.3 104.0 313.5 0.5 304
413	B31R_100_100de	0.625 0.0 1.0	1.0 1.0 0.5	308	0.263 0.0 1.0	32.8 76.9 -99.3	125.7 307.7	0.264 0.0 0.999	32.8 76.9 -99.4 125.7 307.7 0.0 284
414	R18Y_062_062de	0.625 0.125 0.0	0.625 0.625 0.312	41	0.625 0.0 0.038	31.5 48.2 37.3	61.0 37.7	0.605 0.101 0.064	31.3 48.6 38.2 61.8 38.1 0.1 386
415	R00Y_062_050de	0.625 0.125 0.125	0.625 0.5 0.375	390	0.625 0.125 0.256	37.3 39.1 18.6	43.3 25.4	0.619 0.237 0.251	37.2 39.2 18.3 43.2 25.0 0.3 375
416	R26Y_062_050de	0.625 0.125 0.25	0.625 0.5 0.375	376	0.625 0.125 0.339	37.7 40.2 7.0	40.8 9.8	0.614 0.24 0.33	37.6 40.2 6.6 40.7 9.3 0.4 364
417	R00Y_062_050de	0.625 0.125 0.375	0.625 0.5 0.375	360	0.625 0.125 0.433	38.4 41.8 -5.8	42.2 352.0	0.608 0.245 0.421	38.3 41.6 -6.2 42.1 351.4 0.4 352
418	B61R_062_050de	0.625 0.125 0.5	0.625 0.5 0.375	344	0.625 0.125 0.498	39.0 43.3 -14.1	45.6 341.8	0.607 0.25 0.482	38.9 43.2 -14.5 45.5 341.3 0.4 344
419	B50R_062_050de	0.625 0.125 0.625	0.625 0.5 0.375	330	0.625 0.125 0.62	40.5 47.0 -28.7	55.1 328.6	0.605 0.256 0.593	40.4 46.8 -28.8 55.0 328.3 0.2 330
420	B40R_075_062de	0.625 0.125 0.75	0.75 0.625 0.437	319	0.58 0.125 0.75	41.0 53.3 -47.7	71.5 318.1	0.58 0.243 0.728	40.8 53.2 -47.8 71.5 318.0 0.1 314
421	B34R_087_075de	0.625 0.125 0.875	0.875 0.75 0.5	311	0.458 0.125 0.875	39.7 59.3 -69.1	91.1 310.5	0.495 0.216 0.865	39.5 59.8 -69.4 91.6 310.7 0.5 296
422	B29R_100_087de	0.625 0.125 1.0	1.0 0.875 0.562	305	0.125 0.227 1.0	40.2 61.2 -87.7	107.0 304.9	0.342 0.243 1.0	40.0 60.9 -87.4 106.5 304.8 0.5 263
423	R38Y_062_062de	0.625 0.25 0.0	0.625 0.625 0.312	53	0.625 0.237 0.0	36.4 34.3 42.5	54.7 51.0	0.602 0.246 0.051	36.4 34.2 43.3 55.2 51.6 0.7 52
424	R23Y_062_050de	0.625 0.25 0.125	0.625 0.5 0.375	44	0.625 0.176 0.125	37.6 37.2 32.4	49.3 41.0	0.623 0.247 0.156	37.5 36.9 32.5 49.2 41.3 0.3 35
425	R00Y_062_037de	0.625 0.25 0.25	0.625 0.375 0.437	390	0.625 0.25 0.348	42.9 29.3 13.9	32.5 25.4	0.626 0.335 0.332	42.7 29.2 13.6 32.2 25.0 0.4 375
426	R18Y_062_037de	0.625 0.25 0.375	0.625 0.375 0.437	371	0.625 0.25 0.432	43.3 30.4 2.2	30.5 4.3	0.617 0.339 0.415	43.1 30.3 1.8 30.3 3.4 0.5 360
427	B65R_062_037de	0.625 0.25 0.5	0.625 0.375 0.437	349	0.625 0.25 0.507	43.9 32.0 -7.6	32.9 346.6	0.613 0.343 0.488	43.8 32.0 -8.1 33.0 346.7 0.5 347
428	B50R_062_037de	0.625 0.25 0.625	0.625 0.375 0.437	330	0.625 0.25 0.621	45.2 35.3 -21.5	41.3 328.6	0.609 0.351 0.595	45.1 35.1 -21.7 41.2 328.2 0.2 330
429	B38R_075_050de	0.625 0.25 0.75	0.75 0.5 0.5	316	0.569 0.25 0.75	45.4 41.4 -40.9	58.2 315.3	0.578 0.339 0.73	45.2 41.4 -41.2 58.4 315.1 0.3 309
430	B30R_087_062de	0.625 0.25 0.875	0.875 0.625 0.562	307	0.341 0.25 0.875	43.4 47.7 -63.7	79.6 306.8	0.477 0.311 0.868	43.2 47.9 -63.9 79.9 306.8 0.3 277
431	B25R_100_075de	0.625 0.25 1.0	1.0 0.75 0.625	300	0.25 0.452 1.0	52.5 39.5 -68.0	78.7 300.1	0.474 0.443 1.0	52.3 38.8 -67.2 77.6 300.0 1.1 254
432	R61Y_062_062de	0.625 0.375 0.0	0.625 0.625 0.312	67	0.625 0.36 0.0	42.2 19.8 46.1	50.2 66.6	0.6 0.354 0.06	42.1 19.7 46.9 50.9 67.2 0.8 65
433	R50Y_062_050de	0.625 0.375 0.125	0.625 0.5 0.375	60	0.625 0.368 0.125	43.4 21.3 35.4	41.3 58.8	0.614 0.364 0.18	43.4 21.0 35.7 41.4 59.5 0.4 59
434	R31Y_062_037de	0.625 0.375 0.25	0.625 0.375 0.437	49	0.625 0.358 0.25	44.6 23.6 25.0	34.4 46.6	0.63 0.371 0.271	44.6 23.3 24.9 34.1 46.9 0.3 46
435	R00Y_062_025de	0.625 0.375 0.375	0.625 0.25 0.5	390	0.625 0.375 0.44	48.5 19.5 9.3	21.6 25.4	0.624 0.425 0.471	48.3 19.1 8.9 21.1 25.1 0.5 375
436	R00Y_062_025de	0.625 0.375 0.5	0.625 0.25 0.5	360	0.625 0.375 0.529	49.0 20.9 -2.9	21.1 352.0	0.612 0.43 0.507	48.9 20.6 -3.2 20.9 351.0 0.4 352
437	B50R_062_025de	0.625 0.375 0.625	0.625 0.25 0.5	330	0.625 0.375 0.622	50.0 23.5 -14.3	27.5 328.6	0.608 0.438 0.595	49.9 23.1 -14.4 27.2 328.0 0.4 330
438	B34R_075_037de	0.625 0.375 0.75	0.75 0.375 0.562	311	0.541 0.375 0.75	49.6 29.6 -34.5	45.5 310.5	0.569 0.424 0.732	49.5 29.2 -34.6 45.3 310.2 0.3 296
439	B25R_087_050de	0.625 0.375 0.875	0.875 0.5 0.625	300	0.375 0.51 0.875	54.8 26.3 -45.3	52.4 300.1	0.545 0.495 0.869	54.9 26.0 -45.2 52.2 299.9 0.3 254
440	B19R_100_062de	0.625 0.375 1.0	1.0 0.625 0.687	293	0.375 0.62 1.0	63.8 21.7 -49.8	54.3 293.5	0.573 0.604 1.0	63.6 21.1 -49.1 53.4 293.3 0.9 247
441	R81Y_062_062de	0.625 0.5 0.0	0.625 0.625 0.312	79	0.625 0.449 0.0	47.1 8.6 49.3	50.0 80.0	0.598 0.435 0.072	47.1 8.2 50.1 50.8 80.7 0.9 74
442	R76Y_062_050de	0.625 0.5 0.125	0.625 0.5 0.375	76	0.625 0.467 0.125	48.6 9.1 38.8	39.9 76.7	0.609 0.45 0.197	48.5 8.6 39.2 40.1 77.5 0.6 72
443	R68Y_062_037de	0.625 0.5 0.25	0.625 0.375 0.437	71	0.625 0.484 0.25	50.1 9.6 28.1	29.7 71.1	0.616 0.466 0.298	50.1 9.0 28.1 29.5 72.1 0.5 68
444	R50Y_062_025de	0.625 0.5 0.375	0.625 0.25 0.5	60	0.625 0.496 0.375	51.5 10.6 17.7	20.6 58.8	0.622 0.48 0.388	51.5 10.2 17.5 20.3 59.6 0.4 59
445	R00Y_062_012de	0.625 0.5 0.625	0.625 0.125 0.562	390	0.625 0.5 0.532	54.0 9.7 4.6	10.8 25.4	0.616 0.512 0.506	54.1 9.4 4.4 10.4 25.3 0.3 375
446	B50R_062_012de	0.625 0.5 0.625	0.625 0.125 0.562	330	0.625 0.5 0.623	54.8 11.7 -7.1	13.7 328.6	0.602 0.518 0.595	54.8 11.2 -7.1 13.3 327.7 0.5 330
447	B25R_075_025de	0.625 0.5 0.75	0.75 0.25 0.625	300	0.5 0.567 0.75	57.2 13.1 -22.6	26.2 300.1	0.578 0.545 0.731	57.1 12.7 -22.6 26.0 299.3 0.4 254
448	B15R_087_037de	0.625 0.5 0.875	0.875 0.375 0.687	289	0.5 0.665 0.875	65.7 10.1 -28.1	29.9 289.7	0.62 0.644 0.867	65.5 10.0 -28.3 30.0 289.6 0.2 243
449	B11R_100_050de	0.625 0.5 1.0	1.0 0.5 0.75	284	0.5 0.75 1.0	73.6 9.1 -34.1	35.3 285.0	0.665 0.737 1.0	73.4 8.7 -33.6 34.8 284.5 0.6 239
450	Y00G_062_062de	0.625 0.625 0.0	0.625 0.625 0.312	90	0.625 0.535 0.0	52.3 -2.1 52.8	52.8 92.3	0.598 0.514 0.085	52.3 -2.5 53.5 53.5 92.7 0.8 82
451	Y00G_062_050de	0.625 0.625 0.125	0.625 0.5 0.375	90	0.625 0.553 0.125	53.7 -1.7 42.2	42.2 92.3	0.607 0.53 0.218	53.8 -2.1 42.5 42.6 92.8 0.5 82
452	Y00G_062_037de	0.625 0.625 0.25	0.625 0.375 0.437	90	0.625 0.571 0.25	55.2 -1.2 31.6	31.7 92.3	0.61 0.545 0.318	55.2 -1.7 31.7 31.8 93.1 0.4 82
453	Y00G_062_025de	0.625 0.625 0.375	0.625 0.25 0.5	90	0.625 0.589 0.375	56.7 -0.8 21.1	21.1 92.3	0.61 0.56 0.413	56.6 -1.1 20.8 20.9 93.1 0.4 82
454	Y00G_062_012de	0.625 0.625 0.5	0.625 0.125 0.562	90	0.625 0.607 0.5	58.1 -0.4 10.5	10.5 92.3	0.604 0.577 0.505	58.0 -0.5 10.1 10.2 93.3 0.4 82
455	NW_062de	0.625 0.625 0.625	0.625 0.0 0.625	360	0.625 0.625 0.625	59.6 0.0 0.0	0.0 0.0	0.59 0.593 0.594	59.4 -0.2 -0.1 0.3 206.3 0.3 360
456	B00R_075_012de	0.625 0.625 0.75	0.75 0.125 0.687	270	0.625 0.701 0.75	67.0 0.2 -7.0	7.0 271.7	0.646 0.675 0.726	66.8 0.0 -7.2 7.2 270.5 0.2 232
457	B00R_087_025de	0.625 0.625 0.875	0.875 0.25 0.75	270	0.625 0.777 0.875	74.4 0.4 -14.1	14.1 271.7	0.701 0.76 0.864	74.3 0.3 -14.3 14.3 271.2 0.2 232
458	B00R_100_037de	0.625 0.625 1.0	1.0 0.375 0.812	270	0.625 0.853 1.0	81.8 0.6 -21.2	21.2 271.7	0.752 0.846 1.0	81.7 0.3 -20.8 20.8 270.9 0.5 232
459	Y15G_075_075de	0.625 0.75 0.0	0.75 0.75 0.375	99	0.75 0.749 0.0	69.4 -15.4 68.0	69.7 102.7	0.725 0.723 0.086	69.2 -15.7 68.4 70.2 102.9 0.5 89
460	Y18G_075_062de	0.625 0.75 0.125	0.75 0.625 0.437	101	0.727 0.75 0.125	69.4 -15.2 56.3	58.3 105.1	0.714 0.723 0.231	69.2 -15.3 56.1 58.1 105.2 0.3 91
461	Y23G_075_								

http://130.149.60.45/~farbmetrik/SE02/SE02L0FA.TXT /PS; 3D-linearization
F: 3D-linearization SE02/SE02LE30FA.DAT in file (F), page 22/29

n	HIC*Fde	rgb_Fde	ict_Fde	hsi_Fde	rgb*Fde	LabCh*Fde	rgb*Fde	LabCh*Fde	DE*Fde hsiMde	rgb*Mde	LabCh*Mde																									
486	R00Y_075_075de	0.75	0.0	0.75	0.75	0.375	390	0.75	0.0	0.197	38.1	58.7	27.9	65.0	25.4	0.731	0.086	0.201	37.8	59.2	27.8	65.4	25.1	0.6	375	1.0	0.0	0.263	50.9	78.3	37.3	86.7	25.4			
487	R35Y_075_075de	0.75	0.0	0.125	0.75	0.75	0.375	381	0.75	0.0	0.279	38.5	59.4	16.4	61.6	15.4	0.729	0.092	0.281	38.2	59.8	15.9	61.9	14.9	0.6	368	1.0	0.0	0.373	51.3	79.2	21.9	82.2	15.4		
488	R18Y_075_075de	0.75	0.0	0.25	0.75	0.75	0.375	371	0.75	0.0	0.364	38.9	60.8	4.5	61.0	4.3	0.729	0.09	0.362	38.6	61.3	4.0	61.4	3.7	0.8	360	1.0	0.0	0.486	51.9	81.1	6.1	81.3	4.3		
489	R00Y_075_075de	0.75	0.0	0.375	0.75	0.75	0.375	360	0.75	0.0	0.463	39.7	62.7	-8.7	63.3	352.0	0.728	0.097	0.457	39.4	63.0	-9.4	63.7	351.4	0.7	352	1.0	0.0	0.617	52.9	83.6	-11.6	84.4	352.0		
490	B65R_075_075de	0.75	0.0	0.5	0.75	0.75	0.375	349	0.75	0.0	0.514	40.2	64.1	-15.2	65.9	346.6	0.73	0.093	0.504	39.9	64.6	-15.8	66.5	346.1	0.7	347	1.0	0.0	0.686	53.6	85.5	-20.3	87.9	346.6		
491	B57R_075_075de	0.75	0.0	0.625	0.75	0.75	0.375	339	0.75	0.0	0.618	41.3	66.8	-18.1	72.5	337.1	0.729	0.098	0.6	41.0	67.1	-28.4	72.9	337.0	0.4	339	1.0	0.0	0.824	55.0	89.1	-37.5	96.7	337.1		
492	B50R_075_075de	0.75	0.0	0.75	0.75	0.75	0.375	330	0.75	0.0	0.743	42.8	70.6	-43.0	82.7	328.6	0.727	0.108	0.719	42.6	70.7	-43.3	82.9	328.5	0.3	330	1.0	0.0	0.991	57.1	94.1	-57.4	110.3	328.6		
493	B43R_087_087de	0.75	0.0	0.875	0.875	0.875	0.375	322	0.709	0.0	0.875	43.4	76.9	-62.2	98.9	321.0	0.7	0.055	0.86	43.1	77.2	-62.6	99.4	320.9	0.5	319	1.0	0.811	0.0	1.0	49.6	87.9	-71.1	113.0	321.0	
494	B38R_100_100de	0.75	0.0	1.0	1.0	1.0	0.5	316	0.638	0.0	1.0	43.2	82.9	-81.9	116.5	315.3	0.637	0.0	1.0	43.1	82.8	-82.0	116.5	315.2	0.1	309	1.0	0.0	0.991	57.1	94.1	-57.4	110.3	328.6		
495	R15Y_075_075de	0.75	0.125	0.0	0.75	0.75	0.375	39	0.75	0.0	0.092	37.9	57.9	41.3	71.1	35.5	0.731	0.088	0.101	37.6	58.3	41.6	71.7	35.5	0.6	383	1.0	0.0	0.123	50.5	77.2	55.0	94.8	35.5		
496	R00Y_075_062de	0.75	0.125	0.125	0.75	0.625	0.437	390	0.75	0.125	0.289	43.7	48.9	23.3	54.2	25.4	0.749	0.256	0.282	43.6	48.7	23.1	53.9	25.3	0.2	375	1.0	0.0	0.263	50.9	78.3	37.3	86.7	25.4		
497	R31Y_075_062de	0.75	0.125	0.25	0.75	0.625	0.437	379	0.75	0.125	0.372	44.0	49.9	11.7	51.2	13.2	0.746	0.257	0.363	44.0	49.8	11.4	51.1	12.9	0.2	366	1.0	0.0	0.395	51.4	79.8	18.7	82.0	13.2		
498	R11Y_075_062de	0.75	0.125	0.375	0.75	0.625	0.437	367	0.75	0.125	0.458	44.6	51.3	-0.1	51.3	359.8	0.742	0.26	0.448	44.5	51.2	-0.5	51.2	359.3	0.4	357	1.0	0.0	0.533	52.3	82.1	-0.2	82.1	359.8		
499	B69R_075_062de	0.75	0.125	0.5	0.75	0.625	0.437	353	0.75	0.125	0.523	45.1	52.5	-8.8	53.3	350.4	0.74	0.263	0.512	45.0	52.5	-9.2	53.4	349.9	0.4	350	1.0	0.0	0.637	53.1	84.1	-14.2	85.3	350.4		
500	B59R_075_062de	0.75	0.125	0.625	0.75	0.625	0.437	341	0.75	0.125	0.62	46.1	55.1	-21.1	59.0	339.0	0.738	0.267	0.603	45.9	55.1	-21.2	59.0	338.9	0.1	341	1.0	0.0	0.793	54.7	88.2	-33.8	94.5	339.0		
501	B50R_075_062de	0.75	0.125	0.75	0.75	0.625	0.437	330	0.75	0.125	0.744	47.6	58.8	-35.9	68.9	328.6	0.736	0.274	0.722	47.4	58.8	-36.0	69.0	328.5	0.2	330	1.0	0.0	0.991	57.1	94.1	-57.4	110.3	328.6		
502	B42R_087_075de	0.75	0.125	0.875	0.875	0.75	0.5	321	0.713	0.125	0.875	48.4	65.2	-54.6	85.1	320.0	0.716	0.261	0.863	48.2	65.2	-54.7	85.1	319.9	0.2	318	1.0	0.0	0.784	0.0	1.0	48.6	80.7	-72.8	113.5	320.0
503	B36R_100_087de	0.75	0.125	1.0	1.0	0.875	0.562	314	0.622	0.125	1.0	47.6	71.1	-75.1	103.5	313.4	0.645	0.238	1.0	47.4	71.0	-74.9	103.2	313.4	0.3	304	1.0	0.568	0.0	1.0	40.8	81.3	-85.9	118.3	313.4	
504	R31Y_075_075de	0.75	0.25	0.0	0.75	0.75	0.375	49	0.75	0.217	0.0	41.5	47.3	50.1	68.9	46.6	0.731	0.231	0.035	41.3	47.5	50.5	69.3	46.7	0.5	46	1.0	0.29	0.0	55.4	63.0	66.8	91.8	46.6		
505	R18Y_075_062de	0.75	0.25	0.125	0.75	0.625	0.437	41	0.75	0.125	0.163	43.5	48.2	37.3	61.0	37.7	0.754	0.254	0.178	43.4	48.0	37.6	61.0	38.0	0.3	386	1.0	0.0	0.062	50.5	77.2	59.7	97.6	37.7		
506	R00Y_075_050de	0.75	0.25	0.25	0.75	0.5	0.5	390	0.75	0.25	0.381	49.3	39.1	18.6	43.3	25.4	0.762	0.363	0.365	49.2	39.0	18.4	43.1	25.2	0.2	375	1.0	0.0	0.263	50.9	78.3	37.3	86.7	25.4		
507	R26Y_075_050de	0.75	0.25	0.375	0.75	0.5	0.5	376	0.75	0.25	0.464	49.6	40.2	7.0	40.8	9.8	0.755	0.367	0.449	49.6	40.0	6.6	40.6	9.4	0.3	364	1.0	0.0	0.429	51.6	80.5	14.0	81.7	9.8		
508	R00Y_075_050de	0.75	0.25	0.5	0.75	0.5	0.5	360	0.75	0.25	0.558	50.3	41.8	-5.8	42.2	352.0	0.747	0.373	0.543	50.3	41.5	-5.9	41.9	351.7	0.3	352	1.0	0.0	0.617	52.9	83.6	-11.6	84.4	352.0		
509	B61R_075_050de	0.75	0.25	0.625	0.75	0.5	0.5	344	0.75	0.25	0.623	50.9	43.3	-14.1	45.6	341.8	0.744	0.377	0.606	50.9	43.0	-14.0	45.2	341.8	0.3	344	1.0	0.0	0.747	54.1	86.7	-28.3	91.2	341.8		
510	B50R_075_050de	0.75	0.25	0.75	0.75	0.5	0.5	330	0.75	0.25	0.745	52.4	47.0	-28.7	55.1	328.6	0.743	0.385	0.74	52.4	46.7	-28.6	54.8	328.4	0.3	330	1.0	0.0	0.991	57.1	94.1	-57.4	110.3	328.6		
511	B40R_087_062de	0.75	0.25	0.875	0.875	0.625	0.562	319	0.705	0.25	0.875	52.9	53.3	-47.7	71.5	318.1	0.719	0.375	0.866	52.9	53.0	-47.7	71.3	318.0	0.2	314	1.0	0.729	0.0	1.0	46.5	85.3	-76.3	114.5	318.1	
512	B34R_100_075de	0.75	0.25	1.0	1.0	0.75	0.625	311	0.583	0.25	1.0	51.6	59.3	-69.1	91.1	310.5	0.636	0.35	1.0	51.4	58.9	-68.5	90.3	310.6	0.7	296	1.0	0.444	0.0	1.0	37.0	79.0	-92.2	121.5	310.5	
513	R50Y_075_075de	0.75	0.375	0.0	0.75	0.75	0.375	60	0.75	0.365	0.0	47.3	32.0	53.1	62.0	58.8	0.729	0.364	0.045	47.2	31.9	53.8	62.5	59.3	0.6	59	1.0	0.487	0.0	63.1	42.7	70.8	82.7	58.8		
514	R38Y_075_062de	0.75	0.375	0.125	0.75	0.625	0.437	53	0.75	0.362	0.125	48.4	34.3	42.5	54.7	51.0	0.748	0.369	0.176	48.3	34.0	42.9	54.8	51.6	0.5	52	1.0	0.379	0.0	58.3	54.9	68.1	87.5	51.0		
515	R23Y_075_050de	0.75	0.375	0.25	0.75	0.5	0.5	44	0.75	0.301	0.25	49.5	37.2	32.4	49.3	41.0	0.769	0.371	0.269	49.5	37.0	32.3	49.1	41.1	0.2	35	1.0	0.102	0.0	51.3	74.4	64.8	98.7	41.0		
516	R00Y_075_037de	0.75	0.375	0.375	0.75	0.375	0.562	390	0.75	0.375	0.473	54.8	29.3	13.9	32.5	25.4	0.765	0.459	0.451	54.7	29.1	13.6	32.1	25.1	0.3	375	1.0	0.0	0.263	50.9	78.3	37.3	86.7	25.4		
517	R18Y_075_037de	0.75	0.375	0.5	0.75	0.375	0.562	371	0.75	0.375	0.557	55.2	30.4	2.2	30.5	4.3	0.754	0.464	0.537	55.2	30.1	2.0	30.2	3.9	0.3	360	1.0	0.0	0.486	51.9	81.1	6.1	81.3	4.3		
518	B65R_075_037de	0.75	0.375	0.625	0.75	0.375	0.562	349	0.75	0.375	0.632	55.8	32.0	-7.6	32.9	346.6	0.749	0.468	0.611	55.8	31.8	-7.5	32.6	346.6	0.2	347	1.0	0.0	0.686	53.6	85.5	-20.3	87.9	346.6		
519	B50R_075_037de	0.75	0.375	0.75	0.75	0.375	0.562	330	0.75	0.375	0.746	57.2	35.3	-21.5	41.3	328.6	0.744	0.478	0.725	57.1	34.9	-21.4	41.0	328.4	0.3	330	1.0	0.0	0.991	57.1	94.1	-57.4	110.3	328.6		
520	B38R_087_050de	0.75	0.375	0.875	0.875	0.5	0.625	316	0.694	0.375	0.875	57.3	41.4	-40.9	58.2	315.3	0.714	0.467	0.868	57.2	41.2	-41.0	58.1	315.1	0.2	309	1.0	0.638	0.0	1.0	43.2	82.9	-81.9	116.5	315.3	
521	B30R_100_062de	0.75	0.375	1.0	1.0	0.625	0.687	307	0.466	0.375	1.0	55.3	47.7	-63.7	79.6	306.8	0.618	0.437	1.0	55.0	46.9	-62.6	78.3	306.8	1.3	277	1.0	0.145	0.0	1.0	31.2	76.3	-102.0	127.4	306.8	
522	R68Y_075_075de	0.75	0.5	0.0	0.75	0.75	0.375	71	0.75	0.469	0.0	52.6	19.2	56.3	59.5	71.1	0.728	0.461	0.056	52.5	18.9															

http://130.149.60.45/~farbmetrik/SE02/SE02L0FA.TXT /.PS; 3D-linearization
F: 3D-linearization SE02/SE02LE30FA.DAT in file (F), page 23/29

see similar files: <http://130.149.60.45/~farbmetrik/SE02/SE02L0FA.TXT> /.PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-SE02/SE02L0FA.TXT /.PS
application for measurement of display output, no separation

TUB material: code=rha4ta

n	HIC*Fde	rgb_Fde	ict_Fde	hsi_Fde	rgb*Fde	LabCh*Fde	rgb*Fde	LabCh*Fde	DE**Fde	hsiMde	rgb
567	R00Y_087_087de	0.875 0.0 0.0	0.875 0.875 0.437	390	0.875 0.0 0.23	44.5 68.5 32.6	75.8 25.4	0.864 0.053 0.232	44.3 68.9 32.4	76.1 25.2 0.4	375
568	R36Y_087_087de	0.875 0.0 0.125	0.875 0.875 0.437	382	0.875 0.0 0.315	44.8 69.4 20.6	72.4 16.5	0.863 0.055 0.317	44.6 69.7 20.2	72.6 16.1 0.5	369
569	R23Y_087_087de	0.875 0.0 0.25	0.875 0.875 0.437	374	0.875 0.0 0.395	45.3 70.7 9.5	71.4 7.6	0.865 0.049 0.395	45.1 71.2 9.0	71.7 7.2 0.6	363
570	R08Y_087_087de	0.875 0.0 0.375	0.875 0.875 0.437	365	0.875 0.0 0.487	45.9 72.4 -2.9	72.4 357.6	0.864 0.051 0.484	45.7 72.8 -3.5	72.8 35.7 1.7	356
571	B70R_087_087de	0.875 0.0 0.5	0.875 0.875 0.437	355	0.875 0.0 0.538	46.3 73.1 -9.8	73.8 352.3	0.863 0.059 0.534	46.1 73.5 -10.3	74.3 35.9 0.6	352
572	B63R_087_087de	0.875 0.0 0.625	0.875 0.875 0.437	346	0.875 0.0 0.632	47.2 75.5 -21.9	78.6 347.3	0.864 0.057 0.622	47.0 75.9 -22.0	79.0 34.7 0.4	345
573	B56R_087_087de	0.875 0.0 0.75	0.875 0.875 0.437	338	0.875 0.0 0.735	48.3 78.3 -34.5	85.6 336.1	0.862 0.061 0.722	48.0 78.6 -34.8	86.0 33.6 0.4	338
574	B50R_087_087de	0.875 0.0 0.875	0.875 0.875 0.437	330	0.875 0.0 0.867	50.0 82.3 -50.2	95.6 328.6	0.861 0.068 0.853	49.8 82.7 -50.5	96.9 32.8 0.4	330
575	B44R_100_100de	0.875 0.0 1.0	1.0 1.0 0.5	323	0.837 0.0 1.0	50.7 88.7 -69.4	112.6 319.9	0.837 0.0 1.0	50.6 88.6 -69.4	112.5 32.9 0.1	321
576	R13Y_087_087de	0.875 0.125 0.0	0.875 0.875 0.437	38	0.875 0.0 0.122	44.3 67.7 46.4	82.1 34.3	0.864 0.052 0.13	44.1 68.2 46.2	82.4 34.1 0.4	382
577	R00Y_087_075de	0.875 0.125 0.125	0.875 0.75 0.5	390	0.875 0.125 0.322	50.1 58.7 27.9	65.0 25.4	0.884 0.266 0.313	50.0 58.7 27.7	65.0 25.3 0.2	375
578	R35Y_087_075de	0.875 0.125 0.25	0.875 0.75 0.5	381	0.875 0.125 0.404	50.4 59.4 16.4	61.6 15.4	0.88 0.269 0.397	50.3 59.5 16.0	61.6 15.1 0.3	368
579	R18Y_087_075de	0.875 0.125 0.375	0.875 0.75 0.5	371	0.875 0.125 0.489	50.9 60.8 4.5	61.0 4.3	0.878 0.271 0.482	50.8 60.9 4.1	61.1 3.9 0.4	360
580	R00Y_087_075de	0.875 0.125 0.5	0.875 0.75 0.5	360	0.875 0.125 0.588	51.6 62.7 -8.7	63.3 352.0	0.874 0.275 0.579	51.5 62.7 -8.9	63.4 35.1 0.2	352
581	B65R_087_075de	0.875 0.125 0.625	0.875 0.75 0.5	349	0.875 0.125 0.639	52.1 64.1 -15.2	65.9 346.6	0.876 0.275 0.628	52.0 64.2 -15.2	66.0 34.6 0.1	347
582	B57R_087_075de	0.875 0.125 0.75	0.875 0.75 0.5	339	0.875 0.125 0.743	53.2 66.8 -28.1	72.5 337.1	0.874 0.28 0.731	53.0 67.0 -28.3	72.7 33.1 0.2	339
583	B50R_087_075de	0.875 0.125 0.875	0.875 0.75 0.5	330	0.875 0.125 0.868	54.8 70.6 -43.0	82.7 328.6	0.872 0.287 0.856	54.6 70.8 -43.3	83.0 32.8 0.3	330
584	B43R_100_087de	0.875 0.125 1.0	1.0 0.875 0.562	322	0.834 0.125 1.0	55.3 76.9 -62.2	98.9 321.0	0.847 0.271 1.0	55.2 76.9 -62.0	98.8 32.0 0.2	319
585	R26Y_087_087de	0.875 0.25 0.0	0.875 0.875 0.437	46	0.875 0.173 0.0	46.4 60.9 57.4	83.7 43.3	0.863 0.187 0.019	46.1 61.5 57.3	84.1 43.0 0.6	40
586	R15Y_087_075de	0.875 0.25 0.125	0.875 0.75 0.5	39	0.875 0.125 0.217	49.8 57.9 41.3	71.1 35.5	0.887 0.265 0.213	49.7 57.9 41.5	71.2 35.6 0.2	383
587	R00Y_087_062de	0.875 0.25 0.25	0.875 0.625 0.562	390	0.875 0.25 0.414	55.6 48.9 23.3	54.2 25.4	0.899 0.388 0.399	55.6 48.8 23.0	54.0 25.2 0.2	375
588	R31Y_087_062de	0.875 0.25 0.375	0.875 0.625 0.562	379	0.875 0.25 0.497	56.0 49.9 11.7	51.2 13.2	0.893 0.391 0.484	55.9 49.8 11.4	51.1 12.9 0.3	366
589	R11Y_087_062de	0.875 0.25 0.5	0.875 0.625 0.562	367	0.875 0.25 0.583	56.5 51.3 -0.1	51.3 359.8	0.888 0.394 0.57	56.4 51.2 -0.2	51.2 35.9 0.1	357
590	B69R_087_062de	0.875 0.25 0.625	0.875 0.625 0.562	353	0.875 0.25 0.648	57.0 52.5 -8.8	53.3 350.4	0.884 0.398 0.636	56.9 52.4 -8.7	53.1 35.0 0.1	350
591	B59R_087_062de	0.875 0.25 0.75	0.875 0.625 0.562	341	0.875 0.25 0.745	58.0 55.1 -21.1	59.0 339.0	0.882 0.403 0.734	57.9 55.0 -21.1	58.9 33.0 0.1	341
592	B50R_087_062de	0.875 0.25 0.875	0.875 0.625 0.562	330	0.875 0.25 0.869	59.5 58.8 -35.9	68.9 328.6	0.879 0.411 0.859	59.5 58.8 -35.9	68.9 32.8 0.1	330
593	B42R_100_075de	0.875 0.25 1.0	1.0 0.75 0.625	321	0.838 0.25 1.0	60.3 65.2 -54.6	85.1 320.0	0.861 0.401 1.0	60.2 65.0 -54.0	84.6 32.0 0.6	318
594	R41Y_087_087de	0.875 0.375 0.0	0.875 0.875 0.437	55	0.875 0.358 0.0	52.2 45.0 60.4	75.4 53.3	0.863 0.361 0.021	52.2 45.0 60.6	75.5 53.4 0.1	54
595	R31Y_087_075de	0.875 0.375 0.125	0.875 0.75 0.5	49	0.875 0.342 0.125	53.4 47.3 50.1	68.9 46.6	0.885 0.366 0.169	53.4 47.2 50.5	69.1 46.9 0.4	46
596	R18Y_087_062de	0.875 0.375 0.25	0.875 0.625 0.562	41	0.875 0.25 0.288	55.4 48.2 37.3	61.0 37.7	0.906 0.385 0.294	55.4 48.1 37.3	60.9 37.7 0.1	386
597	R00Y_087_050de	0.875 0.375 0.375	0.875 0.5 0.625	390	0.875 0.375 0.506	61.2 39.1 18.6	43.3 25.4	0.908 0.492 0.486	61.2 39.0 18.4	43.1 25.2 0.2	375
598	R26Y_087_050de	0.875 0.375 0.5	0.875 0.5 0.625	376	0.875 0.375 0.589	61.6 40.2 7.0	40.8 9.8	0.899 0.496 0.572	61.6 39.9 7.0	40.6 9.9 0.2	364
599	R00Y_087_050de	0.875 0.375 0.625	0.875 0.5 0.625	360	0.875 0.375 0.683	62.2 41.8 -5.8	42.2 352.0	0.889 0.502 0.67	62.2 41.4 -5.6	41.8 35.2 0.4	352
600	B61R_087_050de	0.875 0.375 0.75	0.875 0.5 0.625	344	0.875 0.375 0.748	62.8 43.3 -14.1	45.6 341.8	0.885 0.506 0.737	62.9 43.0 -14.0	45.2 34.9 0.3	344
601	B50R_087_050de	0.875 0.375 0.875	0.875 0.5 0.625	330	0.875 0.375 0.87	64.3 47.0 -28.7	55.1 328.6	0.884 0.515 0.86	64.3 46.8 -28.6	54.9 32.8 0.2	330
602	B40R_100_062de	0.875 0.375 1.0	1.0 0.625 0.687	319	0.83 0.375 1.0	64.8 53.3 -47.7	71.5 318.1	0.862 0.501 1.0	64.5 53.3 -47.1	71.2 31.8 0.6	314
603	R58Y_087_087de	0.875 0.5 0.0	0.875 0.875 0.437	65	0.875 0.483 0.0	58.0 30.5 63.9	70.8 64.4	0.863 0.481 0.024	58.0 30.3 64.2	71.0 64.6 0.2	63
604	R50Y_087_075de	0.875 0.5 0.125	0.875 0.75 0.5	60	0.875 0.49 0.125	59.2 32.0 53.1	62.0 58.8	0.88 0.49 0.19	59.2 31.7 53.6	62.3 59.3 0.6	59
605	R38Y_087_062de	0.875 0.5 0.25	0.875 0.625 0.562	53	0.875 0.487 0.25	60.3 34.3 42.5	54.7 30.3	0.898 0.495 0.296	60.3 34.1 42.6	54.6 51.3 0.2	52
606	R23Y_087_050de	0.875 0.5 0.375	0.875 0.5 0.625	44	0.875 0.426 0.375	61.4 37.2 32.4	49.8 41.0	0.918 0.498 0.387	61.4 37.0 32.3	49.1 41.0 0.2	35
607	R00Y_087_037de	0.875 0.5 0.5	0.875 0.375 0.687	390	0.875 0.5 0.598	66.8 29.3 13.9	32.5 5.4	0.908 0.586 0.574	66.6 29.3 13.8	32.4 25.2 0.1	375
608	R18Y_087_037de	0.875 0.5 0.625	0.875 0.375 0.687	371	0.875 0.5 0.682	67.1 30.4 2.2	30.5 4.3	0.895 0.59 0.663	67.0 30.4 2.2	30.5 4.2 0.1	360
609	B65R_087_037de	0.875 0.5 0.75	0.875 0.375 0.687	349	0.875 0.5 0.757	67.8 32.0 -7.6	32.9 346.6	0.888 0.595 0.743	67.6 32.1 -7.7	33.0 34.6 0.1	347
610	B50R_087_037de	0.875 0.5 0.875	0.875 0.375 0.687	330	0.875 0.5 0.871	69.1 35.3 -21.5	41.3 328.6	0.884 0.604 0.861	69.0 35.4 -21.6	41.5 32.8 0.2	330
611	B38R_100_050de	0.875 0.5 1.0	1.0 0.5 0.75	316	0.819 0.5 1.0	69.3 41.4 -40.9	58.2 315.3	0.855 0.595 1.0	69.0 41.1 -40.1	57.4 31.5 0.9	309
612	R73Y_087_087de	0.875 0.625 0.0	0.875 0.875 0.437	74	0.875 0.578 0.0	63.1 18.6 67.7	69.7 74.4	0.862 0.571 0.031	63.0 18.6 67.3	69.8 74.5 0.2	70
613	R68Y_087_075de	0.875 0.625 0.125	0.875 0.75 0.5	71	0.875 0.594 0.125	64.5 19.2 56.3	59.5 71.1	0.876 0.585 0.209	64.4 19.2 56.6	59.8 71.2 0.3	68
614	R61Y_087_062de	0.875 0.625 0.25	0.875 0.625 0.562	67	0.875 0.61 0.25	66.1 19.8 46.1	50.2 66.6	0.89 0.601 0.32	65.9 19.9 46.1	50.2 66.6 0.1	65
615	R50Y_087_050de	0.875 0.625 0.375	0.875 0.5 0.625	60	0.875 0.618 0.375	67.3 21.3 35.4	41.3 58.8	0.901 0.611 0.42	67.1 21.4 35.1	41.1 58.5 0.3	59
616	R31Y_087_037de	0.875 0.625 0.5	0.875 0.375 0.687	49	0.875 0.608 0.5	68.4 23.6 25.0	34.4 46.6	0.914 0.619 0.512	68.3 23.8 24.6	34.3 45.9 0.4	46
617	R00Y_087_025de	0.875 0.625 0.625	0.875 0.25 0.75	390	0.875 0.625 0.69	72.3 19.5 9.3	21.6 25.4	0.9 0.678 0.666	72.1 19.5 9.2	21.6 25.2 0.2	375
618	R00Y_087_025de	0.875 0.625 0.75	0.875 0.25 0.75	360	0.875 0.625 0.779	72.8 20.9 -2.9	21.1 352.0	0.884 0.683 0.763	72.6 20.9 -3.0	21.1 35.1 0.2	352
619	B50R_087_025de	0.875 0.625 0.875	0.875 0.25 0.75	330	0.875 0.625 0.872	73.9 23.5 -14.3	27.5 328.6	0.88 0.692 0.861	73.7 23.6 -14.5	27.7 32.8 0.2	330
620	B34R_100_037de	0.875 0.625 1.0	1.0 0.375 0.812	311	0.791 0.625 1.0	73.5 29.6 -34.5	45.5 310.5	0.841 0.677 1.0	73.		

http://130.149.60.45/~farbmetrik/SE02/SE02L0FA.TXT /.PS; 3D-linearization
F: 3D-linearization SE02/SE02LE30FA.DAT in file (F), page 24/29

see similar files: <http://130.149.60.45/~farbmetrik/SE02/SE02L0FA.TXT> / .PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-SE02/SE02L0FA.TXT /.PS
application for measurement of display output, no separation

TUB material: code=rha4ta

n	HIC*F _{de}	rgb_F _{de}	ict_F _{de}	hsi_F _{de}	rgb*F _{de}	LabCh*F _{de}	rgb**F _{de}	LabCh**F _{de}	DE**F _{de} hsi _{de}	rgb**M _{de}	LabCh**M _{de}
648	R00Y_100_100de	1.0 0.0 0.0	1.0 1.0 0.5	390	1.0 0.0 0.263	50.9 78.3 37.3	86.7 25.4	1.0 0.0 0.264	50.9 78.1 37.1	86.5 25.4 0.2	375
649	R38Y_100_100de	1.0 0.0 0.125	1.0 1.0 0.5	383	1.0 0.0 0.348	51.2 79.3 25.2	83.2 17.6	1.0 0.0 0.35	51.2 78.9 25.0	82.8 17.6 0.3	369
650	R26Y_100_100de	1.0 0.0 0.25	1.0 1.0 0.5	376	1.0 0.0 0.429	51.6 80.5 14.0	81.7 9.8	1.0 0.0 0.431	51.6 80.0 13.7	81.2 9.7 0.6	364
651	R13Y_100_100de	1.0 0.0 0.375	1.0 1.0 0.5	368	1.0 0.0 0.521	52.2 81.8 1.3	81.8 0.9	1.0 0.0 0.522	52.2 81.5 1.1	81.5 0.7 0.3	358
652	R00Y_100_100de	1.0 0.0 0.5	1.0 1.0 0.5	360	1.0 0.0 0.617	52.9 83.6 -11.6	84.4 352.0	1.0 0.0 0.616	52.9 83.4 -11.5	84.2 352.1 0.1	352
653	B68R_100_100de	1.0 0.0 0.625	1.0 1.0 0.5	352	1.0 0.0 0.65	53.2 84.5 -15.7	85.9 349.4	1.0 0.0 0.647	53.2 84.1 -15.6	85.6 349.4 0.3	350
654	B61R_100_100de	1.0 0.0 0.75	1.0 1.0 0.5	344	1.0 0.0 0.747	54.1 86.7 -28.3	91.2 341.8	1.0 0.0 0.746	54.1 86.6 -28.2	91.1 341.9 0.1	344
655	B55R_100_100de	1.0 0.0 0.875	1.0 1.0 0.5	337	1.0 0.0 0.855	55.4 89.9 -41.4	99.0 335.2	1.0 0.0 0.854	55.3 89.7 -41.4	98.8 335.1 0.2	337
656	B50R_100_100de	1.0 0.0 1.0	1.0 1.0 0.5	330	1.0 0.0 0.991	57.1 94.1 -57.4	110.3 328.6	1.0 0.0 0.991	57.1 94.0 -57.4	110.2 328.5 0.0	330
657	R11Y_100_100de	1.0 0.125 0.0	1.0 1.0 0.5	37	1.0 0.0 0.156	50.6 77.6 50.9	92.9 33.2	1.0 0.0 0.157	50.6 77.3 51.2	92.8 33.5 0.4	381
658	R00Y_100_087de	1.0 0.125 0.125	1.0 0.875 0.562	390	1.0 0.125 0.355	56.4 68.5 32.6	75.8 25.4	1.0 0.274 0.346	55.4 67.0 30.9	73.8 24.8 2.4	375
659	R36Y_100_087de	1.0 0.125 0.25	1.0 0.875 0.562	382	1.0 0.125 0.44	56.8 69.4 20.6	72.4 16.5	1.0 0.276 0.434	55.8 68.1 18.9	70.7 15.5 2.2	369
660	R23Y_100_087de	1.0 0.125 0.375	1.0 0.875 0.562	374	1.0 0.125 0.52	57.2 70.7 9.5	71.4 7.6	1.0 0.25 0.5	55.5 71.3 9.0	71.8 7.2 1.8	363
661	R08Y_100_087de	1.0 0.125 0.5	1.0 0.875 0.562	365	1.0 0.125 0.612	57.8 72.4 -2.9	72.4 357.6	1.0 0.279 0.607	57.0 71.4 -4.2	71.5 356.6 1.7	356
662	B70R_100_087de	1.0 0.125 0.625	1.0 0.875 0.562	355	1.0 0.125 0.663	58.2 73.1 -9.8	73.8 352.3	1.0 0.282 0.66	57.5 72.4 -10.8	73.2 351.4 1.4	352
663	B63R_100_087de	1.0 0.125 0.75	1.0 0.875 0.562	346	1.0 0.125 0.757	59.1 75.5 -21.9	78.6 343.7	1.0 0.285 0.749	58.3 74.7 -22.1	77.9 343.4 1.1	345
664	B56R_100_087de	1.0 0.125 0.875	1.0 0.875 0.562	338	1.0 0.125 0.86	60.2 78.3 -34.5	85.6 336.1	1.0 0.289 0.859	59.6 77.8 -35.6	85.6 335.4 1.3	338
665	B50R_100_087de	1.0 0.125 1.0	1.0 0.875 0.562	330	1.0 0.125 0.992	61.9 82.3 -50.2	96.5 328.6	1.0 0.296 0.994	61.3 82.1 -51.2	96.7 328.0 1.1	330
666	R23Y_100_100de	1.0 0.25 0.0	1.0 1.0 0.5	44	1.0 0.102 0.0	51.3 74.4 64.8	98.7 41.0	0.999 0.102 0.0	51.2 74.7 64.8	98.9 40.9 0.2	35
667	R13Y_100_087de	1.0 0.25 0.125	1.0 0.875 0.562	38	1.0 0.125 0.247	56.2 67.7 46.4	82.1 34.3	1.0 0.272 0.242	55.0 66.0 44.7	79.7 34.1 2.6	382
668	R00Y_100_075de	1.0 0.25 0.25	1.0 0.75 0.625	390	1.0 0.25 0.447	62.0 58.7 27.9	65.0 25.4	1.0 0.409 0.432	60.5 55.4 25.5	61.0 24.7 4.3	375
669	R35Y_100_075de	1.0 0.25 0.375	1.0 0.75 0.625	381	1.0 0.25 0.529	62.3 59.4 16.4	61.6 15.4	1.0 0.412 0.501	60.9 56.4 16.4	58.8 16.2 3.3	368
670	R18Y_100_075de	1.0 0.25 0.5	1.0 0.75 0.625	371	1.0 0.25 0.614	62.8 60.8 4.5	61.0 4.3	1.0 0.415 0.605	61.6 58.5 2.9	58.6 2.8 3.0	360
671	R00Y_100_075de	1.0 0.25 0.625	1.0 0.75 0.625	360	1.0 0.25 0.713	63.5 62.7 -8.7	63.3 352.0	1.0 0.42 0.709	62.6 60.9 -10.1	61.7 350.5 2.4	352
672	B65R_100_075de	1.0 0.25 0.75	1.0 0.75 0.625	349	1.0 0.25 0.764	64.0 64.1 -15.2	65.9 346.6	1.0 0.421 0.749	62.9 62.0 -15.1	63.8 346.2 2.3	347
673	B57R_100_075de	1.0 0.25 0.875	1.0 0.75 0.625	339	1.0 0.25 0.868	65.1 66.8 -28.1	72.5 337.1	1.0 0.427 0.868	64.2 65.4 -29.5	71.8 335.7 2.1	339
674	B50R_100_075de	1.0 0.25 1.0	1.0 0.75 0.625	330	1.0 0.25 0.993	66.7 70.6 -43.0	82.7 325.8	1.0 0.436 0.997	65.9 69.4 -44.3	82.4 327.4 1.8	330
675	R36Y_100_100de	1.0 0.375 0.0	1.0 1.0 0.5	52	1.0 0.358 0.0	57.6 56.9 67.8	88.5 49.9	0.999 0.359 0.0	57.6 57.0 67.6	88.4 49.8 0.1	50
676	R26Y_100_087de	1.0 0.375 0.125	1.0 0.875 0.562	46	1.0 0.298 0.125	58.3 60.9 57.4	83.7 43.3	1.0 0.344 0.161	57.2 59.0 56.4	81.7 43.7 2.4	40
677	R15Y_100_075de	1.0 0.375 0.25	1.0 0.75 0.625	39	1.0 0.25 0.342	61.8 57.9 41.3	71.1 35.5	1.0 0.408 0.33	60.0 54.0 38.8	66.5 35.6 4.8	383
678	R00Y_100_062de	1.0 0.375 0.375	1.0 0.625 0.687	390	1.0 0.375 0.539	67.6 48.9 23.3	54.2 25.4	1.0 0.5 0.5	64.7 46.4 21.9	51.3 25.2 3.9	375
679	R31Y_100_062de	1.0 0.375 0.5	1.0 0.625 0.687	379	1.0 0.375 0.622	67.9 49.9 11.7	51.2 13.2	1.0 0.525 0.607	66.5 46.0 9.6	47.0 11.8 4.6	366
680	R11Y_100_062de	1.0 0.375 0.625	1.0 0.625 0.687	367	1.0 0.375 0.708	68.4 51.3 -0.1	51.3 359.8	1.0 0.529 0.699	67.2 48.2 -1.8	48.2 357.7 3.7	357
681	B69R_100_062de	1.0 0.375 0.75	1.0 0.625 0.687	353	1.0 0.375 0.773	68.9 52.5 -8.8	53.3 350.4	1.0 0.5 0.75	66.3 53.2 -10.2	54.2 349.1 3.0	350
682	B59R_100_062de	1.0 0.375 0.875	1.0 0.625 0.687	341	1.0 0.375 0.87	69.9 55.1 -21.1	59.0 339.0	1.0 0.538 0.87	69.0 53.0 -22.5	57.6 336.9 2.7	341
683	B50R_100_062de	1.0 0.375 1.0	1.0 0.625 0.687	330	1.0 0.375 0.994	71.5 58.8 -35.9	68.9 328.6	1.0 0.547 0.999	70.6 57.1 -37.2	68.2 326.8 2.3	330
684	R50Y_100_100de	1.0 0.5 0.0	1.0 1.0 0.5	60	1.0 0.487 0.0	63.1 42.7 70.8	82.7 58.8	0.999 0.489 0.0	63.1 42.6 70.7	82.5 58.9 0.1	59
685	R41Y_100_087de	1.0 0.5 0.125	1.0 0.875 0.562	55	1.0 0.483 0.125	64.2 45.0 60.4	75.4 53.3	1.0 0.493 0.18	63.5 42.7 60.1	73.7 54.5 2.3	54
686	R31Y_100_075de	1.0 0.5 0.25	1.0 0.75 0.625	49	1.0 0.467 0.25	65.4 47.3 50.1	68.9 46.6	1.0 0.5 0.292	64.0 43.0 48.2	64.6 48.2 4.8	46
687	R18Y_100_062de	1.0 0.5 0.375	1.0 0.625 0.687	41	1.0 0.375 0.413	67.3 48.2 37.3	61.0 37.7	1.0 0.5 0.375	64.2 44.1 38.0	58.3 40.7 5.1	386
688	R00Y_100_050de	1.0 0.5 0.5	1.0 0.5 0.75	390	1.0 0.5 0.631	73.1 39.1 18.6	43.3 25.4	1.0 0.622 0.61	71.4 33.9 16.1	37.6 25.4 5.9	375
689	R26Y_100_050de	1.0 0.5 0.625	1.0 0.5 0.75	376	1.0 0.5 0.714	73.5 40.2 7.0	40.8 9.8	1.0 0.623 0.7	72.0 36.5 4.7	36.8 7.4 4.6	364
690	R00Y_100_050de	1.0 0.5 0.75	1.0 0.5 0.75	360	1.0 0.5 0.808	74.1 41.8 -5.8	42.2 352.0	1.0 0.623 0.804	72.6 40.0 -8.0	40.8 348.5 3.2	352
691	B61R_100_050de	1.0 0.5 0.875	1.0 0.5 0.75	344	1.0 0.5 0.873	74.8 43.3 -14.1	45.6 341.8	1.0 0.623 0.873	73.2 42.6 -16.5	45.7 338.7 2.9	344
692	B50R_100_050de	1.0 0.5 1.0	1.0 0.5 0.75	330	1.0 0.5 0.995	76.3 47.0 -28.7	55.1 328.6	1.0 0.645 1.0	75.4 45.0 -29.9	54.1 326.3 2.5	330
693	R63Y_100_100de	1.0 0.625 0.0	1.0 1.0 0.5	68	1.0 0.589 0.0	68.2 30.2 74.2	80.1 67.8	1.0 0.588 0.0	68.1 30.4 73.7	79.8 67.5 0.4	65
694	R58Y_100_087de	1.0 0.625 0.125	1.0 0.875 0.562	65	1.0 0.608 0.125	69.9 30.5 63.9	70.8 64.4	1.0 0.607 0.197	69.3 28.8 63.6	69.9 65.6 1.8	63
695	R50Y_100_075de	1.0 0.625 0.25	1.0 0.75 0.625	60	1.0 0.615 0.25	71.1 32.0 53.1	62.0 58.8	1.0 0.618 0.318	70.1 28.7 51.8	59.2 60.9 3.7	59
696	R38Y_100_062de	1.0 0.625 0.375	1.0 0.625 0.687	53	1.0 0.612 0.375	72.2 34.3 42.5	54.7 51.0	1.0 0.623 0.419	70.6 29.6 40.2	49.9 53.6 5.5	52
697	R23Y_100_050de	1.0 0.625 0.5	1.0 0.5 0.75	44	1.0 0.551 0.5	73.3 37.2 32.4	49.3 41.0	1.0 0.625 0.5	71.0 31.0 30.2	43.3 44.3 6.9	35
698	R00Y_100_037de	1.0 0.625 0.625	1.0 0.375 0.812	390	1.0 0.625 0.723	78.7 29.3 13.9	32.5 25.4	1.0 0.719 0.703	77.2 24.3 11.8	27.1 25.9 5.6	375
699	R18Y_100_037de	1.0 0.625 0.75	1.0 0.375 0.812	371	1.0 0.625 0.807	79.1 30.4 2.2	30.5 4.3	1.0 0.723 0.797	78.0 26.9 0.6	26.9 1.4 3.9	360
700	B65R_100_037de	1.0 0.625 0.875	1.0 0.375 0.812	349	1.0 0.625 0.882	79.7 32.0 -7.6	32.9 346.6	1.0 0.728 0.879	78.8 29.4 -8.9	30.8 343.0 3.0	347
701	B50R_100_037de	1.0									

see similar files: <http://130.149.60.45/~farbmetrik/SE02/SE02L0FA.TXT> /.PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-SE02/SE02L0FA.TXT /.PS
application for measurement of display output, no separation
TUB material: code=rha4ta

		HIC*F _{de}			rgb_F _{de}			ict_F _{de}			hsi_F _{de}			rgb*F _{de}			LabCh*F _{de}			rgb*F _{de}			LabCh*F _{de}			DE**F _{de} hsi _{de}			rgb*F _{de}			LabCh*F _{de}		
729	NW_100de	1.0	1.0	1.0	1.0	0.0	1.0	360	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0	0.0	1.0	1.0	1.0	95.4	0.0	0.0	325.2	0.0	360	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0
730	G50B_100_012de	0.875	1.0	1.0	1.0	0.125	0.937	210	0.875	0.986	1.0	93.3	-4.2	-3.2	5.3	216.9	0.924	0.987	1.0	93.3	-4.3	-3.2	5.4	216.5	0.1	215	0.0	0.89	1.0	79.0	-34.2	-25.7	42.8	216.9
731	G50B_100_025de	0.75	1.0	1.0	1.0	0.25	0.875	210	0.75	0.972	1.0	91.3	-8.5	-6.4	10.7	216.9	0.847	0.974	1.0	91.2	-8.7	-6.4	10.8	216.1	0.2	215	0.0	0.89	1.0	79.0	-34.2	-25.7	42.8	216.9
732	G50B_100_037de	0.625	1.0	1.0	1.0	0.375	0.812	210	0.625	0.958	1.0	89.2	-12.8	-9.6	16.0	216.9	0.765	0.961	1.0	89.2	-13.1	-9.5	16.2	216.1	0.2	215	0.0	0.89	1.0	79.0	-34.2	-25.7	42.8	216.9
733	G50B_100_050de	0.5	1.0	1.0	1.0	0.5	0.75	210	0.5	0.945	1.0	87.2	-17.1	-12.8	21.4	216.9	0.676	0.947	1.0	87.1	-17.5	-12.7	21.7	216.0	0.4	215	0.0	0.89	1.0	79.0	-34.2	-25.7	42.8	216.9
734	G50B_100_062de	0.375	1.0	1.0	1.0	0.625	0.687	210	0.375	0.931	1.0	85.2	-21.4	-16.1	26.8	216.9	0.581	0.933	1.0	85.1	-21.8	-15.9	27.0	216.1	0.4	215	0.0	0.89	1.0	79.0	-34.2	-25.7	42.8	216.9
735	G50B_100_075de	0.25	1.0	1.0	1.0	0.75	0.625	210	0.25	0.917	1.0	83.1	-25.6	-19.3	32.1	216.9	0.471	0.919	1.0	83.1	-26.0	-19.0	32.2	216.2	0.4	215	0.0	0.89	1.0	79.0	-34.2	-25.7	42.8	216.9
736	G50B_100_087de	0.125	1.0	1.0	1.0	0.875	0.562	210	0.125	0.903	1.0	81.1	-29.9	-22.5	37.5	216.9	0.322	0.905	1.0	81.0	-30.4	-22.2	37.7	216.2	0.5	215	0.0	0.89	1.0	79.0	-34.2	-25.7	42.8	216.9
737	G50B_100_100de	0.0	1.0	1.0	1.0	1.0	0.5	210	1.0	0.89	1.0	79.0	-34.2	-25.7	42.8	216.9	0.0	0.89	1.0	79.0	-34.1	-25.3	42.5	216.6	0.4	215	0.0	0.89	1.0	79.0	-34.2	-25.7	42.8	216.9
738	RO0Y_100_012de	1.0	0.875	0.875	1.0	0.125	0.937	390	1.0	0.875	0.907	89.8	9.7	4.6	10.8	25.4	1.0	0.907	0.899	89.2	7.3	3.7	8.3	27.1	2.6	375	1.0	0.0	0.263	50.9	78.3	37.3	86.7	25.4
739	NW_087de	0.875	0.875	0.875	0.875	0.0	0.875	360	0.875	0.875	0.875	83.4	0.0	0.0	0.0	0.0	0.858	0.86	0.86	83.3	0.0	0.0	0.1	212.6	0.1	360	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0
740	G50B_087_012de	0.75	0.875	0.875	0.875	0.125	0.812	210	0.75	0.861	0.875	81.4	-4.2	-3.2	5.3	216.9	0.786	0.847	0.86	81.3	-4.4	-3.2	5.5	216.4	0.1	215	0.0	0.89	1.0	79.0	-34.2	-25.7	42.8	216.9
741	G50B_087_025de	0.625	0.875	0.875	0.875	0.25	0.75	210	0.625	0.847	0.875	79.4	-8.5	-6.4	10.7	216.9	0.707	0.835	0.86	79.2	-8.9	-6.5	11.0	216.3	0.4	215	0.0	0.89	1.0	79.0	-34.2	-25.7	42.8	216.9
742	G50B_087_037de	0.5	0.875	0.875	0.875	0.375	0.687	210	0.5	0.833	0.875	77.3	-12.8	-9.6	16.0	216.9	0.629	0.822	0.861	77.2	-13.0	-9.7	16.3	216.6	0.2	215	0.0	0.89	1.0	79.0	-34.2	-25.7	42.8	216.9
743	G50B_087_050de	0.375	0.875	0.875	0.875	0.5	0.625	210	0.375	0.82 0.875	75.3	-17.1	-12.8	21.4	216.9	0.542	0.809	0.862	75.2	-17.3	-12.9	21.6	216.8	0.2	215	0.0	0.89	1.0	79.0	-34.2	-25.7	42.8	216.9	
744	G50B_087_062de	0.25	0.875	0.875	0.875	0.625	0.562	210	0.25	0.806 0.875	73.2	-21.4	-16.1	26.8	216.9	0.44 0.795	0.862	73.1	-21.6	-16.2	27.0	216.8	0.2	215	0.0	0.89	1.0	79.0	-34.2	-25.7	42.8	216.9		
745	G50B_087_075de	0.125	0.875	0.875	0.875	0.75	0.5	210	0.125	0.792 0.875	71.2	-25.6	-19.3	32.1	216.9	0.312 0.781	0.863	71.1	-25.9	-19.4	32.3	216.8	0.2	215	0.0	0.89	1.0	79.0	-34.2	-25.7	42.8	216.9		
746	G50B_087_087de	0.0	0.875	0.875	0.875	0.875	0.437	210	0.0	0.778 0.875	69.1	-29.9	-22.5	37.5	216.9	0.047 0.767	0.863	69.0	-30.1	-22.6	37.7	216.8	0.2	215	0.0	0.89	1.0	79.0	-34.2	-25.7	42.8	216.9		
747	RO0Y_100_025de	1.0	0.75	0.75	1.0	0.25	0.875	390	1.0	0.75	0.815	84.2	19.5	9.3	21.6	25.4	1.0	0.814 0.8	83.1	15.5	7.7	17.3	26.4	4.5	375	1.0	0.0	0.263	50.9	78.3	37.3	86.7	25.4	
748	RO0Y_087_012de	0.875	0.75	0.75	0.875	0.125	0.812	390	0.875	0.75	0.782	77.9	9.7	4.6	10.8	25.4	0.886 0.769	0.762	77.8	9.7	4.6	10.8	25.3	0.1	375	1.0	0.0	0.263	50.9	78.3	37.3	86.7	25.4	
749	NW_075de	0.75	0.75	0.75	0.75	0.0	0.75	360	0.75	0.75	0.75	71.5	0.0	0.0	0.0	0.0	0.721 0.724	0.724	71.3	-0.1	0.0	0.2	207.8	0.2	360	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0	
750	G50B_075_012de	0.625	0.75	0.75	0.75	0.125	0.687	210	0.625	0.736 0.75	69.5	-4.2	-3.2	5.3	216.9	0.652 0.712	0.724	69.3	-4.4	-3.2	5.5	216.2	0.2	215	0.0	0.89	1.0	79.0	-34.2	-25.7	42.8	216.9		
751	G50B_075_025de	0.5	0.75	0.75	0.75	0.25	0.625	210	0.5	0.722 0.75	67.4	-8.5	-6.4	10.7	216.9	0.576 0.7	0.725	67.2	-8.8	-6.5	11.0	216.3	0.4	215	0.0	0.89	1.0	79.0	-34.2	-25.7	42.8	216.9		
752	G50B_075_037de	0.375	0.75	0.75	0.75	0.375	0.562	210	0.375	0.708 0.75	65.4	-12.8	-9.6	16.0	216.9	0.501 0.687	0.725	65.3	-12.8	-9.6	16.0	216.8	0.1	215	0.0	0.89	1.0	79.0	-34.2	-25.7	42.8	216.9		
753	G50B_075_050de	0.25	0.75	0.75	0.75	0.5	0.5	210	0.25	0.695 0.75	63.3	-17.1	-12.8	21.4	216.9	0.408 0.674	0.726	63.2	-17.3	-12.9	21.6	216.8	0.2	215	0.0	0.89	1.0	79.0	-34.2	-25.7	42.8	216.9		
754	G50B_075_062de	0.125	0.75	0.75	0.75	0.625	0.437	210	0.125	0.681 0.75	61.3	-21.4	-16.1	26.8	216.9	0.294 0.661	0.726	61.1	-21.7	-16.2	27.1	216.8	0.3	215	0.0	0.89	1.0	79.0	-34.2	-25.7	42.8	216.9		
755	G50B_075_075de	0.0	0.75	0.75	0.75	0.75	0.375	210	0.0	0.667 0.75	59.3	-25.6	-19.3	32.1	216.9	0.104 0.647	0.726	59.1	-25.9	-19.4	32.4	216.8	0.3	215	0.0	0.89	1.0	79.0	-34.2	-25.7	42.8	216.9		
756	RO0Y_100_037de	1.0	0.625	0.625	1.0	0.375	0.812	390	1.0	0.625	0.723	78.7	29.3	13.9	32.5	25.4	1.0	0.719 0.703	77.2	24.3	11.8	27.1	25.9	5.6	375	1.0	0.0	0.263	50.9	78.3	37.3	86.7	25.4	
757	RO0Y_087_025de	0.875	0.625	0.625	0.875	0.25	0.75	390	0.875	0.625	0.69	72.3	19.5	9.3	21.6	25.4	0.9 0.678	0.666	72.1	19.5	9.2	21.6	25.2	0.2	375	1.0	0.0	0.263	50.9	78.3	37.3	86.7	25.4	
758	RO0Y_075_012de	0.75	0.625	0.625	0.75	0.125	0.687	390	0.75	0.625	0.657	65.9	9.7	4.6	10.8	25.4	0.749 0.637	0.629	65.8	9.7	4.6	10.8	25.4	0.1	375	1.0	0.0	0.263	50.9	78.3	37.3	86.7	25.4	
759	NW_062de	0.625	0.625	0.625	0.625	0.0	0.625	360	0.625	0.625	0.625	59.6	0.0	0.0	0.0	0.0	0.59 0.593	0.594	59.4	-0.2	-0.1	0.3	206.3	0.3	360	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0	
760	G50B_062_012de	0.5	0.625	0.625	0.625	0.125	0.5																											

http://130.149.60.45/~farbmetrik/SE02/SE02L0FA.TXT /PS; 3D-linearization
F: 3D-linearization SE02/SE02LE30FA.DAT in file (F), page 26/29

n	HIC*F _{de}	rgb_F _{de}	ict_F _{de}	hsi_F _{de}	rgb*F _{de}	LabCh*F _{de}	rgb*F _{de}	LabCh*F _{de}	DE**F _{de} hsi _{de}	rgb*F _{de}	LabCh*F _{de}			
810	NW_100de	1.0 1.0 1.0	1.0 0.0 1.0	1.0 360	1.0 1.0 1.0	95.4 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	0.0 0.0 0.0	325.2 0.0 360	1.0 1.0 1.0	95.4 0.0 0.0	0.0 0.0 0.0	
811	B00R_100_012de	0.875 0.875 1.0	1.0 0.125 0.937	270	0.875 0.951 1.0	90.8 0.2 -7.0	7.0 271.7	0.918 0.947 1.0	90.7 0.0 -6.9	6.9 270.0 0.2	232	0.0 0.609 1.0	59.2 1.7 -56.6	56.6 271.7
812	B00R_100_025de	0.75 0.75 1.0	1.0 0.25 0.875	270	0.75 0.902 1.0	86.3 0.4 -14.1	14.1 271.7	0.837 0.897 1.0	86.2 0.1 -13.8	13.8 270.5 0.4	232	0.0 0.609 1.0	59.2 1.7 -56.6	56.6 271.7
813	B00R_100_037de	0.625 0.625 1.0	1.0 0.375 0.812	270	0.625 0.853 1.0	81.8 0.6 -21.2	21.2 271.7	0.752 0.846 1.0	81.7 0.3 -20.8	20.8 270.9 0.5	232	0.0 0.609 1.0	59.2 1.7 -56.6	56.6 271.7
814	B00R_100_050de	0.5 0.5 1.0	1.0 0.5 0.75	270	0.5 0.804 1.0	77.3 0.8 -28.3	28.3 271.7	0.66 0.797 1.0	77.1 0.3 -27.9	27.9 270.8 0.6	232	0.0 0.609 1.0	59.2 1.7 -56.6	56.6 271.7
815	B00R_100_062de	0.375 0.375 1.0	1.0 0.625 0.687	270	0.375 0.755 1.0	72.8 1.0 -35.3	35.3 271.7	0.564 0.748 1.0	72.6 0.7 -34.9	34.9 271.2 0.5	232	0.0 0.609 1.0	59.2 1.7 -56.6	56.6 271.7
816	B00R_100_075de	0.25 0.25 1.0	1.0 0.75 0.625	270	0.25 0.707 1.0	68.2 1.2 -42.4	42.4 271.7	0.45 0.701 1.0	68.1 0.9 -42.1	42.1 271.2 0.5	232	0.0 0.609 1.0	59.2 1.7 -56.6	56.6 271.7
817	B00R_100_087de	0.125 0.125 1.0	1.0 0.875 0.562	270	0.125 0.658 1.0	63.7 1.5 -49.5	49.5 271.7	0.304 0.654 1.0	63.5 1.1 -49.3	49.3 271.4 0.4	232	0.0 0.609 1.0	59.2 1.7 -56.6	56.6 271.7
818	B00R_100_100de	0.0 0.0 1.0	1.0 1.0 0.5	270	0.0 0.609 1.0	59.2 1.7 -56.6	56.6 271.7	0.0 0.609 1.0	59.2 2.0 -56.3	56.3 272.1 0.4	232	0.0 0.609 1.0	59.2 1.7 -56.6	56.6 271.7
819	Y00G_100_012de	1.0 1.0 0.875	1.0 0.125 0.937	90	1.0 0.982 0.875	93.9 -0.4 10.5	10.5 92.3	1.0 0.98 0.898	93.6 -1.7 10.1	10.3 99.7 1.4	82	1.0 0.856 0.0	83.7 -3.4	84.5 84.5 92.3
820	NW_087de	0.875 0.875 0.875	0.875 0.0 0.875	360	0.875 0.875 0.875	83.4 0.0 0.0	0.0 0.0	0.858 0.86 0.86	83.3 0.0 0.0	0.1 212.6 0.1	360	1.0 1.0 1.0	95.4 0.0 0.0	0.0 0.0 0.0
821	B00R_087_012de	0.75 0.75 0.875	0.875 0.125 0.812	270	0.75 0.826 0.875	78.9 0.2 -7.0	7.0 271.7	0.78 0.809 0.862	78.8 0.1 -7.2	7.2 270.8 0.2	232	0.0 0.609 1.0	59.2 1.7 -56.6	56.6 271.7
822	B00R_087_025de	0.625 0.625 0.875	0.875 0.25 0.75	270	0.625 0.777 0.875	74.4 0.4 -14.1	14.1 271.7	0.701 0.76 0.864	74.3 0.3 -14.3	14.3 271.2 0.2	232	0.0 0.609 1.0	59.2 1.7 -56.6	56.6 271.7
823	B00R_087_037de	0.5 0.5 0.875	0.875 0.375 0.687	270	0.5 0.728 0.875	69.9 0.6 -21.2	21.2 271.7	0.616 0.711 0.864	69.7 0.5 -21.3	21.3 271.3 0.2	232	0.0 0.609 1.0	59.2 1.7 -56.6	56.6 271.7
824	B00R_087_050de	0.375 0.375 0.875	0.875 0.5 0.625	270	0.375 0.679 0.875	65.4 0.8 -28.3	28.3 271.7	0.527 0.664 0.864	65.2 0.8 -28.4	28.4 271.6 0.2	232	0.0 0.609 1.0	59.2 1.7 -56.6	56.6 271.7
825	B00R_087_062de	0.25 0.25 0.875	0.875 0.625 0.562	270	0.25 0.63 0.875	60.8 1.0 -35.3	35.3 271.7	0.424 0.617 0.864	60.7 1.0 -35.5	35.5 271.6 0.2	232	0.0 0.609 1.0	59.2 1.7 -56.6	56.6 271.7
826	B00R_087_075de	0.125 0.125 0.875	0.875 0.75 0.5	270	0.125 0.582 0.875	56.3 1.2 -42.4	42.4 271.7	0.294 0.573 0.863	56.2 0.9 -42.5	42.5 271.2 0.4	232	0.0 0.609 1.0	59.2 1.7 -56.6	56.6 271.7
827	B00R_087_087de	0.0 0.0 0.875	0.875 0.875 0.437	270	0.0 0.533 0.875	51.8 1.5 -49.5	49.5 271.7	0.033 0.53 0.862	51.8 0.9 -49.4	49.4 271.1 0.5	232	0.0 0.609 1.0	59.2 1.7 -56.6	56.6 271.7
828	Y00G_100_025de	1.0 1.0 0.75	1.0 0.25 0.875	90	1.0 0.964 0.75	92.4 -0.8 21.1	21.1 92.3	1.0 0.961 0.797	91.9 -3.1 20.4	20.7 98.7 2.4	82	1.0 0.856 0.0	83.7 -3.4	84.5 84.5 92.3
829	Y00G_087_012de	0.875 0.875 0.75	0.875 0.125 0.812	90	0.875 0.857 0.75	82.0 -0.4 10.5	10.5 92.3	0.873 0.841 0.761	81.9 -0.5 10.5	10.5 92.8 0.1	82	1.0 0.856 0.0	83.7 -3.4	84.5 84.5 92.3
830	NW_075de	0.75 0.75 0.75	0.75 0.0 0.75	360	0.75 0.75 0.75	71.5 0.0 0.0	0.0 0.0	0.721 0.724 0.724	71.3 -0.1 0.0	0.2 207.8 0.2	360	1.0 1.0 1.0	95.4 0.0 0.0	0.0 0.0 0.0
831	B00R_075_012de	0.625 0.625 0.75	0.75 0.125 0.687	270	0.625 0.701 0.75	67.0 0.2 -7.0	7.0 271.7	0.646 0.675 0.726	66.8 0.0 -7.2	7.2 270.5 0.2	232	0.0 0.609 1.0	59.2 1.7 -56.6	56.6 271.7
832	B00R_075_025de	0.5 0.5 0.75	0.75 0.25 0.625	270	0.5 0.652 0.75	62.5 0.4 -14.1	14.1 271.7	0.57 0.628 0.728	62.3 0.4 -14.3	14.3 271.6 0.2	232	0.0 0.609 1.0	59.2 1.7 -56.6	56.6 271.7
833	B00R_075_037de	0.375 0.375 0.75	0.75 0.375 0.562	270	0.375 0.603 0.75	57.9 0.6 -21.2	21.2 271.7	0.487 0.582 0.728	57.9 0.4 -21.2	21.2 271.3 0.1	232	0.0 0.609 1.0	59.2 1.7 -56.6	56.6 271.7
834	B00R_075_050de	0.25 0.25 0.75	0.75 0.5 0.5	270	0.25 0.554 0.75	53.4 0.8 -28.3	28.3 271.7	0.394 0.538 0.728	53.4 0.4 -28.1	28.1 270.8 0.4	232	0.0 0.609 1.0	59.2 1.7 -56.6	56.6 271.7
835	B00R_075_062de	0.125 0.125 0.75	0.75 0.625 0.437	270	0.125 0.505 0.75	48.9 1.0 -35.3	35.3 271.7	0.282 0.494 0.727	48.9 0.4 -35.1	35.1 270.7 0.6	232	0.0 0.609 1.0	59.2 1.7 -56.6	56.6 271.7
836	B00R_075_075de	0.0 0.0 0.75	0.75 0.75 0.375	270	0.0 0.457 0.75	44.4 1.2 -42.4	42.4 271.7	0.08 0.451 0.726	44.4 0.3 -42.3	42.3 270.5 0.9	232	0.0 0.609 1.0	59.2 1.7 -56.6	56.6 271.7
837	Y00G_100_037de	1.0 1.0 0.625	1.0 0.375 0.812	90	1.0 0.946 0.625	91.0 -1.2 31.6	31.7 92.3	1.0 0.943 0.696	90.4 -4.1 30.9	31.2 97.6 3.0	82	1.0 0.856 0.0	83.7 -3.4	84.5 84.5 92.3
838	Y00G_087_025de	0.875 0.875 0.625	0.875 0.25 0.75	90	0.875 0.839 0.625	80.5 -0.8 21.1	21.1 92.3	0.881 0.823 0.663	80.4 -1.0 21.2	21.2 92.8 0.2	82	1.0 0.856 0.0	83.7 -3.4	84.5 84.5 92.3
839	Y00G_075_012de	0.75 0.75 0.625	0.75 0.125 0.687	90	0.75 0.732 0.625	70.0 -0.4 10.5	10.5 92.3	0.736 0.706 0.629	69.9 -0.5 10.5	10.5 93.0 0.2	82	1.0 0.856 0.0	83.7 -3.4	84.5 84.5 92.3
840	NW_062de	0.625 0.625 0.625	0.625 0.0 0.625	360	0.625 0.625 0.625	59.6 0.0 0.0	0.0 0.0	0.59 0.593 0.594	59.4 -0.2 -0.1	0.3 206.3 0.3	360	1.0 1.0 1.0	95.4 0.0 0.0	0.0 0.0 0.0
841	B00R_062_012de	0.5 0.5 0.625	0.625 0.125 0.562	270	0.5 0.576 0.625	55.1 0.2 -7.0	7.0 271.7	0.52 0.548 0.595	55.0 0.0 -7.0	7.0 269.2 0.3	232	0.0 0.609 1.0	59.2 1.7 -56.6	56.6 271.7
842	B00R_062_025de	0.375 0.375 0.625	0.625 0.25 0.5	270	0.375 0.527 0.625	50.5 0.4 -14.1	14.1 271.7	0.445 0.504 0.597	50.6 0.0 -14.0	14.0 270.1 0.4	232	0.0 0.609 1.0	59.2 1.7 -56.6	56.6 271.7
843	B00R_062_037de	0.25 0.25 0.625	0.625 0.375 0.437	270	0.25 0.478 0.625	46.0 0.6 -21.2	21.2 271.7	0.359 0.459 0.597	46.0 0.0 -21.0	21.0 270.0 0.6	232	0.0 0.609 1.0	59.2 1.7 -56.6	56.6 271.7
844	B00R_062_050de	0.125 0.125 0.625	0.625 0.5 0.375	270	0.125 0.429 0.625	41.5 0.8 -28.3	28.3 271.7	0.261 0.416 0.597	41.5 0.2 -28.1	28.1 270.4 0.6	232	0.0 0.609 1.0	59.2 1.7 -56.6	56.6 271.7
845	B00R_062_062de	0.0 0.0 0.625	0.625 0.625 0.312	270	0.0 0.38 0.625	37.0 1.0 -35.3	35.3 271.7	0.123 0.374 0.596	37.0 0.7 -35.2	35.2 271.1 0.4	232	0.0 0.609 1.0	59.2 1.7 -56.6	56.6 271.7
846	Y00G_100_050de	1.0 1.0 0.5	1.0 0.5 0.75	90	1.0 0.928 0.5	89.5 -1.7 42.2	42.2 92.3	1.0 0.925 0.594	88.9 -4.7 41.4	41.7 96.5 3.2	82	1.0 0.856 0.0	83.7 -3.4	84.5 84.5 92.3
847	Y00G_087_037de	0.875 0.875 0.5	0.875 0.375 0.687	90	0.875 0.821 0.5	79.1 -1.2 31.6	31.7 92.3	0.885 0.804 0.566	78.9 -1.4 31.5	31.6 92.5 0.2	82	1.0 0.856 0.0	83.7 -3.4	84.5 84.5 92.3
848	Y00G_075_025de	0.75 0.75 0.5	0.75 0.25 0.625	90	0.75 0.714 0.5	68.6 -0.8 21.1	21.1 92.3	0.744 0.688 0.536	68.4 -0.8 20.8	20.8 92.4 0.3	82	1.0 0.856 0.0	83.7 -3.4	84.5 84.5 92.3
849	Y00G_062_012de	0.625 0.625 0.5	0.625 0.125 0.562	90	0.625 0.607 0.5	58.1 -0.4 10.5	10.5 92.3	0.604 0.577 0.505	58.0 -0.5 10.1	10.2 93.3 0.4	82	1.0 0.856 0.0	83.7 -3.4	84.5 84.5 92.3
850	NW_050de	0.5 0.5 0.5	0.5 0.0 0.5	360	0.5 0.5 0.5	47.7 0.0 0.0	0.0 0.0	0.466 0.47 0.471	47.7 -0.3 -0.1	0.4 205.6 0.4	360	1.0 1.0 1.0	95.4 0.0 0.0	0.0 0.0 0.0
851	B00R_050_012de	0.375 0.375 0.5	0.5 0.125 0.437	270	0.375 0.451 0.5	43.1 0.2 -7.0	7.0 271.7	0.396 0.426 0.472	43.2 -0.2 -7.2	7.2 268.4 0.4	232	0.0 0.609 1.0	59.2 1.7 -56.6	56.6 271.7
852	B00R_050_025de	0.25 0.25 0.5	0.5 0.25 0.375	270	0.249 0.402 0.5	38.6 0.4 -14.1	14.1 271.7	0.32 0.382 0.473	38.6 0.0 -14.4	14.4 269.8 0.5	232	0.0 0.609 1.0	59.2 1.7 -56.6	56.6 271.7
853	B00R_050_037de	0.125 0.125 0.5	0.5 0.375 0.312	270	0.124 0.353 0.5	34.1 0.6 -21.2	21.2 271.7	0.232 0.34 0.473	34.1 0.0 -21.5	21.5 270.2 0.6	232	0.0 0.609 1.0	59.2 1.7 -56.6	56.6 271.7
854	B00R_050_050de	0.0 0.0 0.5	0.5 0.5 0.25	270	0.0 0.304 0.5	29.6 0.8 -28.3	28.3 271.7	0.112 0.3 0.473	29.6 0.1 -28.5	28.5 270.3 0.7	232	0.0 0.609 1.0	59.2 1.7 -56.6	56.6 271.7
855	Y00G_100_062de	1.0 1.0 0.375	1.0 0.625 0.687	90	1.0 0.91 0.375	88.1 -2.1 52.8	52.8 92.3	1.0 0.907 0.492	87.4 -4.9 51.7	52.0 95.4 3.0	82	1.0 0.856 0.0	83.7 -3.4	84.5 84.5 92.3
856	Y00G_087_050de	0.875 0.875 0.375	0.875 0.5 0.625	90	0.875 0.803 0.375	77.6 -1.7 42.2	42.2 92.3	0.885 0.787 0.467	77.5 -1.7 42.0	42.0 92.3 0.2	82	1.0 0.856 0.0	83.7 -3.4	84.5 84.5 92.3
857	Y00G_075_037de	0.75 0.75 0.375	0.75 0.375 0.562	90	0.75 0.696 0.375	67.1 -1.2 31.6	31.7 92.3	0.746 0.671 0.441	67.0 -1.3 31.4	31.4 92.5 0.2	82	1.0 0.856 0.0	83.7 -3.4	84.5 84.5 92.3
858	Y00G_062_025de	0.625 0.625 0.375	0.625 0.25 0.5	90	0.625 0.589 0.375	56.7 -0.8 21.1	21.1 92.3	0.61 0.56 0.413	56.6 -1.1 20.8	20.9 93.1 0.4	82	1.0 0.856 0.0	83.7 -3.4	84.5 84.5 92.3
859	Y00G_050_012de	0.5 0.5 0.375	0.5 0.125 0.437	90										

http://130.149.60.45/~farbmetrik/SE02/SE02L0FA.TXT /.PS; 3D-linearization
F: 3D-linearization SE02/SE02LE30FA.DAT in file (F), page 27/29

see similar files: <http://130.149.60.45/~farbmetrik/SE02/SE02L0FA.TXT> /.PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

n	HIC*Fde	rgb_Fde	ict_Fde	hsi_Fde	rgb*Fde	LabCh*Fde	rgb*Fde	LabCh*Fde	DE*Fde hsiMde	rgb*Mde	LabCh*Mde			
891	NW_100de	1.0 1.0 1.0	1.0 0.0 1.0	1.0 360	1.0 1.0 1.0	95.4 0.0 0.0	0.0 0.0 0.0	1.0 1.0 1.0	95.4 0.0 0.0	325.2 0.0 360	1.0 1.0 1.0	95.4 0.0 0.0	0.0 0.0 0.0	
892	B50R_100_012de	1.0 0.875 1.0	1.0 0.125 0.937	330	1.0 0.875 0.998	90.6 11.7 -7.1	13.7 328.6	1.0 0.914 1.0	90.3 10.6 -7.4	13.0 324.9 1.1	330	1.0 0.0 0.991	57.1 94.1 -57.4	110.3 328.6
893	B50R_100_025de	1.0 0.75 1.0	1.0 0.25 0.875	330	1.0 0.75 0.997	85.8 23.5 -14.3	27.5 328.6	1.0 0.827 1.0	85.2 21.7 -15.0	26.4 325.3 1.9	330	1.0 0.0 0.991	57.1 94.1 -57.4	110.3 328.6
894	B50R_100_037de	1.0 0.625 1.0	1.0 0.375 0.812	330	1.0 0.625 0.996	81.0 35.3 -21.5	41.3 328.6	1.0 0.739 1.0	80.3 33.1 -22.4	40.0 325.8 2.4	330	1.0 0.0 0.991	57.1 94.1 -57.4	110.3 328.6
895	B50R_100_050de	1.0 0.5 1.0	1.0 0.5 0.75	330	1.0 0.5 0.995	76.3 47.0 -28.7	55.1 328.6	1.0 0.645 1.0	75.4 45.0 -29.9	54.1 326.3 2.5	330	1.0 0.0 0.991	57.1 94.1 -57.4	110.3 328.6
896	B50R_100_062de	1.0 0.375 1.0	1.0 0.625 0.687	330	1.0 0.375 0.994	71.5 58.8 -35.9	68.9 328.6	1.0 0.547 0.999	70.6 57.1 -37.2	68.2 326.8 2.3	330	1.0 0.0 0.991	57.1 94.1 -57.4	110.3 328.6
897	B50R_100_075de	1.0 0.25 1.0	1.0 0.75 0.625	330	1.0 0.25 0.993	66.7 70.6 -43.0	82.7 328.6	1.0 0.436 0.997	65.9 69.4 -44.3	82.4 327.4 1.8	330	1.0 0.0 0.991	57.1 94.1 -57.4	110.3 328.6
898	B50R_100_087de	1.0 0.125 1.0	1.0 0.875 0.562	330	1.0 0.125 0.992	61.9 82.3 -50.2	96.5 328.6	1.0 0.296 0.994	61.3 82.1 -51.2	96.7 328.0 1.1	330	1.0 0.0 0.991	57.1 94.1 -57.4	110.3 328.6
899	B50R_100_100de	1.0 0.0 1.0	1.0 1.0 0.5	330	1.0 0.0 0.991	57.1 94.1 -57.4	110.3 328.6	1.0 0.0 0.991	57.1 94.0 -57.4	110.2 328.5 0.0	330	1.0 0.0 0.991	57.1 94.1 -57.4	110.3 328.6
900	GO0B_100_012de	0.875 1.0 0.875	1.0 0.125 0.937	150	0.875 1.0 0.963	94.1 -8.0 2.5	8.4 162.2	0.922 1.0 0.963	93.8 -7.7 2.1	8.0 164.2 0.5	193	0.0 1.0 0.706	85.1 -64.6 20.7	67.9 162.2
901	NW_087de	0.875 0.875 0.875	0.875 0.0 0.875	360	0.875 0.875 0.875	83.4 0.0 0.0	0.0 0.0 0.0	0.858 0.86 8.6	83.3 0.0 0.0	0.1 212.6 0.1	360	1.0 1.0 1.0	95.4 0.0 0.0	0.0 0.0 0.0
902	B50R_087_012de	0.875 0.75 0.875	0.875 0.125 0.812	330	0.875 0.75 0.873	78.7 11.7 -7.1	13.7 328.6	0.872 0.777 0.861	78.5 11.7 -7.2	13.8 328.2 0.1	330	1.0 0.0 0.991	57.1 94.1 -57.4	110.3 328.6
903	B50R_087_025de	0.875 0.625 0.875	0.875 0.25 0.75	330	0.875 0.625 0.872	73.9 23.5 -14.3	27.5 328.6	0.88 0.692 0.861	73.7 23.6 -14.5	27.7 328.3 0.2	330	1.0 0.0 0.991	57.1 94.1 -57.4	110.3 328.6
904	B50R_087_037de	0.875 0.5 0.875	0.875 0.375 0.687	330	0.875 0.5 0.871	69.1 35.3 -21.5	41.3 328.6	0.884 0.604 0.861	69.0 35.4 -21.6	41.5 328.5 0.2	330	1.0 0.0 0.991	57.1 94.1 -57.4	110.3 328.6
905	B50R_087_050de	0.875 0.375 0.875	0.875 0.5 0.625	330	0.875 0.375 0.87	64.3 47.0 -28.7	55.1 328.6	0.884 0.515 0.86	64.3 46.8 -28.6	54.9 328.5 0.2	330	1.0 0.0 0.991	57.1 94.1 -57.4	110.3 328.6
906	B50R_087_062de	0.875 0.25 0.875	0.875 0.625 0.562	330	0.875 0.25 0.869	59.5 58.8 -35.9	68.9 328.6	0.879 0.411 0.859	59.5 58.8 -35.9	68.9 328.5 0.1	330	1.0 0.0 0.991	57.1 94.1 -57.4	110.3 328.6
907	B50R_087_075de	0.875 0.125 0.875	0.875 0.75 0.5	330	0.875 0.125 0.868	54.8 70.6 -43.0	82.7 328.6	0.872 0.287 0.856	54.6 70.8 -43.3	83.0 328.5 0.3	330	1.0 0.0 0.991	57.1 94.1 -57.4	110.3 328.6
908	B50R_087_087de	0.875 0.0 0.875	0.875 0.875 0.437	330	0.875 0.0 0.867	50.0 82.3 -50.2	96.5 328.6	0.861 0.068 0.853	49.8 82.7 -50.5	96.9 328.5 0.4	330	1.0 0.0 0.991	57.1 94.1 -57.4	110.3 328.6
909	GO0B_100_025de	0.75 1.0 0.75	1.0 0.25 0.875	150	0.75 1.0 0.926	92.8 -16.1 5.1	16.9 162.2	0.844 1.0 0.926	92.3 -15.5 4.5	16.2 163.7 0.9	193	0.0 1.0 0.706	85.1 -64.6 20.7	67.9 162.2
910	GO0B_087_012de	0.75 0.875 0.75	0.875 0.125 0.812	150	0.75 0.875 0.838	82.2 -8.0 2.5	8.4 162.2	0.784 0.863 0.824	82.1 -8.2 2.5	8.6 162.7 0.2	193	0.0 1.0 0.706	85.1 -64.6 20.7	67.9 162.2
911	NW_075de	0.75 0.75 0.75	0.75 0.0 0.75	360	0.75 0.75 0.75	71.5 0.0 0.0	0.0 0.0 0.0	0.721 0.724 0.724	71.3 -0.1 0.0	0.2 207.8 0.2	360	1.0 1.0 1.0	95.4 0.0 0.0	0.0 0.0 0.0
912	B50R_075_012de	0.75 0.625 0.75	0.75 0.125 0.687	330	0.75 0.625 0.748	66.7 11.7 -7.1	13.7 328.6	0.734 0.644 0.725	66.5 11.6 -7.3	13.7 328.0 0.2	330	1.0 0.0 0.991	57.1 94.1 -57.4	110.3 328.6
913	B50R_075_025de	0.75 0.5 0.75	0.75 0.25 0.625	330	0.75 0.5 0.747	62.0 23.5 -14.3	27.5 328.6	0.741 0.562 0.726	61.8 23.3 -14.4	27.4 328.2 0.2	330	1.0 0.0 0.991	57.1 94.1 -57.4	110.3 328.6
914	B50R_075_037de	0.75 0.375 0.75	0.75 0.375 0.562	330	0.75 0.375 0.746	57.2 35.3 -21.5	41.3 328.6	0.744 0.478 0.725	57.1 34.9 -21.4	41.0 328.4 0.3	330	1.0 0.0 0.991	57.1 94.1 -57.4	110.3 328.6
915	B50R_075_050de	0.75 0.25 0.75	0.75 0.5 0.5	330	0.75 0.25 0.745	52.4 47.0 -28.7	55.1 328.6	0.743 0.385 0.724	52.4 46.7 -28.6	54.8 328.4 0.3	330	1.0 0.0 0.991	57.1 94.1 -57.4	110.3 328.6
916	B50R_075_062de	0.75 0.125 0.75	0.75 0.625 0.437	330	0.75 0.125 0.744	47.6 58.8 -35.9	68.9 328.6	0.736 0.274 0.722	47.4 58.8 -36.0	69.0 328.5 0.2	330	1.0 0.0 0.991	57.1 94.1 -57.4	110.3 328.6
917	B50R_075_075de	0.75 0.0 0.75	0.75 0.75 0.375	330	0.75 0.0 0.743	42.8 70.6 -43.0	82.7 328.6	0.727 0.108 0.719	42.6 70.7 -43.3	82.9 328.5 0.3	330	1.0 0.0 0.991	57.1 94.1 -57.4	110.3 328.6
918	GO0B_100_037de	0.625 1.0 0.625	1.0 0.375 0.812	150	0.625 1.0 0.889	91.5 -24.2 7.7	25.4 162.2	0.764 1.0 0.874	90.9 -24.0 8.8	25.6 159.8 1.2	193	0.0 1.0 0.706	85.1 -64.6 20.7	67.9 162.2
919	GO0B_087_025de	0.625 0.875 0.625	0.875 0.25 0.75	150	0.625 0.875 0.801	80.9 -16.1 5.1	16.9 162.2	0.706 0.865 0.788	80.7 -16.4 5.0	17.1 162.8 0.3	193	0.0 1.0 0.706	85.1 -64.6 20.7	67.9 162.2
920	GO0B_075_012de	0.625 0.75 0.625	0.75 0.125 0.687	150	0.625 0.75 0.713	70.2 -8.0 2.5	8.4 162.2	0.65 0.728 0.689	70.1 -8.3 2.5	8.7 162.8 0.3	193	0.0 1.0 0.706	85.1 -64.6 20.7	67.9 162.2
921	NW_062de	0.625 0.625 0.625	0.625 0.0 0.625	360	0.625 0.625 0.625	59.6 0.0 0.0	0.0 0.0 0.0	0.59 0.593 0.594	59.4 -0.2 -0.1	0.3 206.3 0.3	360	1.0 1.0 1.0	95.4 0.0 0.0	0.0 0.0 0.0
922	B50R_062_012de	0.625 0.5 0.625	0.625 0.125 0.562	330	0.625 0.5 0.623	54.8 11.7 -7.1	13.7 328.6	0.602 0.518 0.595	54.8 11.2 -7.1	13.3 327.7 0.5	330	1.0 0.0 0.991	57.1 94.1 -57.4	110.3 328.6
923	B50R_062_025de	0.625 0.375 0.625	0.625 0.25 0.5	330	0.625 0.375 0.622	50.0 23.5 -14.3	27.5 328.6	0.608 0.438 0.595	49.9 23.1 -14.4	27.2 328.0 0.4	330	1.0 0.0 0.991	57.1 94.1 -57.4	110.3 328.6
924	B50R_062_037de	0.625 0.25 0.625	0.625 0.375 0.437	330	0.625 0.25 0.621	45.2 35.3 -21.5	41.3 328.6	0.609 0.351 0.595	45.1 35.1 -21.7	41.2 328.2 0.2	330	1.0 0.0 0.991	57.1 94.1 -57.4	110.3 328.6
925	B50R_062_050de	0.625 0.125 0.625	0.625 0.5 0.375	330	0.625 0.125 0.62	40.5 47.0 -28.7	55.1 328.6	0.605 0.256 0.593	40.4 46.8 -28.8	55.0 328.3 0.2	330	1.0 0.0 0.991	57.1 94.1 -57.4	110.3 328.6
926	B50R_062_062de	0.625 0.0 0.625	0.625 0.625 0.312	330	0.625 0.0 0.619	35.7 58.8 -35.9	68.9 328.6	0.597 0.124 0.591	35.6 58.6 -36.0	68.8 328.4 0.2	330	1.0 0.0 0.991	57.1 94.1 -57.4	110.3 328.6
927	GO0B_100_050de	0.5 1.0 0.5	1.0 0.5 0.75	150	0.5 1.0 0.853	90.2 -32.3 10.3	33.9 162.2	0.673 1.0 0.853	89.6 -31.6 9.5	33.0 163.2 1.2	193	0.0 1.0 0.706	85.1 -64.6 20.7	67.9 162.2
928	GO0B_087_037de	0.5 0.875 0.5	0.875 0.375 0.687	150	0.5 0.875 0.764	79.6 -24.2 7.7	25.4 162.2	0.627 0.867 0.752	79.5 -24.3 7.7	25.6 162.2 0.1	193	0.0 1.0 0.706	85.1 -64.6 20.7	67.9 162.2
929	GO0B_075_025de	0.5 0.75 0.5	0.75 0.25 0.625	150	0.5 0.75 0.676	68.9 -16.1 5.1	16.9 162.2	0.575 0.729 0.655	68.8 -16.3 5.0	17.1 162.7 0.2	193	0.0 1.0 0.706	85.1 -64.6 20.7	67.9 162.2
930	GO0B_062_012de	0.5 0.625 0.5	0.625 0.125 0.562	150	0.5 0.625 0.588	58.3 -8.0 2.5	8.4 162.2	0.523 0.597 0.561	58.2 -8.1 2.4	8.5 163.5 0.2	193	0.0 1.0 0.706	85.1 -64.6 20.7	67.9 162.2
931	NW_050de	0.5 0.5 0.5	0.5 0.0 0.5	360	0.5 0.5 0.5									

http://130.149.60.45/~farbmetrik/SE02/SE02L0FA.TXT /.PS; 3D-linearization
F: 3D-linearization SE02/SE02LE30FA.DAT in file (F), page 28/29

see similar files: <http://130.149.60.45/~farbmetrik/SE02/SE02L0FA.TXT> / .PS
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmetrik>

TUB registration: 20130201-SE02/SE02L0FA.TXT /.PS
application for measurement of display output, no separation

TUB material: code=rha4ta

		HIC*Fde				rgb_Fde				ict_Fde				hsi_Fde				rgb*Fde				LabCh*Fde				rgb*Fde				LabCh*Fde				DE**Fde hsiMde				rgb*Mde				LabCh*Mde																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
972	NW_000de	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0

TUB-test chart SE02; 16 step hue circle
colors and differences, ΔE^* , 3D=1, de=1, sRGB*

input: $rgb/cmyk \rightarrow rgb_{de}$
output: 3D-linearization to rgb^*_{de}

n	HIC*Fde	rgb_Fde	ict_Fde	nsi_Fde	rgb*Fde	LabCh*Fde	rgb*Fde	LabCh*Fde	DE**Fde	nsiMde	rgb*Mde	LabCh*Mde														
1053	NW_086de	0.866	0.866	0.866	0.866	0.0	0.0	0.0	0.847	0.85	0.85	82.5	-0.1	0.0	0.1	209.2	0.2	360	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0
1054	NW_093de	0.933	0.933	0.933	0.933	0.0	0.0	0.0	0.921	0.924	0.924	88.9	-0.2	-0.1	0.2	207.0	0.2	360	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0
1055	NW_100de	1.0	1.0	1.0	1.0	0.0	0.0	0.0	1.0	1.0	1.0	95.4	0.0	0.0	0.0	325.2	0.0	360	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0
1056	NW_000de	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	360	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0
1057	NW_006de	0.066	0.066	0.066	0.066	0.0	0.0	0.0	0.068	0.067	0.7	4.7	-0.1	0.0	0.1	215.3	1.5	360	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0
1058	NW_013de	0.133	0.133	0.133	0.133	0.0	0.0	0.0	0.134	0.138	0.138	12.6	-0.5	-0.1	0.5	198.8	0.5	360	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0
1059	NW_020de	0.2	0.2	0.2	0.2	0.0	0.0	0.0	0.181	0.193	0.193	18.7	-1.1	-0.4	1.2	202.3	1.3	360	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0
1060	NW_026de	0.266	0.266	0.266	0.266	0.0	0.0	0.0	0.25	0.251	0.251	25.4	0.0	0.0	0.0	198.2	0.1	360	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0
1061	NW_033de	0.333	0.333	0.333	0.333	0.0	0.0	0.0	0.303	0.311	0.311	31.6	-0.7	-0.3	0.8	203.1	0.8	360	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0
1062	NW_040de	0.4	0.4	0.4	0.4	0.0	0.0	0.0	0.374	0.379	0.382	0.0	0.0	0.0	0.4	217.7	0.1	360	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0
1063	NW_046de	0.466	0.466	0.466	0.466	0.0	0.0	0.0	0.431	0.437	0.437	-0.5	-0.2	0.5	203.8	0.5	360	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0	
1064	NW_053de	0.533	0.533	0.533	0.533	0.0	0.0	0.0	0.503	0.504	0.504	51.0	0.0	0.0	0.0	222.6	0.1	360	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0
1065	NW_060de	0.6	0.6	0.6	0.6	0.0	0.0	0.0	0.564	0.569	0.569	57.1	-0.3	-0.1	0.4	204.7	0.4	360	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0
1066	NW_066de	0.666	0.666	0.666	0.666	0.0	0.0	0.0	0.634	0.635	0.635	63.3	-0.1	0.0	0.1	207.4	0.2	360	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0
1067	NW_073de	0.734	0.734	0.734	0.734	0.0	0.0	0.0	0.703	0.706	0.707	69.8	-0.3	-0.1	0.3	205.7	0.4	360	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0
1068	NW_080de	0.8	0.8	0.8	0.8	0.0	0.0	0.0	0.775	0.778	0.778	76.1	-0.1	0.0	0.2	206.4	0.2	360	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0
1069	NW_086de	0.866	0.866	0.866	0.866	0.0	0.0	0.0	0.847	0.85	0.85	82.5	-0.1	0.0	0.1	209.2	0.2	360	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0
1070	NW_093de	0.933	0.933	0.933	0.933	0.0	0.0	0.0	0.921	0.924	0.924	88.9	-0.2	-0.1	0.2	207.0	0.2	360	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0
1071	NW_100de	1.0	1.0	1.0	1.0	0.0	0.0	0.0	1.0	1.0	1.0	95.4	0.0	0.0	0.0	325.2	0.0	360	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0
1072	NW_000de	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	360	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0
1073	NW_100de	1.0	1.0	1.0	1.0	0.0	0.0	0.0	1.0	1.0	1.0	95.4	0.0	0.0	0.0	325.2	0.0	360	1.0	1.0	1.0	95.4	0.0	0.0	0.0	0.0
1074	ROOY_100_100de	1.0	0.0	0.0	1.0	0.5	390	1.0	0.0	0.263	50.9	78.3	37.3	86.7	25.4	1.0	0.0	263	50.9	78.3	37.3	86.7	25.4			
1075	G50B_100_100de	0.0	1.0	1.0	1.0	1.0	210	0.0	0.89	1.0	79.0	-34.2	-25.7	42.8	216.9	0.0	0.89	1.0	79.0	-34.2	-25.7	42.8	216.9			
1076	Y00G_100_100de	1.0	1.0	0.0	1.0	1.0	0.5	90	1.0	0.856	0.0	83.7	-3.4	84.5	84.5	92.3	1.0	0.856	0.0	83.7	-3.4	84.5	84.5	92.3		
1077	B00R_100_100de	0.0	0.0	1.0	1.0	1.0	0.5	270	0.0	0.609	1.0	59.2	1.7	-56.6	56.6	271.7	0.0	0.609	1.0	59.2	1.7	-56.6	56.6	271.7		
1078	G00B_100_100de	0.0	1.0	0.0	1.0	1.0	0.5	150	0.0	1.0	0.706	85.1	-64.6	20.7	67.9	162.2	0.0	1.0	0.707	85.1	-64.3	20.9	67.6	162.0	0.3	193
1079	B50R_100_100de	1.0	0.0	1.0	1.0	1.0	0.5	330	1.0	0.0	0.991	57.1	94.1	-57.4	110.3	328.6	1.0	0.0	991	57.1	94.0	-57.4	110.2	328.5	0.0	330

Mean color difference of this page: $\Delta E^* = 0.3$

$$\Delta E^* = 0.3$$

see similar files: <http://130.149.60.45/~farbmatrik/SE02/SE02.HTM>
technical information: <http://www.ps.bam.de> or <http://130.149.60.45/~farbmatrik>

TUB material: code=rh4ta