

| Optimalfarben (o) <i>RYGCBM</i> von maximalem (m) $C_{AB}$ für D65, $Y_w=100$ |             |             |             |            |        |         |          |                    |                    |
|-------------------------------------------------------------------------------|-------------|-------------|-------------|------------|--------|---------|----------|--------------------|--------------------|
| <i>CodeD65</i>                                                                | $L^*_{100}$ | $a^*_{100}$ | $b^*_{100}$ | $C^*_{ab}$ | $a'$   | $b'$    | $h_{ab}$ | $i_d, \lambda^*_d$ | $i_c, \lambda^*_c$ |
| R <sub>m</sub> 565_770                                                        | 70.18       | 61.64       | 132.51      | 146.14     | 0.2511 | -0.0093 | 65.0     | 37 589             | 15 475             |
| Y <sub>m</sub> 495_770                                                        | 97.55       | -23.15      | 119.09      | 121.32     | 0.2052 | -0.0337 | 101.0    | 32 563             | 14 470             |
| G <sub>o</sub> 495_565                                                        | 77.76       | -132.05     | 85.19       | 157.15     | 0.145  | -0.0407 | 147.1    | 25 525             | -1 525c            |
| C <sub>m</sub> 380_565                                                        | 81.29       | -66.98      | -32.23      | 74.33      | 0.181  | -0.1027 | 205.6    | 16 481             | -1 481c            |
| B <sub>m</sub> 380_495                                                        | 29.91       | 89.06       | -117.04     | 147.07     | 0.3122 | -0.2135 | 307.2    | 12 460             | 28 543             |
| M <sub>o</sub> 575_475                                                        | 74.32       | 82.25       | -40.48      | 91.68      | 0.2609 | -0.1085 | 333.7    | -1 519c            | 23 519             |
| N <sub>o</sub> 380_770                                                        | 0.9         | -0.01       | 0.0         | 0.01       | 0.2154 | -0.0861 | 158.2    | 23 515             | -1 515c            |
| W <sub>o</sub> 380_770                                                        | 100.0       | 0.0         | 0.0         | 0.0        | 0.2154 | -0.0861 | 0.0      | -1 519c            | -1 515c            |

| Optimalfarben (o) <i>RYGCBM</i> von maximalem (m) $C_{AB}$ für D50, $Y_w=100$ |             |             |             |            |        |         |          |                    |                    |
|-------------------------------------------------------------------------------|-------------|-------------|-------------|------------|--------|---------|----------|--------------------|--------------------|
| <i>CodeD65</i>                                                                | $L^*_{100}$ | $a^*_{100}$ | $b^*_{100}$ | $C^*_{ab}$ | $a'$   | $b'$    | $h_{ab}$ | $i_d, \lambda^*_d$ | $i_c, \lambda^*_c$ |
| R <sub>m</sub> 565_770                                                        | 72.41       | 64.43       | 122.61      | 138.51     | 0.2528 | -0.0092 | 62.2     | 38 590             | 15 476             |
| Y <sub>m</sub> 495_770                                                        | 98.02       | -15.61      | 105.1       | 106.25     | 0.2096 | -0.0324 | 98.4     | 33 566             | 14 470             |
| G <sub>o</sub> 495_565                                                        | 76.49       | -129.88     | 71.52       | 148.28     | 0.1462 | -0.0399 | 151.1    | 25 525             | -1 525c            |
| C <sub>m</sub> 380_565                                                        | 79.46       | -79.35      | -32.24      | 85.65      | 0.1749 | -0.0954 | 202.1    | 16 483             | -1 483c            |
| B <sub>m</sub> 380_495                                                        | 26.85       | 73.87       | -110.83     | 133.19     | 0.3025 | -0.2077 | 303.6    | 12 462             | 29 549             |
| M <sub>o</sub> 575_475                                                        | 75.64       | 77.8        | -34.15      | 84.96      | 0.2588 | -0.0971 | 336.2    | -1 520c            | 24 520             |
| N <sub>o</sub> 380_770                                                        | 0.9         | -0.01       | 0.0         | 0.01       | 0.2164 | -0.0785 | 160.0    | 23 516             | -1 516c            |
| W <sub>o</sub> 380_770                                                        | 100.0       | 0.0         | 0.0         | 0.0        | 0.2164 | -0.0785 | 0.0      | -1 520c            | -1 516c            |

| Optimalfarben (o) <i>RYGCBM</i> von maximalem (m) $C_{AB}$ für P40, $Y_w=100$ |             |             |             |            |        |         |          |                    |                    |
|-------------------------------------------------------------------------------|-------------|-------------|-------------|------------|--------|---------|----------|--------------------|--------------------|
| <i>CodeD65</i>                                                                | $L^*_{100}$ | $a^*_{100}$ | $b^*_{100}$ | $C^*_{ab}$ | $a'$   | $b'$    | $h_{ab}$ | $i_d, \lambda^*_d$ | $i_c, \lambda^*_c$ |
| R <sub>m</sub> 565_770                                                        | 75.32       | 62.78       | 115.6       | 131.55     | 0.2541 | -0.0091 | 61.4     | 38 591             | 15 476             |
| Y <sub>m</sub> 495_770                                                        | 98.43       | -11.1       | 94.89       | 95.53      | 0.2149 | -0.0309 | 96.6     | 33 569             | 14 470             |
| G <sub>o</sub> 495_565                                                        | 74.32       | -130.17     | 60.25       | 143.44     | 0.1477 | -0.039  | 155.1    | 25 525             | -1 525c            |
| C <sub>m</sub> 380_565                                                        | 76.81       | -88.65      | -33.56      | 94.79      | 0.172  | -0.0905 | 200.7    | 16 484             | -1 484c            |
| B <sub>m</sub> 380_495                                                        | 23.71       | 63.97       | -106.28     | 124.05     | 0.3002 | -0.2061 | 301.0    | 12 462             | 30 554             |
| M <sub>o</sub> 575_475                                                        | 77.75       | 72.17       | -27.97      | 77.4       | 0.2582 | -0.0873 | 338.8    | -1 521c            | 24 521             |
| N <sub>o</sub> 380_770                                                        | 0.9         | -0.01       | 0.0         | 0.01       | 0.2197 | -0.0724 | 161.7    | 23 518             | -1 518c            |
| W <sub>o</sub> 380_770                                                        | 100.0       | 0.0         | 0.0         | 0.0        | 0.2197 | -0.0724 | 0.0      | -1 521c            | -1 518c            |

| Optimalfarben (o) <i>RYGCBM</i> von maximalem (m) $C_{AB}$ für A00, $Y_w=100$ |             |             |             |            |        |         |          |                    |                    |
|-------------------------------------------------------------------------------|-------------|-------------|-------------|------------|--------|---------|----------|--------------------|--------------------|
| <i>CodeD65</i>                                                                | $L^*_{100}$ | $a^*_{100}$ | $b^*_{100}$ | $C^*_{ab}$ | $a'$   | $b'$    | $h_{ab}$ | $i_d, \lambda^*_d$ | $i_c, \lambda^*_c$ |
| R <sub>m</sub> 565_770                                                        | 79.72       | 59.98       | 96.44       | 113.57     | 0.2573 | -0.0089 | 58.1     | 38 592             | 15 477             |
| Y <sub>m</sub> 495_770                                                        | 99.03       | -4.25       | 71.77       | 71.89      | 0.2242 | -0.0281 | 93.3     | 35 575             | 14 470             |
| G <sub>o</sub> 495_565                                                        | 70.4        | -130.5      | 38.18       | 135.97     | 0.1505 | -0.0372 | 163.6    | 25 525             | -1 525c            |
| C <sub>m</sub> 380_565                                                        | 72.11       | -107.42     | -33.03      | 112.38     | 0.1651 | -0.078  | 197.0    | 17 488             | -1 488c            |
| B <sub>m</sub> 380_495                                                        | 17.93       | 38.27       | -92.55      | 100.15     | 0.2824 | -0.1957 | 292.4    | 12 464             | 33 566             |
| M <sub>o</sub> 575_475                                                        | 81.12       | 63.13       | -17.56      | 65.53      | 0.2585 | -0.0683 | 344.4    | -1 524c            | 24 524             |
| N <sub>o</sub> 380_770                                                        | 0.9         | -0.01       | 0.0         | 0.01       | 0.226  | -0.0593 | 165.2    | 24 523             | -1 523c            |
| W <sub>o</sub> 380_770                                                        | 100.0       | 0.0         | 0.0         | 0.0        | 0.226  | -0.0593 | 0.0      | -1 524c            | -1 523c            |

| Optimalfarben (o) <i>RYGCBM</i> von maximalem (m) $C_{AB}$ für E00, $Y_w=100$ |             |             |             |            |        |         |          |                    |                    |
|-------------------------------------------------------------------------------|-------------|-------------|-------------|------------|--------|---------|----------|--------------------|--------------------|
| <i>CodeD65</i>                                                                | $L^*_{100}$ | $a^*_{100}$ | $b^*_{100}$ | $C^*_{ab}$ | $a'$   | $b'$    | $h_{ab}$ | $i_d, \lambda^*_d$ | $i_c, \lambda^*_c$ |
| R <sub>m</sub> 565_770                                                        | 72.66       | 59.89       | 132.18      | 145.12     | 0.2528 | -0.0092 | 65.6     | 38 590             | 15 475             |
| Y <sub>m</sub> 495_770                                                        | 97.85       | -20.53      | 116.26      | 118.06     | 0.21   | -0.0327 | 100.0    | 33 566             | 14 470             |
| G <sub>o</sub> 495_565                                                        | 76.01       | -134.83     | 79.92       | 156.74     | 0.1458 | -0.0403 | 149.3    | 25 525             | -1 525c            |
| C <sub>m</sub> 380_565                                                        | 79.25       | -71.99      | -34.73      | 79.94      | 0.1813 | -0.1019 | 205.7    | 16 481             | -1 481c            |
| B <sub>m</sub> 380_495                                                        | 28.02       | 86.89       | -116.93     | 145.68     | 0.3176 | -0.2164 | 306.6    | 12 460             | 29 546             |
| M <sub>o</sub> 575_475                                                        | 76.13       | 78.35       | -36.32      | 86.36      | 0.2615 | -0.1034 | 335.1    | -1 520c            | 24 520             |
| N <sub>o</sub> 380_770                                                        | 0.9         | -0.01       | 0.0         | 0.01       | 0.2191 | -0.0837 | 159.0    | 23 516             | -1 516c            |
| W <sub>o</sub> 380_770                                                        | 100.0       | 0.0         | 0.0         | 0.0        | 0.2191 | -0.0837 | 0.0      | -1 520c            | -1 516c            |

| Optimalfarben (o) <i>RYGCBM</i> von maximalem (m) $C_{AB}$ für C00, $Y_w=100$ |             |             |             |            |        |         |          |                    |                    |
|-------------------------------------------------------------------------------|-------------|-------------|-------------|------------|--------|---------|----------|--------------------|--------------------|
| <i>CodeD65</i>                                                                | $L^*_{100}$ | $a^*_{100}$ | $b^*_{100}$ | $C^*_{ab}$ | $a'$   | $b'$    | $h_{ab}$ | $i_d, \lambda^*_d$ | $i_c, \lambda^*_c$ |
| R <sub>m</sub> 565_770                                                        | 70.87       | 57.84       | 137.7       | 149.35     | 0.2509 | -0.0093 | 67.2     | 37 589             | 15 475             |
| Y <sub>m</sub> 495_770                                                        | 97.36       | -24.85      | 124.71      | 127.16     | 0.2067 | -0.0335 | 101.2    | 32 564             | 14 470             |
| G <sub>o</sub> 495_565                                                        | 76.89       | -132.62     | 88.67       | 159.53     | 0.1463 | -0.0408 | 146.2    | 25 526             | -1 526c            |
| C <sub>m</sub> 380_565                                                        | 80.74       | -63.1       | -34.08      | 71.72      | 0.185  | -0.1061 | 208.3    | 16 480             | -1 480c            |
| B <sub>m</sub> 380_495                                                        | 31.05       | 90.91       | -118.66     | 149.48     | 0.3141 | -0.2145 | 307.4    | 12 460             | 28 543             |
| M <sub>o</sub> 575_475                                                        | 75.24       | 80.09       | -40.36      | 89.69      | 0.2615 | -0.1106 | 333.2    | -1 519c            | 23 519             |
| N <sub>o</sub> 380_770                                                        | 0.9         | -0.01       | 0.0         | 0.01       | 0.2176 | -0.0885 | 157.8    | 23 515             | -1 515c            |
| W <sub>o</sub> 380_770                                                        | 100.0       | 0.0         | 0.0         | 0.0        | 0.2176 | -0.0885 | 0.0      | -1 519c            | -1 515c            |

# Optimalfarben (o) *RYGCBM* von maximalem (m) $C_{AB}$ für P00, $Y_w=100$

| <i>CodeD65</i>         | $L^*_{100}$ | $a^*_{100}$ | $b^*_{100}$ | $C^*_{ab}$ | $a'$   | $b'$    | $h_{ab}$ | $i_d, \lambda^*_d$ | $i_c, \lambda^*_c$ |
|------------------------|-------------|-------------|-------------|------------|--------|---------|----------|--------------------|--------------------|
| R <sub>m</sub> 565_770 | 74.58       | 60.91       | 124.91      | 138.97     | 0.2542 | -0.0091 | 64.0     | 38 591             | 15 475             |
| Y <sub>m</sub> 495_770 | 98.18       | -15.24      | 106.16      | 107.25     | 0.2139 | -0.0316 | 98.1     | 33 568             | 14 470             |
| G <sub>o</sub> 495_565 | 74.68       | -133.58     | 69.73       | 150.69     | 0.1469 | -0.0396 | 152.4    | 25 525             | -1 525c            |
| C <sub>m</sub> 380_565 | 77.52       | -81.23      | -35.08      | 88.48      | 0.1771 | -0.0968 | 203.3    | 16 483             | -1 483c            |
| B <sub>m</sub> 380_495 | 25.68       | 75.68       | -112.26     | 135.38     | 0.3112 | -0.2126 | 303.9    | 12 461             | 30 551             |
| M <sub>o</sub> 575_475 | 77.42       | 74.31       | -31.41      | 80.68      | 0.2603 | -0.0948 | 337.0    | -1 521c            | 24 521             |
| N <sub>o</sub> 380_770 | 0.9         | -0.01       | 0.0         | 0.01       | 0.2206 | -0.078  | 160.5    | 23 517             | -1 517c            |
| W <sub>o</sub> 380_770 | 100.0       | 0.0         | 0.0         | 0.0        | 0.2206 | -0.078  | 0.0      | -1 521c            | -1 517c            |

| Optimalfarben (o) <i>RYGCBM</i> von maximalem (m) $C_{AB}$ für Q00, $Y_w=100$ |             |             |             |            |        |         |          |                    |                    |
|-------------------------------------------------------------------------------|-------------|-------------|-------------|------------|--------|---------|----------|--------------------|--------------------|
| <i>CodeD65</i>                                                                | $L^*_{100}$ | $a^*_{100}$ | $b^*_{100}$ | $C^*_{ab}$ | $a'$   | $b'$    | $h_{ab}$ | $i_d, \lambda^*_d$ | $i_c, \lambda^*_c$ |
| R <sub>m</sub> 565_770                                                        | 70.65       | 58.47       | 137.7       | 149.6      | 0.2513 | -0.0093 | 66.9     | 37 589             | 15 475             |
| Y <sub>m</sub> 495_770                                                        | 97.52       | -26.25      | 124.87      | 127.6      | 0.206  | -0.0337 | 101.8    | 32 563             | 14 470             |
| G <sub>o</sub> 495_565                                                        | 77.31       | -135.83     | 89.22       | 162.51     | 0.1448 | -0.0409 | 146.6    | 25 525             | -1 525c            |
| C <sub>m</sub> 380_565                                                        | 80.92       | -63.4       | -33.84      | 71.87      | 0.1848 | -0.1061 | 208.0    | 16 480             | -1 480c            |
| B <sub>m</sub> 380_495                                                        | 30.14       | 96.68       | -120.47     | 154.47     | 0.3221 | -0.2191 | 308.7    | 11 459             | 28 542             |
| M <sub>o</sub> 575_475                                                        | 74.8        | 82.43       | -41.17      | 92.14      | 0.2629 | -0.1114 | 333.4    | -1 519c            | 23 519             |
| N <sub>o</sub> 380_770                                                        | 0.9         | -0.01       | 0.0         | 0.01       | 0.2175 | -0.0887 | 157.8    | 23 515             | -1 515c            |
| W <sub>o</sub> 380_770                                                        | 100.0       | 0.0         | 0.0         | 0.0        | 0.2175 | -0.0887 | 0.0      | -1 519c            | -1 515c            |



| Optimalfarben (o) <i>RYGCBM</i> von maximalem (m) $C_{AB}$ für D65, $Y_{w,10}=100$ |             |             |             |            |        |         |          |                    |                    |
|------------------------------------------------------------------------------------|-------------|-------------|-------------|------------|--------|---------|----------|--------------------|--------------------|
| <i>CodeD65</i>                                                                     | $L^*_{100}$ | $a^*_{100}$ | $b^*_{100}$ | $C^*_{ab}$ | $a'$   | $b'$    | $h_{ab}$ | $i_d, \lambda^*_d$ | $i_c, \lambda^*_c$ |
| R <sub>m</sub> 565_770                                                             | 68.13       | 64.09       | 144.35      | 157.94     | 0.2533 | 0.0     | 66.0     | 37 588             | 13 469             |
| Y <sub>m</sub> 495_770                                                             | 95.61       | -14.82      | 123.91      | 124.79     | 0.2086 | -0.0302 | 96.8     | 32 560             | 12 464             |
| G <sub>o</sub> 495_565                                                             | 76.63       | -112.27     | 91.34       | 144.73     | 0.1546 | -0.0364 | 140.8    | 25 525             | -1 525c            |
| C <sub>m</sub> 380_565                                                             | 82.83       | -64.38      | -29.45      | 70.8       | 0.1826 | -0.1006 | 204.5    | 15 475             | -1 475c            |
| B <sub>m</sub> 380_495                                                             | 39.48       | 47.92       | -101.22     | 111.99     | 0.2583 | -0.1769 | 295.3    | 11 459             | 29 546             |
| M <sub>o</sub> 575_475                                                             | 75.51       | 71.82       | -39.39      | 81.91      | 0.2544 | -0.1072 | 331.2    | -1 516c            | 23 516             |
| N <sub>o</sub> 380_770                                                             | 0.9         | -0.01       | 0.0         | 0.01       | 0.2152 | -0.0857 | 158.2    | 22 510             | -1 510c            |
| W <sub>o</sub> 380_770                                                             | 100.0       | 0.0         | 0.0         | 0.0        | 0.2152 | -0.0857 | 0.0      | -1 516c            | -1 510c            |

| Optimalfarben (o) <i>RYGCBM</i> von maximalem (m) $C_{AB}$ für D50, $Y_{w,10}=100$ |             |             |             |            |        |         |          |                    |                    |
|------------------------------------------------------------------------------------|-------------|-------------|-------------|------------|--------|---------|----------|--------------------|--------------------|
| <i>CodeD65</i>                                                                     | $L^*_{100}$ | $a^*_{100}$ | $b^*_{100}$ | $C^*_{ab}$ | $a'$   | $b'$    | $h_{ab}$ | $i_d, \lambda^*_d$ | $i_c, \lambda^*_c$ |
| R <sub>m</sub> 565_770                                                             | 70.7        | 65.98       | 135.67      | 150.86     | 0.2547 | 0.0     | 64.0     | 37 589             | 13 469             |
| Y <sub>m</sub> 495_770                                                             | 96.45       | -8.8        | 110.45      | 110.8      | 0.2127 | -0.0291 | 94.5     | 32 563             | 12 464             |
| G <sub>o</sub> 495_565                                                             | 75.67       | -111.25     | 77.93       | 135.83     | 0.156  | -0.0357 | 144.9    | 25 525             | -1 525c            |
| C <sub>m</sub> 380_565                                                             | 80.88       | -75.4       | -29.92      | 81.12      | 0.1777 | -0.0936 | 201.6    | 15 477             | -1 477c            |
| B <sub>m</sub> 380_495                                                             | 35.8        | 35.04       | -97.59      | 103.69     | 0.2504 | -0.1723 | 289.7    | 12 461             | 30 552             |
| M <sub>o</sub> 575_475                                                             | 76.47       | 69.02       | -33.93      | 76.91      | 0.2539 | -0.0965 | 333.8    | -1 517c            | 23 517             |
| N <sub>o</sub> 380_770                                                             | 0.9         | -0.01       | 0.0         | 0.01       | 0.2166 | -0.0782 | 160.1    | 22 511             | -1 511c            |
| W <sub>o</sub> 380_770                                                             | 100.0       | 0.0         | 0.0         | 0.0        | 0.2166 | -0.0782 | 0.0      | -1 517c            | -1 511c            |

| Optimalfarben (o) <i>RYGCBM</i> von maximalem (m) $C_{AB}$ für P40, $Y_{w,10}=100$ |             |             |             |            |        |         |          |                    |                    |
|------------------------------------------------------------------------------------|-------------|-------------|-------------|------------|--------|---------|----------|--------------------|--------------------|
| <i>CodeD65</i>                                                                     | $L^*_{100}$ | $a^*_{100}$ | $b^*_{100}$ | $C^*_{ab}$ | $a'$   | $b'$    | $h_{ab}$ | $i_d, \lambda^*_d$ | $i_c, \lambda^*_c$ |
| R <sub>m</sub> 565_770                                                             | 73.9        | 63.66       | 130.14      | 144.87     | 0.2557 | 0.0     | 63.9     | 38 590             | 13 469             |
| Y <sub>m</sub> 495_770                                                             | 97.18       | -5.73       | 100.97      | 101.14     | 0.2178 | -0.0277 | 93.2     | 33 566             | 12 464             |
| G <sub>o</sub> 495_565                                                             | 73.76       | -112.78     | 67.07       | 131.22     | 0.1575 | -0.035  | 149.2    | 25 525             | -1 525c            |
| C <sub>m</sub> 380_565                                                             | 78.14       | -83.58      | -31.64      | 89.37      | 0.176  | -0.0891 | 200.7    | 15 478             | -1 478c            |
| B <sub>m</sub> 380_495                                                             | 32.11       | 27.64       | -95.31      | 99.24      | 0.249  | -0.1713 | 286.1    | 12 461             | 31 557             |
| M <sub>o</sub> 575_475                                                             | 78.27       | 65.12       | -28.46      | 71.07      | 0.2548 | -0.0874 | 336.3    | -1 519c            | 23 519             |
| N <sub>o</sub> 380_770                                                             | 0.9         | -0.01       | 0.0         | 0.01       | 0.2203 | -0.0723 | 161.8    | 22 513             | -1 513c            |
| W <sub>o</sub> 380_770                                                             | 100.0       | 0.0         | 0.0         | 0.0        | 0.2203 | -0.0723 | 0.0      | -1 519c            | -1 513c            |

| Optimalfarben (o) <i>RYGCBM</i> von maximalem (m) $C_{AB}$ für A00, $Y_{w,10}=100$ |             |             |             |            |        |         |          |                    |                    |
|------------------------------------------------------------------------------------|-------------|-------------|-------------|------------|--------|---------|----------|--------------------|--------------------|
| <i>CodeD65</i>                                                                     | $L^*_{100}$ | $a^*_{100}$ | $b^*_{100}$ | $C^*_{ab}$ | $a'$   | $b'$    | $h_{ab}$ | $i_d, \lambda^*_d$ | $i_c, \lambda^*_c$ |
| R <sub>m</sub> 565_770                                                             | 78.81       | 59.69       | 112.18      | 127.08     | 0.2584 | 0.0     | 61.9     | 38 592             | 14 470             |
| Y <sub>m</sub> 495_770                                                             | 98.26       | -0.82       | 77.69       | 77.7       | 0.2266 | -0.0251 | 90.6     | 34 572             | 12 464             |
| G <sub>o</sub> 495_565                                                             | 70.16       | -114.4      | 44.44       | 122.73     | 0.1606 | -0.0333 | 158.7    | 25 525             | -1 525c            |
| C <sub>m</sub> 380_565                                                             | 73.16       | -99.94      | -31.76      | 104.86     | 0.1709 | -0.0769 | 197.6    | 16 481             | -1 481c            |
| B <sub>m</sub> 380_495                                                             | 25.05       | 6.16        | -85.26      | 85.48      | 0.2344 | -0.1629 | 274.1    | 12 463             | 34 570             |
| M <sub>o</sub> 575_475                                                             | 81.3        | 58.06       | -18.67      | 60.99      | 0.2567 | -0.0687 | 342.1    | -1 522c            | 24 522             |
| N <sub>o</sub> 380_770                                                             | 0.9         | -0.01       | 0.0         | 0.01       | 0.2269 | -0.0591 | 165.3    | 23 518             | -1 518c            |
| W <sub>o</sub> 380_770                                                             | 100.0       | 0.0         | 0.0         | 0.0        | 0.2269 | -0.0591 | 0.0      | -1 522c            | -1 518c            |

| Optimalfarben (o) <i>RYGCBM</i> von maximalem (m) $C_{AB}$ für E00, $Y_{w,10}=100$ |             |             |             |            |        |         |          |                    |                    |
|------------------------------------------------------------------------------------|-------------|-------------|-------------|------------|--------|---------|----------|--------------------|--------------------|
| <i>CodeD65</i>                                                                     | $L^*_{100}$ | $a^*_{100}$ | $b^*_{100}$ | $C^*_{ab}$ | $a'$   | $b'$    | $h_{ab}$ | $i_d, \lambda^*_d$ | $i_c, \lambda^*_c$ |
| R <sub>m</sub> 565_770                                                             | 70.77       | 61.84       | 145.42      | 158.02     | 0.2547 | 0.0     | 66.9     | 37 589             | 13 468             |
| Y <sub>m</sub> 495_770                                                             | 96.1        | -13.37      | 122.07      | 122.8      | 0.2131 | -0.0293 | 96.2     | 32 563             | 12 464             |
| G <sub>o</sub> 495_565                                                             | 75.07       | -115.82     | 86.82       | 144.75     | 0.1555 | -0.0361 | 143.1    | 25 525             | -1 525c            |
| C <sub>m</sub> 380_565                                                             | 80.82       | -68.7       | -32.14      | 75.84      | 0.1836 | -0.1003 | 205.0    | 15 475             | -1 475c            |
| B <sub>m</sub> 380_495                                                             | 37.42       | 47.17       | -102.35     | 112.7      | 0.2631 | -0.1794 | 294.7    | 11 459             | 29 549             |
| M <sub>o</sub> 575_475                                                             | 77.05       | 69.39       | -35.92      | 78.14      | 0.2563 | -0.103  | 332.6    | -1 517c            | 23 517             |
| N <sub>o</sub> 380_770                                                             | 0.9         | -0.01       | 0.0         | 0.01       | 0.219  | -0.0837 | 159.0    | 22 510             | -1 510c            |
| W <sub>o</sub> 380_770                                                             | 100.0       | 0.0         | 0.0         | 0.0        | 0.219  | -0.0837 | 0.0      | -1 517c            | -1 510c            |

| Optimalfarben (o) <i>RYGCBM</i> von maximalem (m) $C_{AB}$ für C00, $Y_{w,10}=100$ |             |             |             |            |        |         |          |                    |                    |
|------------------------------------------------------------------------------------|-------------|-------------|-------------|------------|--------|---------|----------|--------------------|--------------------|
| <i>CodeD65</i>                                                                     | $L^*_{100}$ | $a^*_{100}$ | $b^*_{100}$ | $C^*_{ab}$ | $a'$   | $b'$    | $h_{ab}$ | $i_d, \lambda^*_d$ | $i_c, \lambda^*_c$ |
| R <sub>m</sub> 565_770                                                             | 68.69       | 61.05       | 149.19      | 161.2      | 0.2531 | 0.0     | 67.7     | 37 588             | 13 468             |
| Y <sub>m</sub> 495_770                                                             | 95.27       | -15.73      | 128.91      | 129.87     | 0.21   | -0.0301 | 96.9     | 32 561             | 12 464             |
| G <sub>o</sub> 495_565                                                             | 75.67       | -112.44     | 94.37       | 146.8      | 0.1558 | -0.0365 | 139.9    | 25 526             | 1 408              |
| C <sub>m</sub> 380_565                                                             | 82.42       | -61.55      | -30.96      | 68.9       | 0.1858 | -0.1037 | 206.7    | 14 474             | -1 474c            |
| B <sub>m</sub> 380_495                                                             | 40.81       | 48.35       | -101.85     | 112.74     | 0.2595 | -0.1776 | 295.3    | 11 459             | 29 546             |
| M <sub>o</sub> 575_475                                                             | 76.47       | 69.51       | -39.01      | 79.7       | 0.2546 | -0.1091 | 330.6    | -1 516c            | 23 516             |
| N <sub>o</sub> 380_770                                                             | 0.9         | -0.01       | 0.0         | 0.01       | 0.2171 | -0.088  | 157.9    | 21 509             | -1 509c            |
| W <sub>o</sub> 380_770                                                             | 100.0       | 0.0         | 0.0         | 0.0        | 0.2171 | -0.088  | 0.0      | -1 516c            | -1 509c            |

| Optimalfarben (o) <i>RYGCBM</i> von maximalem (m) $C_{AB}$ für P00, $Y_{w,10}=100$ |             |             |             |            |        |         |          |                    |                    |
|------------------------------------------------------------------------------------|-------------|-------------|-------------|------------|--------|---------|----------|--------------------|--------------------|
| <i>CodeD65</i>                                                                     | $L^*_{100}$ | $a^*_{100}$ | $b^*_{100}$ | $C^*_{ab}$ | $a'$   | $b'$    | $h_{ab}$ | $i_d, \lambda^*_d$ | $i_c, \lambda^*_c$ |
| R <sub>m</sub> 565_770                                                             | 72.95       | 62.27       | 139.09      | 152.4      | 0.2558 | 0.0     | 65.8     | 38 590             | 13 469             |
| Y <sub>m</sub> 495_770                                                             | 96.7        | -9.13       | 112.34      | 112.71     | 0.2167 | -0.0283 | 94.6     | 33 565             | 12 464             |
| G <sub>o</sub> 495_565                                                             | 73.95       | -115.37     | 76.76       | 138.58     | 0.1567 | -0.0355 | 146.3    | 25 525             | -1 525c            |
| C <sub>m</sub> 380_565                                                             | 79.0        | -76.95      | -32.84      | 83.67      | 0.1803 | -0.0954 | 203.1    | 15 476             | -1 476c            |
| B <sub>m</sub> 380_495                                                             | 34.6        | 37.77       | -99.62      | 106.54     | 0.258  | -0.1765 | 290.7    | 11 459             | 30 553             |
| M <sub>o</sub> 575_475                                                             | 78.09       | 66.57       | -31.57      | 73.67      | 0.2561 | -0.0949 | 334.6    | -1 518c            | 23 518             |
| N <sub>o</sub> 380_770                                                             | 0.9         | -0.01       | 0.0         | 0.01       | 0.2208 | -0.0781 | 160.5    | 22 512             | -1 512c            |
| W <sub>o</sub> 380_770                                                             | 100.0       | 0.0         | 0.0         | 0.0        | 0.2208 | -0.0781 | 0.0      | -1 518c            | -1 512c            |

| Optimalfarben (o) <i>RYGCBM</i> von maximalem (m) $C_{AB}$ für Q00, $Y_{w,10}=100$ |             |             |             |            |        |         |          |                    |                    |
|------------------------------------------------------------------------------------|-------------|-------------|-------------|------------|--------|---------|----------|--------------------|--------------------|
| <i>CodeD65</i>                                                                     | $L^*_{100}$ | $a^*_{100}$ | $b^*_{100}$ | $C^*_{ab}$ | $a'$   | $b'$    | $h_{ab}$ | $i_d, \lambda^*_d$ | $i_c, \lambda^*_c$ |
| R <sub>m</sub> 565_770                                                             | 68.52       | 61.0        | 149.86      | 161.8      | 0.2534 | 0.0     | 67.8     | 37 588             | 13 468             |
| Y <sub>m</sub> 495_770                                                             | 95.5        | -17.97      | 130.13      | 131.37     | 0.2093 | -0.0302 | 97.8     | 32 560             | 12 464             |
| G <sub>o</sub> 495_565                                                             | 76.14       | -116.03     | 95.81       | 150.48     | 0.1544 | -0.0366 | 140.4    | 25 525             | -1 525c            |
| C <sub>m</sub> 380_565                                                             | 82.55       | -61.0       | -30.94      | 68.4       | 0.1864 | -0.1043 | 206.8    | 14 474             | -1 474c            |
| B <sub>m</sub> 380_495                                                             | 39.93       | 55.32       | -104.07     | 117.86     | 0.2667 | -0.1815 | 297.9    | 11 458             | 28 544             |
| M <sub>o</sub> 575_475                                                             | 76.0        | 72.15       | -40.09      | 82.54      | 0.2565 | -0.1103 | 330.9    | -1 516c            | 23 516             |
| N <sub>o</sub> 380_770                                                             | 0.9         | -0.01       | 0.0         | 0.01       | 0.2173 | -0.0886 | 157.8    | 21 509             | -1 509c            |
| W <sub>o</sub> 380_770                                                             | 100.0       | 0.0         | 0.0         | 0.0        | 0.2173 | -0.0886 | 0.0      | -1 516c            | -1 509c            |