

Grund- und Mischfarben des sRGB-Farbenraums für D65, $Y_w=88,6$									
<i>Code</i> D65	$L^*_{88.6}$	$a^*_{88.6}$	$b^*_{88.6}$	C^*_{ab}	a'	b'	h_{ab}	i_d, λ^*_d	i_c, λ^*_c
$R_{d,D65, sRGB}$	50.5	76.92	64.54	100.41	0.2732	-0.0376	39.9	-1 479c	15 479
$Y_{d,D65, sRGB}$	92.66	-20.7	90.74	93.07	0.2059	-0.0444	102.8	32 562	14 470
$G_{d,D65, sRGB}$	83.63	-82.77	79.89	115.03	0.1739	-0.046	136.0	27 536	9 449
$C_{d,D65, sRGB}$	86.87	-46.17	-13.57	48.13	0.1929	-0.0927	196.3	16 484	-1 484c
$B_{d,D65, sRGB}$	30.41	76.05	-103.58	128.51	0.2972	-0.1976	306.2	12 461	28 544
$M_{d,D65, sRGB}$	57.31	94.35	-58.42	110.97	0.2797	-0.1259	328.2	-1 524c	24 524
$N_{d,D65, sRGB}$	8.09	0.0	0.0	0.0	0.2154	-0.0861	158.1	23 515	-1 515c
$W_{d,D65, sRGB}$	95.41	0.0	0.0	0.0	0.2154	-0.0861	134.1	27 536	10 451