

<i>rgb</i>*_{e,AB} and CIE data of a elementary hue circle according to CIE R1-47 for <i>Ostwald</i> colours for CIE illuminant D50																				#	
<i>Yxy, abc</i>_{AB}, <i>ABC</i>_{AB}, <i>LabC</i>*_{ab}<i>h</i>_{ab} data for relative spacing of elementary hue <i>h</i>_{AB} of <i>LINYAB</i> for CIE 10 degree observer																				#	
Elementary hue circle with 4 intended elementary hue angles: <i>h</i>_{AB} = 14.4, 79.4, 163.3, 254.7 of <i>LINYAB</i>, and 16 intended hue angles:																				#	
14.4	30.7	46.9	63.2	79.4	100.4	121.4	142.4	163.3	186.2	209.0	231.9	254.7	284.7	314.6	344.5					#	
LINYAB data of CIE test colours 9 (R): 11.9 10.0 2.5, 10 (Y): 57.6 2.8 15.2, 11 (G): 19.9 -6.6 1.9, 12 (B): 7.1 -1.6 -5.9																				#	
<i>no-AB</i> ₁₀	<i>x</i> ₁₀	<i>y</i> ₁₀	<i>a</i> ₁₀	<i>b</i> ₁₀	<i>c</i> _{AB,10}	<i>A</i> ₁₀	<i>B</i> ₁₀	<i>C</i> _{AB,10}	<i>h</i> _{AB,10}	<i>L</i> * ₁₀	<i>a</i> * ₁₀	<i>b</i> * ₁₀	<i>C</i> * _{ab,10}	<i>h</i> _{ab,10}	<i>rgb</i> * _{e,AB,10}					<i>Code</i> _{AB}	#
000	43.7	0.537	0.334	1.607	-0.153	0.663	28.0	7.5	29.0	15.0	72.0	70.0	33.7	77.7	25.7	1.00 0.00 0.00	%	R00Y	#		
001	44.8	0.6	0.396	1.517	-0.003	0.637	24.6	14.4	28.6	30.3	72.8	61.9	119.9	135.0	62.6	1.00 0.25 0.00	%	R25Y	#		
002	60.4	0.559	0.439	1.273	0.0	0.446	18.4	19.6	26.9	46.7	82.0	40.5	140.6	146.3	73.9	1.00 0.50 0.00	%	R50Y	#		
003	71.6	0.529	0.468	1.13	-0.001	0.363	11.7	23.2	26.0	63.2	87.8	23.8	147.1	149.0	80.7	1.00 0.75 0.00	%	R75Y	#		
004	80.7	0.503	0.491	1.025	-0.004	0.326	4.6	25.9	26.3	79.7	92.0	9.0	141.1	141.3	86.3	1.00 1.00 0.00	%	Y00G	#		
005	92.7	0.468	0.507	0.923	-0.018	0.31	-4.0	28.4	28.7	98.1	97.1	-7.5	120.0	120.2	93.5	0.75 1.00 0.00	%	Y25G	#		
006	84.3	0.419	0.541	0.773	-0.029	0.354	-16.3	25.0	29.8	123.1	93.5	-33.8	104.5	109.8	107.9	0.50 1.00 0.00	%	Y50G	#		
007	73.8	0.348	0.594	0.586	-0.038	0.477	-28.1	21.1	35.2	143.0	88.8	-69.5	91.7	115.1	127.1	0.25 1.00 0.00	%	Y75G	#		
008	57.8	0.215	0.575	0.375	-0.145	0.619	-34.2	10.4	35.7	163.0	80.6	-112.7	39.2	119.3	160.8	0.00 1.00 0.00	%	G00B	#		
009	56.4	0.183	0.419	0.437	-0.378	0.532	-29.9	-2.9	30.0	185.6	79.8	-96.1	-8.5	96.5	185.0	0.00 1.00 0.50	%	G25B	#		
010	56.7	0.178	0.34	0.523	-0.565	0.504	-25.2	-13.6	28.6	208.4	80.0	-76.6	-33.4	83.6	203.6	0.00 1.00 1.00	%	G50B	#		
011	36.1	0.135	0.265	0.511	-0.899	0.733	-16.4	-20.7	26.4	231.5	66.6	-68.1	-57.4	89.1	220.1	0.00 0.50 1.00	%	G75B	#		
012	21.9	0.122	0.187	0.654	-1.473	1.189	-6.8	-25.1	26.0	254.7	53.9	-36.7	-78.8	86.9	245.0	0.00 0.00 1.00	%	B00R	#		
013	8.2	0.153	0.083	1.841	-3.676	3.462	7.2	-27.7	28.6	284.6	34.5	52.1	-108.3	120.1	295.6	0.50 0.00 1.00	%	B25R	#		
014	22.3	0.319	0.156	2.042	-1.337	1.476	23.9	-22.5	32.9	316.7	54.3	85.7	-72.9	112.6	319.6	1.00 0.00 1.00	%	B50R	#		
015	42.4	0.426	0.241	1.769	-0.55	0.833	34.0	-9.5	35.3	344.3	71.1	83.8	-28.7	88.6	341.1	1.00 0.00 0.50	%	B75R	#		
016	43.7	0.537	0.334	1.607	-0.153	0.663	28.0	7.5	29.0	15.0	72.0	70.0	33.7	77.7	25.7	1.00 0.00 0.00	%	R00Y	#		
CIEXYZ data of CIE test colours 9 (R): 21.6 11.9 3.2, 10 (Y): 58.6 57.6 8.6, 11 (G): 12.6 19.9 11.2, 12 (B): 5.2 7.1 20.6																				#	
5 step equidistant grey scale with intended lightness: <i>L</i>* = 0.0, 25.0, 50.0, 75.0, 100.0																				#	
000	0.0	0.0	0.0	0.0	0.0	1.02	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00 0.00 0.00	%	N000W	#		
001	4.4	0.347	0.359	0.967	-0.325	0.01	0.0	0.0	0.0	77.1	25.0	0.0	0.0	0.0	0.0	0.25 0.25 0.25	%	N025W	#		
002	18.4	0.347	0.359	0.967	-0.325	0.01	0.0	0.0	0.0	51.5	50.0	0.0	0.0	0.0	0.0	0.50 0.50 0.50	%	N050W	#		
003	48.2	0.347	0.359	0.967	-0.325	0.01	0.0	0.0	0.0	20.8	75.0	0.0	0.0	0.0	0.0	0.75 0.75 0.75	%	N075W	#		
004	99.9	0.347	0.359	0.967	-0.325	0.01	0.0	0.0	0.0	0.0	100.0	0.0	0.0	0.0	0.0	1.00 1.00 1.00	%	N100W	#		