




BE03/L10-1 B12C:W1260-1N.081 olv*, sf, exposure +0.0 stop




BE03/L10-2 B12C:W1260-2N.082 olv*, sf, exposure -1.5 stops




BE03/L11-1 B12C:W1261-1N.089 olv*, nf, exposure +0.0 stop




BE03/L11-2 B12C:W1261-2N.090 olv*, nf, exposure -2.0 stops




BE03/L10-3 B12C:W1260-3N.083 olv*, sf, exposure -1.0 stop




BE03/L10-4 B12C:W1260-4N.084 olv*, sf, exposure -0.5 stops




BE03/L11-3 B12C:W1261-3N.091 olv*, nf, exposure -1.0 stop




BE03/L11-4 B12C:W1261-4N.092 olv*, nf, exposure +0.0 stop




BE03/L10-5 B12C:W1260-5N.085 olv*, sf, exposure +0.0 stop




BE03/L10-6 B12C:W1260-6N.086 olv*, sf, exposure +0.5 stops




BE03/L11-5 B12C:W1261-5N.093 olv*, nf, exposure +1.0 stop




BE03/L11-6 B12C:W1261-6N.094 olv*, nf, exposure +2.0 stops




BE03/L10-7 B12C:W1260-7N.087 olv*, sf, exposure +1.0 stop



BE03/L10-8 B12C:W1260-8N.088 olv*, sf, exposure +1.5 stops



BE03/L11-7 B12C:W1261-7N.095 olv*, nf, exposure +3.0 stops



BE03/L11-8 B12C:W1261-8N.096 olv*, nf, exposure +4.0 stops

BAM-test chart no. BE03; Linearized scan with grid
Slide (left) and negative (right) film with 7 steps of exposure

input: cmy0* / 000n* setcmykcolor
output: no change compared to input