

Proposal: Test chart for yield and emission of colour toner modules and inkjet cartridges, PDF-Format

Date, Test person: 2004-05-01, Name

Driver adjustment

Paper:

Resolution:

Modus:

Test device type: unknown

Test device number:

Ink: black:

coloured:

Driver version:

Test paper:

www.ps.bam.de/BE10/10L/L10E00FP.PS/.PDF; linearized output

F: Output Linearization (OL) data BE10/10L/L10E00FP.DAT in File (F)

224 mm (+/- 1 mm)



BAM-test chart no. BE10

Step: S2

input: *cmy0* / 000n* setcmykcolor*

Yield/Emission: 40% geometrical and 40% visual area coverage output: *cmy0* / 000n* setcmykcolor*



See for similar files: <http://www.ps.bam.de/BE10/>
Technical information: <http://www.ps.bam.de>

Version 2.0, io=0,0; iORS; oORS, CIELAB

Picture 1: Colour area 14 mm x 14 mm; Yield / Emission: 40% geometrical colour area coverage and 40% visual colour coverage; PS operator: *cmy0* / 000n* setcmykcolor*















Proposal: Test chart for yield and emission of colour toner modules and inkjet cartridges, PDF-Format

Date, Test person: 2004-05-01, Name

Driver adjustment

Paper:

Resolution:

Modus:

Test device type: unknown

Test device number:

Ink: black:

coloured:

Driver version:

Test paper:

www.ps.bam.de/BE10/10L/L10E00FP.PS/.PDF; linearized output
F: Output Linearization (OL) data BE10/10L/L10E00FP.DAT in File (F)

224 mm (+/- 1 mm)



See for similar files: <http://www.ps.bam.de/BE10/>
Technical information: <http://www.ps.bam.de>

Version 2.0, io=0,0; iORS; oORS, CIELAB

Picture 1: Colour area 14 mm x 14 mm; Yield / Emission: 40% geometrical colour area coverage and 40% visual colour coverage; PS operator: cmy0* / 000n* setcmykcolor

BAM-test chart no. BE10

Step: S2

input: cmy0* / 000n* setcmykcolor

Yield/Emission: 40% geometrical and 40% visual area coverage output: cmy0* / 000n* setcmykcolor













