

Proposal: Test chart for yield and emission of colour toner modules and inkjet cartridges, PDF-Format

Date, Test person: 2004-05-01, Name
Driver adjustment Paper:
Resolution: Test device type: unknown
Modus: Ink: black
Test paper: coloured:

Driver version:





Test paper:



www.ps.bam.de/BE10/10L/L10E00NA.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)
224 mm (+/- 1 mm)



Picture 1: Colour area 14 mm x 14 mm; Yield / Emission: 40% geometrical colour area coverage and 40% visual colour coverage; PS operator: cmy0* / 000n* setcmykcolor
BAM-test chart no. BE10 Step: S1 input: cmy0* / 000n* setcmykcolor
Yield/Emission: 40% geometrical and 40% visual area coverage output: no change compared to input

















Proposal: Test chart for yield and emission of colour toner modules and inkjet cartridges, PDF-Format

Date, Test person: 2004-05-01, Name
Driver adjustment Paper:
Resolution:
Modus:
Test device type: unknown
Test device number:
Ink: black:
coloured:
Test paper:

Driver version:

Test paper:



www.ps.bam.de/BE10/10L/L10E00NA.PS/.TXT; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)

224 mm (+/- 1 mm)



BAM-test chart no. BE10 Step: S1 input: *cmY0* / 000n* setcmykcolor*
Yield/Emission: 40% geometrical and 40% visual area coverage output: *no change compared to input*

See for similar files: <http://www.ps.bam.de/BE10/>
Technical information: <http://www.ps.bam.de> Version 2.0, io=0,0

Picture 1: Colour area 14 mm x 14 mm; Yield / Emission: 40% geometrical colour area coverage and 40% visual colour coverage; PS operator: *cmY0* / 000n* setcmykcolor*













