

Proposal: Test chart for yield and emission of colour toner modules and inkjet cartridges, PDF-Format



Date, Test person: 2004-05-01, Name
Driver adjustment Paper:
Resolution: Test device type: unknown
Modus: Ink: black:
Test paper: coloured:

Driver version:

Test paper:



www.ps.bam.de/BE10/10L/L10E00NP.PS/.PDF; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)
224 mm (+/- 1 mm)



See for similar files: <http://www.ps.bam.de/BE10/>
Technical information: <http://www.ps.bam.de> Version 2.0, io=0,0



Picture 1: Colour area 14 mm x 14 mm; Yield / Emission: 40% geometrical colour area coverage and 40% visual colour coverage; PS operator: cmy0* / 000n* setcmykcolor

BAM-test chart no. BE10 Step: S1 input: cmy0* / 000n* setcmykcolor
Yield/Emission: 40% geometrical and 40% visual area coverage output: no change compared to input















Proposal: Test chart for yield and emission of colour toner modules and inkjet cartridges, PDF-Format

Date, Test person: 2004-05-01, Name
Driver adjustment Paper:
Resolution:
Modus:

Test device type: unknown
Test device number:
Ink: black:
coloured:

Driver version:

Test paper:



www.ps.bam.de/BE10/10L/L10E00NP.PS/.PDF; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)
224 mm (+/- 1 mm)



Picture 1: Colour area 14 mm x 14 mm; Yield / Emission: 40% geometrical colour area coverage and 40% visual colour coverage; PS operator: cmy0* / 000n* setcmykcolor




BAM-test chart no. BE10

Step: S1

input: cmy0* / 000n* setcmykcolor

Yield/Emission: 40% geometrical and 40% visual area coverage output: no change compared to input



See for similar files: <http://www.ps.bam.de/BE10/>
Technical information: <http://www.ps.bam.de> Version 2.0, io=0,0













