

Proposal: Test chart for yield and emission of colour toner modules and inkjet cartridges, PDF-Format

Date, Test person: 2004-05-01, Name
Driver adjustment Paper:
Resolution:
Modus:

Test device type: unknown
Test device number:
Ink: black:
Test paper: coloured:

Driver version:

Test paper:

Series: 1, Page: 1

www.ps.bam.de/BE10/10L/L10E00FP.PS/.PDF; linearized output
F: Output Linearization (OL) data BE10/10L/L10E00FP.DAT in File (F)

224 mm (+/- 1 mm)



BAM-test chart no. BE10

Step: S2

input: *cmY0* / 000n* setcmykcolor*

Yield/Emission: 40% geometrical and 40% visual area coverage output: *LAB* setcolor*

Picture 1: Colour area 14 mm x 14 mm; Yield / Emission: 40% geometrical colour area coverage and 40% visual colour coverage; PS operator: *cmY0* / 000n* setcmykcolor* Form: 2,

See for similar files: <http://www.ps.bam.de/BE10/>
Technical information: <http://www.ps.bam.de> Version 2.0, io=0,5; iORS; oORS, CIE/LAB

224 mm (+/- 1 mm)

170 mm (+/- 1 mm)













Proposal: Test chart for yield and emission of colour toner modules and inkjet cartridges, PDF-Format
Date, Test person: 2004-05-01, Name
Driver adjustment Paper:
Resolution: Modus:
Ink: black:
Test paper: coloured:



Driver version:

Test paper:

Test device type: unknown
Test device number:
Ink: black:
Test paper: coloured:



www.ps.bam.de/BE10/10L/L10E00FP.PS/.PDF; linearized output
F: Output Linearization (OL) data BE10/10L/L10E00FP.DAT in File (F)
224 mm (+/- 1 mm)



See for similar files: <http://www.ps.bam.de/BE10/>
Technical information: <http://www.ps.bam.de> Version 2.0, io=0,5; iORS; oORS, CIE/LAB



224 mm (+/- 1 mm)

170 mm (+/- 1 mm)













