


BAM registration: 20040501-BE10/10L/L10E00FP.PS/.PDF
application for relative yield and reproduction properties of chromatic printers

BAM material: code=rha4ta

Form: 1, Serie: 1, Page: 1 Page: count: 1



Proposal: Test chart for yield and emission of colour toner modules and inkjet cartridges, PDF-Format

Date, Test person: 2004-05-01, Name

Test device type: unknown

Driver adjustment

Paper:

Test device number:

Resolution:

Ink: black:

Modus:

coloured:

Driver version:

Test paper:



www.ps.bam.de/BE10/10L/L10E00FP.PS/.PDF; linearized output
F: Output Linearization (OL) data BE10/10L/L10E00FP.DAT in File (F)
224 mm (+/- 1 mm)




C c000* M 0m00* Y 00y0* N 000n* 170 mm (+/- 1 mm) C c000* M 0m00* Y 00y0* N 000n*

See for similar files: <http://www.ps.bam.de/BE10/>

Technical information: <http://www.ps.bam.de>

Version 2.0, io=0,6; iORS; oORS, CIELAB

Picture 1: Colour area 14 mm x 14 mm; Yield / Emission: 40% geometrical colour area coverage and 40% visual colour coverage; PS operator: cmy0* / 000n* setcmykcolor
BAM-test chart no. BE10
Step: S2
input: cmy0* / 000n* setcmykcolor
Yield/Emission: 40% geometrical and 40% visual area coverage output: 000n* setcmykcolor



















Proposal: Test chart for yield and emission of colour toner modules and inkjet cartridges, PDF-Format

Date, Test person: 2004-05-01, Name

Test device type: unknown

Driver adjustment

Paper:

Test device number:

Resolution:

Ink: black:

Modus:

coloured:

Driver version:



Test paper:



www.ps.bam.de/BE10/10L/L10E00FP.PS/.PDF; linearized output
F: Output Linearization (OL) data BE10/10L/L10E00FP.DAT in File (F)
224 mm (+/- 1 mm)



C c000* M 0m00* Y 00y0* N 00n0* 170 mm (+/- 1 mm) C c000* M 0m00* Y 00y0* N 00n0*



Picture 1: Colour area 14 mm x 14 mm; Yield / Emission: 40% geometrical colour area coverage and 40% visual colour coverage; PS operator: cmy0* / 000n* setcmykcolor
BAM-test chart no. BE10
Step: S2
input: cmy0* / 000n* setcmykcolor
Yield/Emission: 40% geometrical and 40% visual area coverage output: 000n* setcmykcolor

