

**Proposal: Test chart for yield and emission of colour toner modules and inkjet cartridges, PDF-Format**

Date, Test person: 2004-05-01, Name

Driver adjustment

Paper:

Resolution:

Modus:

Test device type: unknown

Test device number:

Ink: black:

coloured:

Driver version:

Test paper:



www.ps.bam.de/BE11/10L/L11E00NP.PS/.PDF; start output  
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)  
224 mm (+/- 1 mm)

BAM-test chart no. BE11 Step: S1 input: *cmy0\* / 000n\* setcmykcolor*  
Yield/Emission: 40% geometrical and 40% visual area coverage output: *no change compared to input*



See for similar files: <http://www.ps.bam.de/BE11/>  
Technical information: <http://www.ps.bam.de> Version 2.0, io=0,0








Fig. 1: Colour area 14 mm x 14 mm; Yield / Emission: 40% geometrical colour area coverage and 65% colour coverage; PS operator: *cmy0\* / 000n\* setcmykcolor*















**Proposal: Test chart for yield and emission of colour toner modules and inkjet cartridges, PDF-Format**

Date, Test person: 2004-05-01, Name

Driver adjustment

Paper:

Resolution:

Modus:

Test device type: unknown

Test device number:

Ink: black:

coloured:

Driver version:

Test paper:



www.ps.bam.de/BE11/10L/L11E00NP.PS/.PDF; start output  
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)  
224 mm (+/- 1 mm)



Fig. 1: Colour area 14 mm x 14 mm; Yield / Emission: 40% geometrical colour area coverage and 65% colour coverage; PS operator: cmy0\* / 000n\* setcmycolor

BAM-test chart no. BE11

Step: S1

input: cmy0\* / 000n\* setcmycolor

Yield/Emission: 40% geometrical and 40% visual area coverage output: no change compared to input



See for similar files: <http://www.ps.bam.de/BE11/>  
Technical information: <http://www.ps.bam.de> Version 2.0, io=0,0

