

**Proposal: Test chart for yield and emission of colour toner modules and inkjet cartridges, PDF-Format**

Date, Test person: 2004-05-01, Name

Test device type: unknown

Driver adjustment

Paper:

Test device number:

Resolution:

Ink: black:

Modus:

coloured:

Driver version:

Test paper:

www.ps.bam.de/BE11/10Q/Q11E00FP.PS/.PDF; linearized output  
F: Output Linearization (OL) data BE11/10Q/Q11E00FP.DAT in File (F)  
224 mm (+/- 1 mm)



C c000\* M 0m00\* Y 00y0\* N 000n\* 170 mm (+/- 1 mm) O 0my0\* L c0y0\* V cm00\* CMY nnn0\*

Fig. 1: Colour area 14 mm x 14 mm; Yield / Emission: 40% geometrical colour area coverage and 65% colour coverage; PS operator: cmy0\* / 000n\* setcmykcolor  
BAM-test chart no. BE11  
Yield/Emission: 40% geometrical and 40% visual area coverage output: cmy0\* / 000n\* setcmykcolor  
Step: S2  
input: cmy0\* / 000n\* setcmykcolor

224 mm (+/- 1 mm)

170 mm (+/- 1 mm)

















**Proposal: Test chart for yield and emission of colour toner modules and inkjet cartridges, PDF-Format**

Date, Test person: 2004-05-01, Name

Test device type: unknown

Driver adjustment

Paper:

Test device number:

Resolution:

Ink: black:

Modus:

coloured:

Driver version:

Test paper:

www.ps.bam.de/BE11/10Q/Q11E00FP.PS/.PDF; linearized output  
F: Output Linearization (OL) data BE11/10Q/Q11E00FP.DAT in File (F)  
224 mm (+/- 1 mm)



C c000\* M 0m00\* Y 00y0\* N 000n\* 170 mm (+/- 1 mm) O 0my0\* L c0y0\* V cm00\* CMY nnn0\*

Fig. 1: Colour area 14 mm x 14 mm; Yield / Emission: 40% geometrical colour area coverage and 65% colour coverage; PS operator: cmy0\* / 000n\* setcmykcolor  
BAM-test chart no. BE11  
Yield/Emission: 40% geometrical and 40% visual area coverage output: cmy0\* / 000n\* setcmykcolor

224 mm (+/- 1 mm)

170 mm (+/- 1 mm)













