

Proposal: Test chart for yield and emission of colour toner modules and inkjet cartridges, PDF-Format

Date, Test person: 2004-05-01, Name

Test device type: unknown

Driver adjustment

Paper:

Test device number:

Resolution:

Ink: black:

Modus:


coloured:

Driver version:

Test paper:



www.ps.bam.de/BE12/10L/L12E00FP.PS/.PDF; linearized output
F: Output Linearization (OL) data BE12/10L/L12E00FP.DAT in File (F)
224 mm (+/- 1 mm)



C c000*

M 0m00*

Y 00y0*

N 00n*

170 mm (+/- 1 mm)

C c000*

M 0m00*

Y 00y0*



CMY cmy0*


See for similar files: <http://www.ps.bam.de/BE12/>


Technical information: <http://www.ps.bam.de>


Version 2.0, io=0,6; iORS; oORS, CIELAB


Fig. 1: Colour area 14 mm x 14 mm; Yield / Emission: 40% geometrical colour area coverage and 20% visual colour coverage; PS operator: cmy0* / 000n* setcmykcolor
BAM-test chart no. BE12
Yield/Emission: 40% geometrical and 20% visual area coverage input: cmy0* / 000n* setcmykcolor output: 000n* setcmykcolor























BAM material: code=rha4ta

application for relative yield and reproduction properties of chromatic printers

/BE12/ Form: 1/8, Serie: 2/2, Page: 1

Page: count: 9

Proposal: Test chart for yield and emission of colour toner modules and inkjet cartridges, PDF-Format

Date, Test person: 2004-05-01, Name

Test device type: unknown

Driver adjustment

Paper:

Test device number:

Resolution:

Ink: black:

Modus:

coloured:

Driver version:

Test paper:

www.ps.bam.de/BE12/10L/L12E00FP.PS/.PDF; linearized output
F: Output Linearization (OL) data BE12/10L/L12E00FP.DAT in File (F)
224 mm (+/- 1 mm)

mm; Yield/Emission: 40% geometrical colour area coverage and 20% visual colour coverage; PS operator: cmy0*/000n* setcmykcolor
 3AM-test chart no. BE12
 Step: S2
 input: cmy0*/000n* setcmykcolor
 output: 000n* setcmykcolor

C c000* **M** 0m00* **Y** 00y0* **N** 000n* 170 mm (+/- 1 mm) **C** c000* **M** 0m00* **Y** 00y0* **CMY** cmy0*

-See for similar files: <http://www.ps.bam.de/BE12/>

Technical information: <http://www.ps.bam.de>

Version 2.0, io=0,6; iORS; oORS, CIELAB

