

Proposal: Test chart for yield and emission of colour toner modules and inklet cartridges, PDF-Format

Date, Test person: 2004-05-01, Name

Driver adjustment

Paper:

Resolution:

Modus:

Test device type: unknown

Test device number:

Ink: black:

coloured:

Driver version:

Test paper:

www.ps.bam.de/BE12/10Q/Q12E00SP.PS/.PDF;

S: Output Linearization (OL) data BE12/10Q/Q12E00SP.DAT in Distiller Startup (S) Directory

224 mm (+/- 1 mm)





Fig. 1: Colour area 14 mm x 14 mm; Yield / Emission: 40% geometrical colour area coverage and 20% visual colour coverage; PS operator: cmy0* / 000n* setcmycolor


BAM-test chart no. BE12


Step: S2


input: cmy0* / 000n* setcmycolor


Yield/Emission: 40% geometrical and 20% visual area coverage output: Startup (S) data dependend
















Proposal: Test chart for yield and emission of colour toner modules and inkjet cartridges, PDF-Format

Date, Test person: 2004-05-01, Name

Driver adjustment

Paper:

Resolution:

Modus:

Test device type: unknown

Test device number:

Ink: black:

coloured:

Driver version:

Test paper:

www.ps.bam.de/BE12/10Q/Q12E00SP.PS/.PDF;

S: Output Linearization (OL) data BE12/10Q/Q12E00SP.DAT in Distiller Startup (S) Directory

224 mm (+/- 1 mm)

BAM-test chart no. BE12

Step: S2

input: $cmy0^* / 000n^*$ setcmykcolor

Yield/Emission: 40% geometrical and 20% visual area coverage output: *Startup (S) data dependend*

Fig. 1: Colour area 14 mm x 14 mm; Yield / Emission: 40% geometrical colour area coverage and 20% visual colour coverage; PS operator: $cmy0^* / 000n^*$ setcmykcolor

See for similar files: <http://www.ps.bam.de/BE12/>
Technical information: <http://www.ps.bam.de> Version 2.0, io=0,0?

