

**Proposal: Test chart for yield and emission of colour toner modules and inkjet cartridges, PDF-Format**

Date, Test person: 2004-05-01, Name

Test device type: unknown

Driver adjustment

Paper:

Test device number:

Resolution:

Ink: black:

Modus:

coloured:

Driver version:

Test paper:

www.ps.bam.de/BE13/10L/L13E00FP.PS/.PDF; linearized output  
F: Output Linearization (OL) data BE13/10L/L13E00FP.DAT in File (F)  
224 mm (+/- 1 mm)






Fig. 1: Colour area 14 mm x 14 mm; Yield / Emission: 40% geometrical colour area coverage and 20% visual colour coverage; PS operator: cmy0\* / 000n\* setcmykcolor  
input: cmy0\* / 000n\* setcmykcolor  
Step: S2  
Yield/Emission: 40% geometrical and 20% visual area coverage output: olv\* setrgbcolor / w\* setgray


See for similar files: <http://www.ps.bam.de/BE13/>


Technical information: <http://www.ps.bam.de>


Version 2.0, io=0,1; iORS; oORS, CIELAB

















**Proposal: Test chart for yield and emission of colour toner modules and inkjet cartridges, PDF-Format**

Date, Test person: 2004-05-01, Name

Test device type: unknown

Driver adjustment

Paper:

Test device number:

Resolution:

Ink: black:

Modus:

coloured:

Driver version:

Test paper:

www.ps.bam.de/BE13/10L/L13E00FP.PS/.PDF; linearized output  
F: Output Linearization (OL) data BE13/10L/L13E00FP.DAT in File (F)  
224 mm (+/- 1 mm)




Fig. 1: Colour area 14 mm x 14 mm; Yield / Emission: 40% geometrical colour area coverage and 20% visual colour coverage; PS operator: cmy0\* / 000n\* setcmykcolor  
input: cmy0\* / 000n\* setcmykcolor  
Step: S2  
Yield/Emission: 40% geometrical and 20% visual area coverage output: olv\* setrgbcolor / w\* setgray

See for similar files: <http://www.ps.bam.de/BE13/>

Technical information: <http://www.ps.bam.de> Version 2.0, io=0,1; iORS; oORS, CIELAB

