

Proposal: Test chart for yield and emission of colour toner modules and inkjet cartridges, PDF-Format

Date, Test person: 2004-05-01, Name

Driver adjustment

Paper:

Resolution:

Modus:

Test device type: unknown

Test device number:

Ink: black:

coloured:

Driver version:

Test paper:



www.ps.bam.de/BE13/10L/L13E00SP.PS/.PDF;
S: Output Linearization (OL) data BE13/10L/L13E00SP.DAT in Distiller Startup (S) Directory
224 mm (+/- 1 mm)







Fig. 1: Colour area 14 mm x 14 mm; Yield / Emission: 40% geometrical colour area coverage and 20% visual colour coverage; PS operator: cmy0* / 000n* setcmykcolor
BAM-test chart no. BE13 Step: S2 input: cmy0* / 000n* setcmykcolor
Yield/Emission: 40% geometrical and 20% visual area coverage output: Startup (S) data dependend





See for similar files: <http://www.ps.bam.de/BE13/>
Technical information: <http://www.ps.bam.de> Version 2.0, io=0,0?

















Proposal: Test chart for yield and emission of colour toner modules and inkjet cartridges, PDF-Format

Date, Test person: 2004-05-01, Name

Driver adjustment

Paper:

Resolution:

Modus:

Test device type: unknown

Test device number:

Ink: black:


coloured:

Driver version:

Test paper:

www.ps.bam.de/BE13/10L/L13E00SP.PS/.PDF;
S: Output Linearization (OL) data BE13/10L/L13E00SP.DAT in Distiller Startup (S) Directory

224 mm (+/- 1 mm)



See for similar files: <http://www.ps.bam.de/BE13/>
Technical information: <http://www.ps.bam.de> Version 2.0, io=0,0?

Fig. 1: Colour area 14 mm x 14 mm; Yield / Emission: 40% geometrical colour area coverage and 20% visual colour coverage; PS operator: cmy0* / 000n* setcmykcolor

BAM-test chart no. BE13

Step: S2

input: cmy0* / 000n* setcmykcolor

Yield/Emission: 40% geometrical and 20% visual area coverage output: Startup (S) data dependend

