BAM registration: 20040501-BE13/10Q/Q13E00NP.PS/.PDF BAM material: code=rha4ta
application for relative yield and reproduction properties of chromatic printers

Proposal: Test chart for yield and emission of colour toner modules and inkjet cartridges, PDF-Format

Date, Test person: 2004−05−01, Name
Driver adjustment Paper:
Resolution:
Modus:
Driver version:

Test device type: unknown
Test device number:
Ink: black:
coloured:
Test paper:



www.ps.bam.de/BE13/10Q/Q13E00NP.PS/.PDF; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)
224 mm (+/− 1 mm)

Fig. 1: Colour area 14 mm x 14 mm; Yield / Emission: 40% geometrical colour area coverage and 20% visual colour coverage; PS operator: cmy0* / 000n* setcmykcolor
input: *cmy0* / 000n* setcmykcolor*
Step: S1
BAM-test chart no. BE13
Yield/Emission: 40% geometrical and 20% visual area coverage output: *no change compared to input*

C c000* **M** 0m00* **Y** 00y0* **N** 000n* 170 mm (+/− 1 mm) **O** 0my0* **L** c0y0* **V** cm00* **CMY** cmy0*

See for similar files: http://www.ps.bam.de/BE13/
Technical information: http://www.ps.bam.de Version 2.0, io=0,0


224 mm (+/− 1 mm)
170 mm (+/− 1 mm)













BAM registration: 20040501-BE13/10Q/Q13E00NP.PS/.PDF BAM material: code=rha4ta
application for relative yield and reproduction properties of chromatic printers

Proposal: Test chart for yield and emission of colour toner modules and inkjet cartridges, PDF-Format

Date, Test person: 2004−05−01, Name
Driver adjustment Paper:
Resolution:
Modus:
Driver version:

Test device type: unknown
Test device number:
Ink: black:
coloured:
Test paper:



www.ps.bam.de/BE13/10Q/Q13E00NP.PS/.PDF; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)
224 mm (+/− 1 mm)

Fig. 1: Colour area 14 mm x 14 mm; Yield / Emission: 40% geometrical colour area coverage and 20% visual colour coverage; PS operator: cmy0* / 000n* setcmykcolor
BAM-test chart no. BE13 Step: S1
Yield/Emission: 40% geometrical and 20% visual area coverage output: *no change compared to input* input: *cmy0* / 000n* setcmykcolor*

C c000* **M** 0m00* **Y** 00y0* **N** 000n* 170 mm (+/− 1 mm) **O** 0my0* **L** c0y0* **V** cm00* **CMY** cmy0*


224 mm (+/− 1 mm)
170 mm (+/− 1 mm)