


BAM material: code=rha4ta
 Form: J3. Serie: 1/h. Page: 1
 matic printers Page: count: 1

Version 2.0, io=0,1; iORS; oORS, CIELAB



Picture 5: 16 equidistant steps for "measurement", "banding" and "strike through"; Use of PS operator; B4: `cmY0* / 000n* setcmykcolor`; D4: `cmY0* setcmykcolor (only)`

BAM-test chart no. BE16

Step: S2


```
input: cmy0* / 000n* setcmykcolor
```

Color reproduction properties of ISO/IEC TR 19797 and 24705

output: $olv^* \text{ setrgbcolor} / w^* \text{ setgray}$




Picture B1: Colours CMYKOLVA for homogeneity and ghost images; PS operator $cmy0^* / 000n^* setcmykcolor$




Picture B2: Radial gratings W-C, W-M, W-Y, W-N, and W-Z; PS operator $cmy0^* / 000n^* setcmykcolor$




Picture B3: 14 CIE-test colours and 2 + 16 grey steps; Use of PS operator $cmy0^* / 000n^* setcmykcolor$




Picture B4: 16 equidistant steps W-C, W-M, W-Y and W-N; PS operator $cmy0^* / 000n^* setcmykcolor$




Picture B5: Script and Landolt-rings N, M, C and Y; Use of PS operator $cmy0^* / 000n^* setcmykcolor$




Picture B6: Landolt-rings W-C and W-M; Use of PS operator $cmy0^* / 000n^* setcmykcolor$




Picture B7: Landolt-rings W-Y and W-N; Use of PS operator $cmy0^* / 000n^* setcmykcolor$




Picture D1: Colours CMYNOLVA_w for homogeneity and gost images; PS operator $cmy0^* / 000n^* setcmykcolor$




Picture D2: Radial gratings W-O, W-L, W-V, W-N, and W-Z; PS operator $cmy0^* setcmykcolor$ (only)




Picture D3: 14 CIE-test colours and 2 + 16 grey steps; Use of PS operator $cmy0^* setcmykcolor$ (only)




Picture D4: 16 equidistant steps W-O, W-L, W-V and W-N; Use of PS operator $cmy0^* setcmykcolor$ (only)



Picture D5: Script and Landolt-rings N, O, L and V; Use of PS operator $cmy0^* setcmykcolor$ (only)



Picture D6: Landolt-rings W-O and W-L; Use of PS operator $cmy0^* setcmykcolor$ (only)



Picture D7: Landolt-rings W-V and W-N; Use of PS operator $cmy0^* setcmykcolor$ (only)