


See for similar files: <http://www.ps.bam.de/BE16/>
Technical information: <http://www.ps.bam.de> Version 2.0, io=0,2; iORS; oORS, CIE LAB



Picture 5: 16 equidistant steps for "measurement", "banding" and "strike through"; Use of PS operator; B4: cmy0* / 000n* setcmycolor; D4: cmy0* setcmycolor (only)

BAM-test chart no. BE16

Step: S2


input: cmy0* / 000n* setcmycolor

Color reproduction properties of ISO/IEC TR 19797 and 24705

output: cmy0* / nnn0* setcmycolor



Picture B1: Colours CMYNOLVA for homogeneity and gost images; PS operator *cmy0* / 000n* setcmykcolor*



Picture B2: Radial gratings W-C, W-M, W-Y, W-N, and W-Z; PS operator *cmY0* / 000n* setcmykcolor*




Picture B3: 14 CIE-test colours and 2 + 16 grey steps; Use of PS operator `cmY0* / 000n* setcmykcolor`




BAM-test chart no. BE16

Step: S2


Color reproduction properties of ISO/IEC TR 19797 and 24705




Picture B4: 16 equidistant steps W-C, W-M, W-Y and W-N; PS operator *cmY0* / 000n* setcmykcolor*



Picture B5: Script and Landolt-rings *N*, *M*, *C* and *Y*; Use of PS operator *cmY0** / *000n** *setcmykcolor*



Picture B6: Landolt-rings **W-C** and **W-M**; Use of PS operator `cmy0* / 000n* setcmykcolor`




Picture B7: Landolt-rings **W-Y** and **W-N**; Use of PS operator `cmy0* / 000n* setcmykcolor`

```
input: cmy0* / 000n* setcmykcolor
```

output: *cm̄y0** / *nnn0** *setcmykcolor*




Picture D1: Colours CMYNOLVA_w for homogeneity and gost images; PS operator $cmY0^* / 000n^* setcmykcolor$




Picture D2: Radial gratings W-O, W-L, W-V, W-N, and W-Z; PS operator $cmY0^* setcmykcolor$ (only)




Picture D3: 14 CIE-test colours and 2 + 16 grey steps; Use of PS operator $cmY0^* setcmykcolor$ (only)




Picture D4: 16 equidistant steps W-O, W-L, W-V and W-N; Use of PS operator $cmY0^* setcmykcolor$ (only)



Picture D5: Script and Landolt-rings N, O, L and V; Use of PS operator $cmY0^* setcmykcolor$ (only)



Picture D6: Landolt-rings W-O and W-L; Use of PS operator $cmY0^* setcmykcolor$ (only)



Picture D7: Landolt-rings W-V and W-N; Use of PS operator $cmY0^* setcmykcolor$ (only)