


See for similar files: <http://www.ps.bam.de/BE16/>  
Technical information: <http://www.ps.bam.de> Version 2.0, io=0,0?

BAM registration: 20040501-BE16/10L/L16E00SP.PS/.PDF BAM material: code=rh4ta  
application for relative yield and reproduction properties of chromatic printers  
/BE16/ Form: 1/3, Serie: 1/1, Page: 1 Page count: 1



Picture 5: 16 equidistant steps for "measurement", "banding" and "strike through"; Use of PS operator; B4: cmy0\* / 000n\* setcmycolor; D4: cmy0\* setcmycolor (only)

BAM-test chart no. BE16

Step: S2

input: cmy0\* / 000n\* setcmycolor

Color reproduction properties of ISO/IEC TR 19797 and 24705


output: Startup (S) data dependend

See for similar files: <http://www.ps.bam.de/BE16/>  
Technical information: <http://www.ps.bam.de>  
Version 2.0, io=0,0?

BAM registration: 20040501-BE16/10L/L16E01SP.PS/.PDF  
application for relative yield and reproduction properties of chromatic printers  
BAM material: code=rh4ta  
/BE16 Form: 2/3, Serie: 1/1, Page: 2  
Page count: 2



Picture B1: Colours CMYKOLVA for homogeneity and gost images; PS operator  $cm\dot{y}0^* / 000n^* \text{ setcm\dot{y}kcolor}$



Picture B2: Radial gratings W-C, W-M, W-Y, W-N, and W-Z; PS operator  $cm\dot{y}0^* / 000n^* \text{ setcm\dot{y}kcolor}$



Picture B3: 14 CIE-test colours and 2 + 16 grey steps; Use of PS operator  $cm\dot{y}0^* / 000n^* \text{ setcm\dot{y}kcolor}$


BAM-test chart no. BE16

Step: S2


Color reproduction properties of ISO/IEC TR 19797 and 24705

input:  $cm\dot{y}0^* / 000n^* \text{ setcm\dot{y}kcolor}$


output: Startup (S) data depend




Picture B4: 16 equidistant steps W-C, W-M, W-Y and W-N; PS operator  $cm\dot{y}0^* / 000n^* \text{ setcm\dot{y}kcolor}$



Picture B5: Script and Landolt-rings N, M, C and Y; Use of PS operator  $cm\dot{y}0^* / 000n^* \text{ setcm\dot{y}kcolor}$



Picture B6: Landolt-rings W-C and W-M; Use of PS operator  $cm\dot{y}0^* / 000n^* \text{ setcm\dot{y}kcolor}$




Picture B7: Landolt-rings W-Y and W-N; Use of PS operator  $cm\dot{y}0^* / 000n^* \text{ setcm\dot{y}kcolor}$

See for similar files: <http://www.ps.bam.de/BE16/>  
Technical information: <http://www.ps.bam.de>  
Version 2.0, io=0,0?



Picture D1: Colours CMYKOLVA<sub>w</sub> for homogeneity and gost images; PS operator *cmly0\* / 000n\* setcmlycolor*



Picture D2: Radial gratings W-O, W-L, W-V, W-N, and W-Z; PS operator *cmly0\* setcmlycolor* (only)



Picture D3: 14 CIE-test colours and 2 + 16 grey steps; Use of PS operator *cmly0\* setcmlycolor* (only)

BAM-test chart no. BE16

Step: S2


Color reproduction properties of ISO/IEC TR 19797 and 24705

input: *cmly0\* / 000n\* setcmlycolor*


output: *Startup (S) data depend*




Picture D4: 16 equidistant steps W-O, W-L, W-V and W-N; Use of PS operator *cmly0\* setcmlycolor* (only)



Picture D5: Script and Landolt-rings N, O, L and V; Use of PS operator *cmly0\* setcmlycolor* (only)



Picture D6: Landolt-rings W-O and W-L; Use of PS operator *cmly0\* setcmlycolor* (only)



Picture D7: Landolt-rings W-V and W-N; Use of PS operator *cmly0\* setcmlycolor* (only)