

BAM registration: 20040501-BE16/10/L16E00FP.PS.PDF BAM material: code=rha4ta
application for relative yield and reproduction properties of chromatic printers

/BELOW Form: I/3, Serie: I/I, Page: 1 Page count: 1




C
*c000**

$$M_{0m00^*}$$
$$Y_{00y0^*}$$
$$N_{000n^*}$$

O
*omy0**

$$L_{c0y0^*}$$
 V_{cm00^*}
$$N_{cmy0^*}$$

```
*=input
```



Picture 5: 16 equidistant steps for "measurement", "banding" and "strike through"; Use of PS operator; B4: cmy0* / 000n* setcmykcolor; D4: cmy0* setcmykcolor (only)

BAM-test chart no. BE16

Color reproduction properties of ISO/IEC TR 19797 and 24705

Step: S2

```
input: cmy0* / 000n* setcmykcolor
```

```
input: emyo / 000n* setcmymkcolor
```



See for similar files: <http://www.ps.bam.de/BE16/>
 Technical information: <http://www.ps.bam.de> Version 2.0, io=0,6; iORS; oORS, CIELAB




See for similar files: <http://www.ps.bam.de/BE16/>
Technical information: <http://www.ps.bam.de>


Version 2.0, io=0,6; iORS; oORS, CIELAB



Picture B1: Colours CMYNOLVA for homogeneity and ghost images; PS operator $cmy0^* / 000n^* setcmykcolor$



Picture B2: Radial gratings W-C, W-M, W-Y, W-N, and W-Z; PS operator $cmy0^* / 000n^* setcmykcolor$




Picture B3: 14 CIE-test colours and 2 + 16 grey steps; Use of PS operator $cmy0^* / 000n^* setcmykcolor$


BAM-test chart no. BE16

Step: S2


Color reproduction properties of ISO/IEC TR 19797 and 24705




Picture B4: 16 equidistant steps W-C, W-M, W-Y and W-N; PS operator $cmy0^* / 000n^* setcmykcolor$



Picture B5: Script and Landolt-rings N, M, C and Y; Use of PS operator $cmy0^* / 000n^* setcmykcolor$



Picture B6: Landolt-rings W-C and W-M; Use of PS operator $cmy0^* / 000n^* setcmykcolor$



Picture B7: Landolt-rings W-Y and W-N; Use of PS operator $cmy0^* / 000n^* setcmykcolor$


input: $cmy0^* / 000n^* setcmykcolor$
output: $000n^* setcmykcolor$

See for similar files: <http://www.ps.bam.de/BE16/>
Technical information: <http://www.ps.bam.de>

Version 2.0, io=0,6; iORS, oORS, CIELAB



Picture D1: Colours CMYNOLVA_w for homogeneity and ghost images; PS operator $cmy0^* / 000n^* setcmykcolor$ (only)



Picture D2: Radial gratings W-O, W-L, W-V, W-N, and W-Z; PS operator $cmy0^* setcmykcolor$ (only)




Picture D3: 14 CIE-test colours and 2 + 16 grey steps; Use of PS operator $cmy0^* setcmykcolor$ (only)


BAM-test chart no. BE16

Step: S2


Color reproduction properties of ISO/IEC TR 19797 and 24705




Picture D4: 16 equidistant steps W-O, W-L, W-V and W-N; Use of PS operator $cmy0^* setcmykcolor$ (only)



Picture D5: Script and Landolt-rings N, O, L and V; Use of PS operator $cmy0^* setcmykcolor$ (only)



Picture D6: Landolt-rings W-O and W-L; Use of PS operator $cmy0^* setcmykcolor$ (only)



Picture D7: Landolt-rings W-V and W-N; Use of PS operator $cmy0^* setcmykcolor$ (only)

input: $cmy0^* / 000n^* setcmykcolor$

output: $000n^* setcmykcolor$