




Picture B1: Colours CMYNOLVA for homogeneity and goss images; PS operator  $cmy0^* / 000n^* \text{ setcmykcolor}$



Picture B2: Radial gratings W-C, W-M, W-Y, W-N, and W-Z; PS operator  $cmy0^* / 000n^* \text{ setcmykcolor}$




Picture B3: 14 CIE-test colours and 2 + 16 grey steps; Use of PS operator  $cmy0^* / 000n^* \text{ setcmykcolor}$

BAM-test chart no. BE16

Step: S2


Color reproduction properties of ISO/IEC TR 19797 and 24705




Picture B4: 16 equidistant steps W-C, W-M, W-Y and W-N; PS operator  $cmy0^* / 000n^* \text{ setcmykcolor}$



Picture B5: Script and Landolt-rings N, M, C and Y; Use of PS operator  $cmy0^* / 000n^* \text{ setcmykcolor}$



Picture B6: Landolt-rings W-C and W-M; Use of PS operator  $cmy0^* / 000n^* \text{ setcmykcolor}$



Picture B7: Landolt-rings W-Y and W-N; Use of PS operator  $cmy0^* / 000n^* \text{ setcmykcolor}$

input:  $cmy0^* / 000n^* \text{ setcmykcolor}$   
output:  $cmy0^* / 000n^* \text{ setcmykcolor}$