


See for similar files: <http://www.ps.bam.de/BE17/>
Technical information: <http://www.ps.bam.de> Version 2.0, io=0,2; iORS; oORS, CIE LAB

BAM registration: 20040501-BE17/10L/L17E00FP.PS/.PDF BAM material: code=rh4ta
application for relative yield and reproduction properties of chromatic printers
Form: 1, Serie: 1, Page: 1 Page count: 1



Picture 5: 16 equidistant steps for "measurement", "banding" and "strike through"; Use of PS operator; B4: cmy0* / 000n* setcmycolor; D4: cmy0* setcmycolor (only)

BAM-test chart no. BE17

Color reproduction properties of ISO/IEC TR 19797 and 24705

Step: S2

input: cmy0* / 000n* setcmycolor


output: cmy0* / nnn0* setcmycolor

See for similar files: <http://www.ps.bam.de/BE17/>
Technical information: <http://www.ps.bam.de>

Version 2.0, io=0,2; IORS; oORS, CIELAB




Picture B1: Colours CMYKOLVA for homogeneity and gost images; PS operator $\text{cmy0}^* / 000n^* \text{setcmykcolor}$




Picture B2: Radial gratings W-C, W-M, W-Y, W-N, and W-Z; PS operator $\text{cmy0}^* / 000n^* \text{setcmykcolor}$




Picture B3: 14 CIE-test colours and 2 + 16 grey steps; Use of PS operator $\text{cmy0}^* / 000n^* \text{setcmykcolor}$




Picture B4: 16 equidistant steps W-C, W-M, W-Y and W-N; PS operator $\text{cmy0}^* / 000n^* \text{setcmykcolor}$




Picture B5: Script and Landolt-rings N, M, C and Y; Use of PS operator $\text{cmy0}^* / 000n^* \text{setcmykcolor}$



Picture B6: Landolt-rings W-C and W-M; Use of PS operator $\text{cmy0}^* / 000n^* \text{setcmykcolor}$



Picture B7: Landolt-rings W-Y and W-N; Use of PS operator $\text{cmy0}^* / 000n^* \text{setcmykcolor}$



BAM-test chart no. BE17

Step: S2

Color reproduction properties of ISO/IEC TR 19797 and 24705

input: $\text{cmy0}^* / 000n^* \text{setcmykcolor}$


output: $\text{cmy0}^* / nnn0^* \text{setcmykcolor}$

See for similar files: <http://www.ps.bam.de/BE17/>
Technical information: <http://www.ps.bam.de>


Version 2.0, io=0,2; IORS; oORS, CIELAB



Picture D1: Colours CMYNOLVA_w for homogeneity and gost images; PS operator $cmy0^* / 000n^* setcmykcolor$



Picture D2: Radial gratings W-O, W-L, W-V, W-N, and W-Z; PS operator $cmy0^* setcmykcolor$ (only)



Picture D3: 14 CIE-test colours and 2 + 16 grey steps; Use of PS operator $cmy0^* setcmykcolor$ (only)




BAM-test chart no. BE17

Step: S2


Color reproduction properties of ISO/IEC TR 19797 and 24705




Picture D4: 16 equidistant steps W-O, W-L, W-V and W-N; Use of PS operator $cmy0^* setcmykcolor$ (only)



Picture D5: Script and Landolt-rings N, O, L and V; Use of PS operator $cmy0^* setcmykcolor$ (only)



Picture D6: Landolt-rings W-O and W-L; Use of PS operator $cmy0^* setcmykcolor$ (only)



Picture D7: Landolt-rings W-V and W-N; Use of PS operator $cmy0^* setcmykcolor$ (only)

input: $cmy0^* / 000n^* setcmykcolor$
output: $cmy0^* / nnn0^* setcmykcolor$