



See for similar files: <http://www.ps.bam.de/BE17/>
Technical information: <http://www.ps.bam.de> Version 2.0, io=0,6; iORS; oORS, CIELAB




Picture 5: 16 equidistant steps for "measurement", "banding" and "strike through"; Use of PS operator; B4: cmy0* / 000n* setcmycolor; D4: cmy0* setcmycolor (only)




Picture B1: Colours CMYNOLVA for homogeneity and gost images; PS operator $cmy0^*/000n^*$ setcmykcolor




Picture B2: Radial gratings W-C, W-M, W-Y, W-N, and W-Z; PS operator $cmy0^*/000n^*$ setcmykcolor




Picture B3: 14 CIE-test colours and 2 + 16 grey steps; Use of PS operator $cmy0^*/000n^*$ setcmykcolor




Picture B4: 16 equidistant steps W-C, W-M, W-Y and W-N; PS operator $cmy0^*/000n^*$ setcmykcolor




Picture B5: Script and Landolt-rings N, M, C and Y; Use of PS operator $cmy0^*/000n^*$ setcmykcolor




Picture B6: Landolt-rings W-C and W-M; Use of PS operator $cmy0^*/000n^*$ setcmykcolor




Picture B7: Landolt-rings W-Y and W-N; Use of PS operator $cmy0^*/000n^*$ setcmykcolor




Form: 3, Series: 1, Page: 3 Page count: 3
 BAM material: code=rha4ta
 omatic printers



Picture D1: Colours CMYNOLVA_W for homogeneity and ghost images; PS operator *cmy0*/000n* setcmykcolor*



Picture D2: Radial gratings *W-O*, *W-L*, *W-V*, *W-N*, and *W-Z*; PS operator *cmy0* setcmykcolor (only)*




Picture D3: 14 CIE-test colours and 2 + 16 grey steps; Use of PS operator `cmy0*.setcmykcolor` (only)




BAM-test chart no. BE17

Step: S2


Color reproduction properties of ISO/IEC TR 19797 and 24705




Picture D4: 16 equidistant steps *W-O*, *W-L*, *W-V* and *W-N*; Use of PS operator *cmy0*setcmykcolor*



Picture D5: Script and Landolt-rings *N*, *O*, *L* and *V*; Use of PS operator *cmy0* setcmykcolor* (only)



Picture D6: Landolt-rings **W-O** and **W-L**; Use of PS operator *cmly0* setcmykcolor* (only)



Picture D7: Landolt-rings **W-V** and **W-N**; Use of PS operator `cmv0* setcmykcolor` (only)



```
input: cmy0* / 000n* setcmykcolor
output: 000n* setcmykcolor
```

