


See for similar files: <http://www.ps.bam.de/BE17/>
Technical information: <http://www.ps.bam.de> Version 2.0, io=0,0?

BAM registration: 20040501-BE17/10L/L17E00SP.PS/.PDF BAM material: code=rh4ta
application for relative yield and reproduction properties of chromatic printers
Form: 1, Series: 1, Page: 1 Page count: 1



Picture 5: 16 equidistant steps for "measurement", "banding" and "strike through"; Use of PS operator; B4: cmy0* / 000n* setcmycolor; D4: cmy0* setcmycolor (only)

BAM-test chart no. BE17

Step: S2


input: cmy0* / 000n* setcmycolor

Color reproduction properties of ISO/IEC TR 19797 and 24705

output: Startup (S) data dependend




Picture B1: Colours CMYKOLVA for homogeneity and gost images; PS operator $cm\dot{y}0^* / 000n^* \text{ setcmykcolor}$




Picture B2: Radial gratings W-C, W-M, W-Y, W-N, and W-Z; PS operator $cm\dot{y}0^* / 000n^* \text{ setcmykcolor}$




Picture B3: 14 CIE-test colours and 2 + 16 grey steps; Use of PS operator $cm\dot{y}0^* / 000n^* \text{ setcmykcolor}$




Picture B4: 16 equidistant steps W-C, W-M, W-Y and W-N; PS operator $cm\dot{y}0^* / 000n^* \text{ setcmykcolor}$



Picture B5: Script and Landolt-rings N, M, C and Y; Use of PS operator $cm\dot{y}0^* / 000n^* \text{ setcmykcolor}$



Picture B6: Landolt-rings W-C and W-M; Use of PS operator $cm\dot{y}0^* / 000n^* \text{ setcmykcolor}$



Picture B7: Landolt-rings W-Y and W-N; Use of PS operator $cm\dot{y}0^* / 000n^* \text{ setcmykcolor}$

BAM-test chart no. BE17

Step: S2


Color reproduction properties of ISO/IEC TR 19797 and 24705

input: $cm\dot{y}0^* / 000n^* \text{ setcmykcolor}$

output: Startup (S) data dependend




Picture D1: Colours CMYNOLVA_w for homogeneity and gost images; PS operator *cmy0* / 000n* setcmykcolor*



Picture D2: Radial gratings W-O, W-L, W-V, W-N, and W-Z; PS operator *cmy0* setcmykcolor (only)*



Picture D3: 14 CIE-test colours and 2 + 16 grey steps; Use of PS operator *cmy0* setcmykcolor (only)*




BAM-test chart no. BE17
Color reproduction properties of ISO/IEC TR 19797 and 24705


Step: S2




Picture D4: 16 equidistant steps W-O, W-L, W-V and W-N; Use of PS operator *cmy0* setcmykcolor (only)*



Picture D5: Script and Landolt-rings N, O, L and V; Use of PS operator *cmy0* setcmykcolor (only)*



Picture D6: Landolt-rings W-O and W-L; Use of PS operator *cmy0* setcmykcolor (only)*



Picture D7: Landolt-rings W-V and W-N; Use of PS operator *cmy0* setcmykcolor (only)*

input: *cmy0* / 000n* setcmykcolor*
output: *Startup (S) data depend*