


See for similar files: <http://www.ps.bam.de/BE17/>  
Technical information: <http://www.ps.bam.de> Version 2.0, io=0,7; iORS; oORS, CIELAB

BAM registration: 20040501-BE17/10L/L17E00FP.PS/.PDF BAM material: code=rh4ta  
application for relative yield and reproduction properties of chromatic printers  
Form: 1, Serie: 1, Page: 1 Page count: 1



Picture 5: 16 equidistant steps for "measurement", "banding" and "strike through"; Use of PS operator; B4: *cmy0\* / 000n\* setcmycolor*; D4: *cmy0\* setcmycolor (only)*

BAM-test chart no. BE17

Color reproduction properties of ISO/IEC TR 19797 and 24705


Step: S2

input: *cmy0\* / 000n\* setcmycolor*


output: *w\* setgray*




Picture B1: Colours CMYNOLVA for homogeneity and gost images; PS operator  $cmy0^*/000n^*$  setcmykcolor




Picture B2: Radial gratings W-C, W-M, W-Y, W-N, and W-Z; PS operator  $cmy0^*/000n^*$  setcmykcolor




Picture B3: 14 CIE-test colours and 2 + 16 grey steps; Use of PS operator  $cmy0^*/000n^*$  setcmykcolor




Picture B4: 16 equidistant steps W-C, W-M, W-Y and W-N; PS operator  $cmy0^*/000n^*$  setcmykcolor




Picture B5: Script and Landolt-rings N, M, C and Y; Use of PS operator  $cmy0^*/000n^*$  setcmykcolor




Picture B6: Landolt-rings W-C and W-M; Use of PS operator  $cmy0^*/000n^*$  setcmykcolor




Picture B7: Landolt-rings W-Y and W-N; Use of PS operator  $cmy0^*/000n^*$  setcmykcolor




Picture D1: Colours CMYNOLVA<sub>w</sub> for homogeneity and ghost images; PS operator  $cmy0^* / 000n^* setcmkcolor$



Picture D2: Radial gratings  $W-O$ ,  $W-L$ ,  $W-V$ ,  $W-N$ , and  $W-Z$ ; PS operator  $cmy0^* setcmkcolor$  (only)




Picture D3: 14 CIE-test colours and 2 + 16 grey steps; Use of PS operator  $cmy0^* setcmkcolor$  (only)




BAM-test chart no. BE17  
Color reproduction properties of ISO/IEC TR 19797 and 24705


Step: S2




Picture D4: 16 equidistant steps  $W-O$ ,  $W-L$ ,  $W-V$  and  $W-N$ ; Use of PS operator  $cmy0^* setcmkcolor$  (only)



Picture D5: Script and Landolt-rings  $N$ ,  $O$ ,  $L$  and  $V$ ; Use of PS operator  $cmy0^* setcmkcolor$  (only)



Picture D6: Landolt-rings  $W-O$  and  $W-L$ ; Use of PS operator  $cmy0^* setcmkcolor$  (only)



Picture D7: Landolt-rings  $W-V$  and  $W-N$ ; Use of PS operator  $cmy0^* setcmkcolor$  (only)

input:  $cmy0^* / 000n^* setcmkcolor$   
output:  $w^* setgray$