




Picture C3: 16 visual equidistant L\*-grey steps; PS operator: 000n\* setcmykcolor



Picture C3: 16 visual equidistant L\*-grey steps; PS operator: w\* setgray



Picture C3: 16 visual equidistant L\*-grey steps; PS operator: nnn0\* setcmykcolor



Picture C3: 16 visual equidistant L\*-grey steps; PS operator: www\* setrgbcolor

ISO 9241-test chart for contrast range  $Y_w:Y_n = 88.6 : 0.0$

Ergonomics – Visual Displays – Field Assessment Methods

input: four different (d)

output: no change compared to input

See for similar files: <http://www.ps.bam.de/CE69/>  
Technical information: <http://www.ps.bam.de/9241>


Version 2.0, io=d,d, CIELAB, 1.0 exp

BAM registration: 20040101-CE69/10L/L69E00SP.PS/.PDF  
Application for achromatic display output with CIELAB contrast range  $L^*_w:L^*_n = 95.4 : 0.0$   
BAM material: code=rh4ta


See for similar files: <http://www.ps.bam.de/CE69/>  
Technical information: <http://www.ps.bam.de/9241>

Version 2.0, io=d,d, CIELAB, 1.0 exp


BAM registration: 20040101-CE69/10L/L69E10SP.PS/.PDF BAM material: code=rh4ta  
Application for achromatic display output with CIELAB contrast range  $L^*:w:L^*n = 95.4 : 0.0$




Picture C3: 16 visual equidistant  $L^*$ -grey steps; PS operator: 000n\* setcmykcolor



Picture C3: 16 visual equidistant  $L^*$ -grey steps; PS operator: w\* setgray



Picture C3: 16 visual equidistant  $L^*$ -grey steps; PS operator: nnn0\* setcmykcolor



Picture C3: 16 visual equidistant  $L^*$ -grey steps; PS operator: www\* setrgbcolor


ISO 9241-test chart for contrast range  $Y_w:Y_n = 88.6 : 0.0$

Ergonomics – Visual Displays – Field Assessment Methods


input: four different (d)

output: no change compared to input







Picture C3: 16 visual equidistant  $L^*$ -grey steps; PS operator: 000n\* setcmykcolor



Picture C3: 16 visual equidistant  $L^*$ -grey steps; PS operator: w\* setgray



Picture C3: 16 visual equidistant  $L^*$ -grey steps; PS operator: nnn0\* setcmykcolor



Picture C3: 16 visual equidistant  $L^*$ -grey steps; PS operator: www\* setrgbcolor

ISO 9241-test chart for contrast range  $Y_w:Y_n = 88.6 : 0.0$

Ergonomics – Visual Displays – Field Assessment Methods


input: four different (d)

output: no change compared to input


See for similar files: <http://www.ps.bam.de/CE69/>  
Technical information: <http://www.ps.bam.de/9241>

Version 2.0, io=d,d, CIELAB, 1.0 exp


BAM registration: 20040101-CE69/10L/L69E20SP.PS/.PDF  
Application for achromatic display output with CIELAB contrast range  $L^*:w:L^*n = 95.4 : 0.0$   
BAM material: code=rh4ta




Picture C3: 16 visual equidistant L\*-grey steps; PS operator: 000n\* setcmykcolor



Picture C3: 16 visual equidistant L\*-grey steps; PS operator: w\* setgray



Picture C3: 16 visual equidistant L\*-grey steps; PS operator: nnn0\* setcmykcolor



Picture C3: 16 visual equidistant L\*-grey steps; PS operator: www\* setrgbcolor

ISO 9241-test chart for contrast range  $Y_w:Y_n = 88.6 : 0.0$

Ergonomics – Visual Displays – Field Assessment Methods


input: four different (d)

output: no change compared to input


See for similar files: <http://www.ps.bam.de/CE69/>  
Technical information: <http://www.ps.bam.de/9241>

Version 2.0, io=d,d, CIELAB, 1.0 exp


BAM registration: 20040101-CE69/10L/L69E30SP.PS/.PDF  
Application for achromatic display output with CIELAB contrast range  $L^*_w:L^*_n = 95.4 : 0.0$   
BAM material: code=rh4ta




Picture C3: 16 visual equidistant L\*-grey steps; PS operator: 000n\* setcmykcolor



Picture C3: 16 visual equidistant L\*-grey steps; PS operator: w\* setgray



Picture C3: 16 visual equidistant L\*-grey steps; PS operator: nnn0\* setcmykcolor



Picture C3: 16 visual equidistant L\*-grey steps; PS operator: www\* setrgbcolor

ISO 9241-test chart for contrast range  $Y_w:Y_n = 88.6 : 0.0$

Ergonomics – Visual Displays – Field Assessment Methods


input: four different (d)

output: no change compared to input


See for similar files: <http://www.ps.bam.de/CE69/>  
Technical information: <http://www.ps.bam.de/9241>

Version 2.0, io=d,d, CIE LAB, 1.0 exp


BAM registration: 20040101-CE69/10L/L69E40SP.PS/.PDF  
Application for achromatic display output with CIE LAB contrast range  $L^*_w:L^*_n = 95.4 : 0.0$   
BAM material: code=rh4ta




Picture C3: 16 visual equidistant L\*-grey steps; PS operator: 000n\* setcmykcolor



Picture C3: 16 visual equidistant L\*-grey steps; PS operator: w\* setgray



Picture C3: 16 visual equidistant L\*-grey steps; PS operator: nnn0\* setcmykcolor



Picture C3: 16 visual equidistant L\*-grey steps; PS operator: www\* setrgbcolor

ISO 9241-test chart for contrast range  $Y_w:Y_n = 88.6 : 0.0$

Ergonomics – Visual Displays – Field Assessment Methods

input: four different (d)

output: no change compared to input

See for similar files: <http://www.ps.bam.de/CE69/>  
Technical information: <http://www.ps.bam.de/9241>





Version 2.0, io=d,d, CIELAB, 1.0 exp


BAM registration: 20040101-CE69/10L/L69E50SP.PS/.PDF  
Application for achromatic display output with CIELAB contrast range  $L^*_w:L^*_n = 95.4 : 0.0$   
BAM material: code=rh4ta

See for similar files: <http://www.ps.bam.de/CE69/>  
Technical information: <http://www.ps.bam.de/9241>


Version 2.0, io=d,d, CIELAB, 1.0 exp

BAM registration: 20040101-CE69/10L/L69E60SP.PS/.PDF BAM material: code=rh4ta  
Application for achromatic display output with CIELAB contrast range  $L^*:w:L^*n = 95.4 : 0.0$







Picture C3: 16 visual equidistant L\*-grey steps; PS operator: 000n\* setcmykcolor



Picture C3: 16 visual equidistant L\*-grey steps; PS operator: w\* setgray



Picture C3: 16 visual equidistant L\*-grey steps; PS operator: nnn0\* setcmykcolor



Picture C3: 16 visual equidistant L\*-grey steps; PS operator: www\* setrgbcolor

ISO 9241-test chart for contrast range  $Y_w:Y_n = 88.6 : 0.0$

Ergonomics – Visual Displays – Field Assessment Methods

input: four different (d)

output: no change compared to input

See for similar files: <http://www.ps.bam.de/CE69/>  
Technical information: <http://www.ps.bam.de/9241>

Version 2.0, io=d,d, CIELAB, 1.0 exp

BAM registration: 20040101-CE69/10L/L69E70SP.PS/.PDF  
Application for achromatic display output with CIELAB contrast range  $L^*_w:L^*_n = 95.4 : 0.0$   
BAM material: code=rh4ta