



See for similar files: <http://www.ps.bam.de/CE74/>
 Technical information: <http://www.ps.bam.de/9241>

Version 2.0, io=d,d, CIELAB, 0.5 exp


BAM registration: 20040101-CE74/10S/S74E00FP.PS/.PDF BAM material: code=rh4ta
 Application for achromatic display output with CIELAB contrast range $L^*_w:L^*_n = 95.4 : 0.0$




Picture C3: 16 visual equidistant L^* -grey steps; PS operator: 000n* setcmkcolor



Picture C3: 16 visual equidistant L^* -grey steps; PS operator: w* setgray



Picture C3: 16 visual equidistant L^* -grey steps; PS operator: nnn0* setcmkcolor





Picture C3: 16 visual equidistant L^* -grey steps; PS operator: www* setrgbcolor

ISO 9241-test chart for contrast range $Y_w:Y_n = 88.6 : 0.0$

Ergonomics – Visual Displays – Field Assessment Methods

input: four different (d)





output: no change compared to input



See for similar files: <http://www.ps.bam.de/CE74/>
 Technical information: <http://www.ps.bam.de/9241>

Version 2.0, io=d,d, CIELAB, 0.5 exp






BAM registration: 20040101-CE74/10S/S74E10FP.PS/.PDF BAM material: code=rh4ta
 Application for achromatic display output with CIELAB contrast range $L^*_w:L^*_n = 95.4 : 5.7$



See for similar files: <http://www.ps.bam.de/CE74/>
 Technical information: <http://www.ps.bam.de/9241>

Version 2.0, io=d,d, CIELAB, 0.5 exp


BAM registration: 20040101-CE74/10S/S74E20FP.PS/.PDF BAM material: code=rh4ta
 Application for achromatic display output with CIELAB contrast range $L^*_w:L^*_n = 95.4 : 11.0$




See for similar files: <http://www.ps.bam.de/CE74/>
 Technical information: <http://www.ps.bam.de/9241>

Version 2.0, io=d,d, CIELAB, 0.5 exp


BAM registration: 20040101-CE74/10S/S74E30FP.PS/.PDF BAM material: code=rh4ta
 Application for achromatic display output with CIELAB contrast range $L^*_w:L^*_n = 95.4 : 18.0$




Picture C3: 16 visual equidistant L^* -grey steps; PS operator: 000n* setcmykcolor



Picture C3: 16 visual equidistant L^* -grey steps; PS operator: w* setgray



Picture C3: 16 visual equidistant L^* -grey steps; PS operator: nnn0* setcmykcolor



Picture C3: 16 visual equidistant L^* -grey steps; PS operator: www* setrgbcolor

ISO 9241-test chart for contrast range $Y_w:Y_n = 88.6 : 2.5$

Ergonomics – Visual Displays – Field Assessment Methods

input: four different (d)






output: no change compared to input



See for similar files: <http://www.ps.bam.de/CE74/>
 Technical information: <http://www.ps.bam.de/9241>

Version 2.0, io=d,d, CIELAB, 0.5 exp





BAM registration: 20040101-CE74/10S/S74E40FP.PS/.PDF BAM material: code=rh4ta
 Application for achromatic display output with CIELAB contrast range $L^*_w:L^*_n = 95.4 : 26.8$



See for similar files: <http://www.ps.bam.de/CE74/>
 Technical information: <http://www.ps.bam.de/9241>

Version 2.0, io=d,d, CIELAB, 0.5 exp


BAM registration: 20040101-CE74/10S/S74E50FP.PS/.PDF BAM material: code=rh4ta
 Application for achromatic display output with CIELAB contrast range $L^*_w:L^*_n = 95.4 : 38.0$




See for similar files: <http://www.ps.bam.de/CE74/>
 Technical information: <http://www.ps.bam.de/9241>

Version 2.0, io=d,d, CIELAB, 0.5 exp


BAM registration: 20040101-CE74/10S/S74E60FP.PS/.PDF BAM material: code=rh4ta
 Application for achromatic display output with CIELAB contrast range $L^*_w:L^*_n = 95.4 : 52.0$




Picture C3: 16 visual equidistant L^* -grey steps; PS operator: 000n* setcmykcolor



Picture C3: 16 visual equidistant L^* -grey steps; PS operator: w* setgray



Picture C3: 16 visual equidistant L^* -grey steps; PS operator: nnn0* setcmykcolor



Picture C3: 16 visual equidistant L^* -grey steps; PS operator: www* setrgbcolor

See for similar files: <http://www.ps.bam.de/CE74/>
 Technical information: <http://www.ps.bam.de/9241>

Version 2.0, io=d,d, CIELAB, 0.5 exp

BAM registration: 20040101-CE74/10S/S74E70FP.PS/.PDF BAM material: code=rh4ta
 Application for achromatic display output with CIELAB contrast range $L^*_w:L^*_n = 95.4 : 69.7$

