


See for similar files: <http://www.ps.bam.de/CE78/>
Technical information: <http://www.ps.bam.de/9241>

Version 2.0, io=3.3, CIE LAB, 1.0 exp





www.ps.bam.de/CE78/10L/L78E00FP.PS/.PDF; linearized output
F: Output Linearization (OL) data CE78/10L/L78E00FP.DAT in File (F)




BAM registration: 20040101-CE78/10L/L78E00FP.PS/.PDF
Application for achromatic display output with CIE LAB contrast range $L^*:W^*:a^*$


BAM material: code=rh4ta
 $L^*:W^*:a^* = 95.4 : 0.0$




Radial grating (Siemens-star) N-W



Radial grating (Siemens-star) W-N




Radial grating (Siemens-star) N-Z




Radial grating (Siemens-star) W-Z

Picture C1: Radial gratings (Siemens-stars) N-W, W-N, N-Z and W-Z; PS operator: `www* setrgbcolor`



Picture C2: 5 visual equidistant L^* -grey steps + N_0 + W_1 ; PS operator: `www* setrgbcolor`



Picture C3: 16 visual equidistant L^* -grey steps; PS operator: `www* setrgbcolor`




ISO 9241-test chart for contrast range $Y_w:Y_n = 88.6 : 0.0$


Ergonomics – Visual Displays – Field Assessment Methods

input: `www* setrgbcolor`


output: no change compared to input



Picture C4: Landolt-rings W-N; PS operator: `www* setrgbcolor`




Picture C5: Line raster under 45° (or 135°); PS operator: `www* setrgbcolor`



Picture C6: Line raster under 90° (or 0°); Use of the PS operator `www* setrgbcolor`

See for similar files: <http://www.ps.bam.de/CE78/>
Technical information: <http://www.ps.bam.de/9241>

Version 2.0, io=3.3, CIE LAB, 1.0 exp





www.ps.bam.de/CE78/10L/L78E10FP.PS/.PDF; linearized output
F: Output Linearization (OL) data CE78/10L/L78E10FP.DAT in File (F)




BAM registration: 20040101-CE78/10L/L78E10FP.PS/.PDF
Application for achromatic display output with CIE LAB contrast range $L^*:W:L^*\eta = 95.4 : 5.7$


BAM material: code=rh4ta




Radial grating (Siemens-star) N-W



Radial grating (Siemens-star) W-N




Radial grating (Siemens-star) N-Z




Radial grating (Siemens-star) W-Z

Picture C1: Radial gratings (Siemens-stars) N-W, W-N, N-Z and W-Z; PS operator: `www* setrgbcolor`



Picture C2: 5 visual equidistant L^* -grey steps + N_0 + W_1 ; PS operator: `www* setrgbcolor`




Picture C3: 16 visual equidistant L^* -grey steps; PS operator: `www* setrgbcolor`




ISO 9241-test chart for contrast range $Y_w:Y_n = 88.6 : 0.6$
Ergonomics – Visual Displays – Field Assessment Methods


input: `www* setrgbcolor`
output: no change compared to input




Picture C4: Landolt-rings W-N; PS operator: `www* setrgbcolor`





Picture C5: Line raster under 45° (or 135°); PS operator: `www* setrgbcolor`




Picture C6: Line raster under 90° (or 0°); Use of the PS operator `www* setrgbcolor`




www.ps.bam.de/CE78/10L/L78E20FP.PS/.PDF; linearized output
 F: Output Linearization (OL) data CE78/10L/L78E20FP.DAT in File (F)




Radial grating (Siemens-star) N-W



Radial grating (Siemens-star) W-N




Radial grating (Siemens-star) N-Z




Radial grating (Siemens-star) W-Z

Picture C1: Radial gratings (Siemens-stars) N-W, W-N, N-Z and W-Z; PS operator: `www* setrgbcolor`




Picture C2: 5 visual equidistant L^* -grey steps + N_0 + W_1 ; PS operator: `www* setrgbcolor`




Picture C3: 16 visual equidistant L^* -grey steps; PS operator: `www* setrgbcolor`




ISO 9241-test chart for contrast range $Y_w:Y_n = 88.6 : 1.3$
 Ergonomics – Visual Displays – Field Assessment Methods



Picture C4: Landolt-rings W-N; PS operator: `www* setrgbcolor`




Picture C5: Line raster under 45° (or 135°); PS operator: `www* setrgbcolor`





Picture C6: Line raster under 90° (or 0°); Use of the PS operator `www* setrgbcolor`

input: `www* setrgbcolor`
 output: no change compared to input







www.ps.bam.de/CE78/10L/L78E30FP.PS/.PDF; linearized output
 F: Output Linearization (OL) data CE78/10L/L78E30FP.DAT in File (F)




Radial grating (Siemens-star) N-W



Radial grating (Siemens-star) W-N




Radial grating (Siemens-star) N-Z




Radial grating (Siemens-star) W-Z

Picture C1: Radial gratings (Siemens-stars) N-W, W-N, N-Z and W-Z; PS operator: *www* setrgbcolor*




Picture C2: 5 visual equidistant L^* -grey steps + N_0 + W_1 ; PS operator: *www* setrgbcolor*




Picture C3: 16 visual equidistant L^* -grey steps; PS operator: *www* setrgbcolor*




ISO 9241-test chart for contrast range $Y_w:Y_n = 88.6 : 2.5$
 Ergonomics – Visual Displays – Field Assessment Methods



Picture C4: Landolt-rings W-N; PS operator: *www* setrgbcolor*




Picture C5: Line raster under 45° (or 135°); PS operator: *www* setrgbcolor*





Picture C6: Line raster under 90° (or 0°); Use of the PS operator *www* setrgbcolor*

input: *www* setrgbcolor*
 output: no change compared to input







www.ps.bam.de/CE78/10L/L78E40FP.PS/.PDF; linearized output
 F: Output Linearization (OL) data CE78/10L/L78E40FP.DAT in File (F)




Radial grating (Siemens-star) N-W



Radial grating (Siemens-star) W-N




Radial grating (Siemens-star) N-Z




Radial grating (Siemens-star) W-Z

Picture C1: Radial gratings (Siemens-stars) N-W, W-N, N-Z and W-Z; PS operator: `www* setrgbcolor`



Picture C2: 5 visual equidistant L^* -grey steps + N_0 + W_1 ; PS operator: `www* setrgbcolor`




Picture C3: 16 visual equidistant L^* -grey steps; PS operator: `www* setrgbcolor`




ISO 9241-test chart for contrast range $Y_w:Y_n = 88.6 : 5.0$
 Ergonomics – Visual Displays – Field Assessment Methods


input: `www* setrgbcolor`
 output: no change compared to input




Picture C4: Landolt-rings W-N; PS operator: `www* setrgbcolor`





Picture C5: Line raster under 45° (or 135°); PS operator: `www* setrgbcolor`




Picture C6: Line raster under 90° (or 0°); Use of the PS operator `www* setrgbcolor`




www.ps.bam.de/CE78/10L/L78E50FP.PS/.PDF; linearized output
 F: Output Linearization (OL) data CE78/10L/L78E50FP.DAT in File (F)




Radial grating (Siemens-star) N-W



Radial grating (Siemens-star) W-N




Radial grating (Siemens-star) N-Z




Radial grating (Siemens-star) W-Z

Picture C1: Radial gratings (Siemens-stars) N-W, W-N, N-Z and W-Z; PS operator: `www* setrgbcolor`




Picture C2: 5 visual equidistant L^* -grey steps + N_0 + W_1 ; PS operator: `www* setrgbcolor`




Picture C3: 16 visual equidistant L^* -grey steps; PS operator: `www* setrgbcolor`




ISO 9241-test chart for contrast range $Y_w:Y_n = 88.6 : 10.1$
 Ergonomics – Visual Displays – Field Assessment Methods



Picture C4: Landolt-rings W-N; PS operator: `www* setrgbcolor`




Picture C5: Line raster under 45° (or 135°); PS operator: `www* setrgbcolor`





Picture C6: Line raster under 90° (or 0°); Use of the PS operator `www* setrgbcolor`

input: `www* setrgbcolor`
 output: no change compared to input







www.ps.bam.de/CE78/10L/L78E60FP.PS/.PDF; linearized output
 F: Output Linearization (OL) data CE78/10L/L78E60FP.DAT in File (F)




Radial grating (Siemens-star) N-W



Radial grating (Siemens-star) W-N




Radial grating (Siemens-star) N-Z




Radial grating (Siemens-star) W-Z

Picture C1: Radial gratings (Siemens-stars) N-W, W-N, N-Z and W-Z; PS operator: *www* setrgbcolor*




Picture C2: 5 visual equidistant L^* -grey steps + N_0 + W_1 ; PS operator: *www* setrgbcolor*




Picture C3: 16 visual equidistant L^* -grey steps; PS operator: *www* setrgbcolor*




ISO 9241-test chart for contrast range $Y_w:Y_n = 88.6 : 20.2$
 Ergonomics – Visual Displays – Field Assessment Methods



Picture C4: Landolt-rings W-N; PS operator: *www* setrgbcolor*



Picture C5: Line raster under 45° (or 135°); PS operator: *www* setrgbcolor*



Picture C6: Line raster under 90° (or 0°); Use of the PS operator *www* setrgbcolor*


input: *www* setrgbcolor*

output: no change compared to input



See for similar files: <http://www.ps.bam.de/CE78/>
Technical information: <http://www.ps.bam.de/9241>

Version 2.0, io=3.3, CIE LAB, 1.0 exp





www.ps.bam.de/CE78/10L/L78E70FP.PS/.PDF; linearized output
F: Output Linearization (OL) data CE78/10L/L78E70FP.DAT in File (F)




BAM registration: 20040101-CE78/10L/L78E70FP.PS/.PDF
Application for achromatic display output with CIE LAB contrast range $L^*:W:L^*\eta = 95.4 : 69.7$


BAM material: code=rh4ta




Radial grating (Siemens-star) N-W



Radial grating (Siemens-star) W-N




Radial grating (Siemens-star) N-Z




Radial grating (Siemens-star) W-Z

Picture C1: Radial gratings (Siemens-stars) N-W, W-N, N-Z and W-Z; PS operator: `www* setrgbcolor`




Picture C2: 5 visual equidistant L^* -grey steps + N_0 + W_1 ; PS operator: `www* setrgbcolor`




Picture C3: 16 visual equidistant L^* -grey steps; PS operator: `www* setrgbcolor`




ISO 9241-test chart for contrast range $Y_w:Y_n = 88.6 : 40.3$
Ergonomics – Visual Displays – Field Assessment Methods



Picture C4: Landolt-rings W-N; PS operator: `www* setrgbcolor`



Picture C5: Line raster under 45° (or 135°); PS operator: `www* setrgbcolor`



Picture C6: Line raster under 90° (or 0°); Use of the PS operator `www* setrgbcolor`

input: `www* setrgbcolor`
output: no change compared to input

