




Picture C1: Radial gratings (Siemens-stars) N-W, W-N, N-Z and W-Z; PS operator: `www*setrgbcolor`




Picture C2: 5 visual equidistant  $L^*$ -grey steps +  $N_0$  +  $W_1$ ; PS operator: `www*setrgbcolor`




Picture C3: 16 visual equidistant  $L^*$ -grey steps; PS operator: `www*setrgbcolor`



Picture C4: Landolt-rings W-N; PS operator: `www*setrgbcolor`



Picture C5: Line raster under 45° (or 135°); PS operator: `www*setrgbcolor`



Picture C6: Line raster under 90° (or 0°); Use of the PS operator `www*setrgbcolor`


See for similar files: <http://www.ps.bam.de/CE78/>  
Technical information: <http://www.ps.bam.de/9241>

Version 2.0, io=3.3, CIELAB, 1.0 exp


BAM registration: 20040101-CE78/10Q/Q78E00SP.PS/.PDF BAM material: code=rh4ta  
Application for achromatic display output with CIELAB contrast range  $L^*:L^*_n = 95.4 : 18.0$

See for similar files: <http://www.ps.bam.de/CE78/>  
 Technical information: <http://www.ps.bam.de/9241>


Version 2.0, io=3.3, CIELAB, 1.0 exp



Picture C1: Radial gratings (Siemens-stars) N-W, W-N, N-Z and W-Z; PS operator: `www*setrgbcolor`




Picture C2: 5 visual equidistant  $L^*$ -grey steps +  $N_0$  +  $W_1$ ; PS operator: `www*setrgbcolor`




Picture C3: 16 visual equidistant  $L^*$ -grey steps; PS operator: `www*setrgbcolor`

ISO 9241-test chart for contrast range  $Y_w:Y_n = 88.6 : 2.5$   
 Ergonomics – Visual Displays – Field Assessment Methods


input: `www*setrgbcolor`  
 output: no change compared to input



Picture C4: Landolt-rings W-N; PS operator: `www*setrgbcolor`



Picture C5: Line raster under 45° (or 135°); PS operator: `www*setrgbcolor`




Picture C6: Line raster under 90° (or 0°); Use of the PS operator `www*setrgbcolor`

BAM registration: 20040101-CE78/10Q/Q78E10SP.PS/.PDF BAM material: code=rh4ta  
 Application for achromatic display output with CIELAB contrast range  $L^*_w:L^*_n = 95.4 : 18.0$


See for similar files: <http://www.ps.bam.de/CE78/>  
 Technical information: <http://www.ps.bam.de/9241>

Version 2.0, io=3.3, CIELAB, 1.0 exp


BAM registration: 20040101-CE78/10Q/Q78E20SP.PS/.PDF BAM material: code=rh4ta  
 Application for achromatic display output with CIELAB contrast range  $L^*:L^*\eta = 95.4 : 18.0$



Picture C1: Radial gratings (Siemens-stars) N-W, W-N, N-Z and W-Z; PS operator: `www*setrgbcolor`



Picture C2: 5 visual equidistant  $L^*$ -grey steps +  $N_0$  +  $W_1$ ; PS operator: `www*setrgbcolor`




Picture C3: 16 visual equidistant  $L^*$ -grey steps; PS operator: `www*setrgbcolor`

ISO 9241-test chart for contrast range  $Y_w:Y_n = 88.6 : 2.5$


Ergonomics – Visual Displays – Field Assessment Methods

input: `www*setrgbcolor`


output: *no change compared to input*



Picture C4: Landolt-rings W-N; PS operator: `www*setrgbcolor`



Picture C5: Line raster under 45° (or 135°); PS operator: `www*setrgbcolor`




Picture C6: Line raster under 90° (or 0°); Use of the PS operator `www*setrgbcolor`




See for similar files: <http://www.ps.bam.de/CE78/>  
 Technical information: <http://www.ps.bam.de/9241>

Version 2.0, io=3.3, CIELAB, 1.0 exp


BAM registration: 20040101-CE78/10Q/Q78E30SP.PS/.PDF BAM material: code=rh4ta  
 Application for achromatic display output with CIELAB contrast range  $L^*_w:L^*_n = 95.4 : 18.0$



Picture C1: Radial gratings (Siemens-stars) N-W, W-N, N-Z and W-Z; PS operator: `www*setrgbcolor`




Picture C2: 5 visual equidistant  $L^*$ -grey steps +  $N_0$  +  $W_1$ ; PS operator: `www*setrgbcolor`




Picture C3: 16 visual equidistant  $L^*$ -grey steps; PS operator: `www*setrgbcolor`


ISO 9241-test chart for contrast range  $Y_w:Y_n = 88.6 : 2.5$   
 Ergonomics – Visual Displays – Field Assessment Methods



Picture C4: Landolt-rings W-N; PS operator: `www*setrgbcolor`



Picture C5: Line raster under 45° (or 135°); PS operator: `www*setrgbcolor`




Picture C6: Line raster under 90° (or 0°); Use of the PS operator `www*setrgbcolor`

input: `www*setrgbcolor`  
 output: no change compared to input


See for similar files: <http://www.ps.bam.de/CE78/>  
 Technical information: <http://www.ps.bam.de/9241>

Version 2.0, io=3.3, CIELAB, 1.0 exp


BAM registration: 20040101-CE78/10Q/Q78E40SP.PS/.PDF BAM material: code=rh4ta  
 Application for achromatic display output with CIELAB contrast range  $L^*:L^*_n = 95.4 : 18.0$



Picture C1: Radial gratings (Siemens-stars) N-W, W-N, N-Z and W-Z; PS operator: `www*setrgbcolor`



Picture C2: 5 visual equidistant  $L^*$ -grey steps +  $N_0$  +  $W_1$ ; PS operator: `www*setrgbcolor`




Picture C3: 16 visual equidistant  $L^*$ -grey steps; PS operator: `www*setrgbcolor`


ISO 9241-test chart for contrast range  $Y_w:Y_n = 88.6 : 2.5$   
 Ergonomics – Visual Displays – Field Assessment Methods

<b>background step 0</b>		<b>1 ring step</b>	
<b>Hex code</b>		<b>Hex code</b>	
7		8	
E		F	
2		0	
8		6	
F		D	

Picture C4: Landolt-rings W-N; PS operator: `www*setrgbcolor`




Picture C5: Line raster under 45° (or 135°); PS operator: `www*setrgbcolor`




Picture C6: Line raster under 90° (or 0°); Use of the PS operator `www*setrgbcolor`


input: `www*setrgbcolor`  
 output: no change compared to input




Picture C1: Radial gratings (Siemens-stars) N-W, W-N, N-Z and W-Z; PS operator: `www*setrgbcolor`




Picture C2: 5 visual equidistant  $L^*$ -grey steps +  $N_0$  +  $W_1$ ; PS operator: `www*setrgbcolor`




Picture C3: 16 visual equidistant  $L^*$ -grey steps; PS operator: `www*setrgbcolor`



Picture C4: Landolt-rings W-N; PS operator: `www*setrgbcolor`



Picture C5: Line raster under 45° (or 135°); PS operator: `www*setrgbcolor`




Picture C6: Line raster under 90° (or 0°); Use of the PS operator `www*setrgbcolor`


See for similar files: <http://www.ps.bam.de/CE78/>  
 Technical information: <http://www.ps.bam.de/9241>

Version 2.0, io=3.3, CIELAB, 1.0 exp


BAM registration: 20040101-CE78/10Q/Q78E60SP.PS/.PDF BAM material: code=rh4ta  
 Application for achromatic display output with CIELAB contrast range  $L^*:L^*\eta = 95.4 : 18.0$



Picture C1: Radial gratings (Siemens-stars) N-W, W-N, N-Z and W-Z; PS operator: `www*setrgbcolor`




Picture C2: 5 visual equidistant  $L^*$ -grey steps +  $N_0$  +  $W_1$ ; PS operator: `www*setrgbcolor`




Picture C3: 16 visual equidistant  $L^*$ -grey steps; PS operator: `www*setrgbcolor`


ISO 9241-test chart for contrast range  $Y_w:Y_n = 88.6 : 2.5$   
 Ergonomics – Visual Displays – Field Assessment Methods



Picture C4: Landolt-rings W-N; PS operator: `www*setrgbcolor`





Picture C5: Line raster under 45° (or 135°); PS operator: `www*setrgbcolor`



Picture C6: Line raster under 90° (or 0°); Use of the PS operator `www*setrgbcolor`


input: `www*setrgbcolor`  
 output: no change compared to input




See for similar files: <http://www.ps.bam.de/CE78/>  
 Technical information: <http://www.ps.bam.de/9241>

Version 2.0, io=3.3, CIELAB, 1.0 exp


BAM registration: 20040101-CE78/10Q/Q78E70SP.PS/.PDF BAM material: code=rh4ta  
 Application for achromatic display output with CIELAB contrast range  $L^*_w:L^*_n = 95.4 : 18.0$



Picture C1: Radial gratings (Siemens-stars) N-W, W-N, N-Z and W-Z; PS operator: `www*setrgbcolor`




Picture C2: 5 visual equidistant  $L^*$ -grey steps +  $N_0$  +  $W_1$ ; PS operator: `www*setrgbcolor`




Picture C3: 16 visual equidistant  $L^*$ -grey steps; PS operator: `www*setrgbcolor`

ISO 9241-test chart for contrast range  $Y_w:Y_n = 88.6 : 2.5$   
 Ergonomics – Visual Displays – Field Assessment Methods


input: `www*setrgbcolor`  
 output: *no change compared to input*



Picture C4: Landolt-rings W-N; PS operator: `www*setrgbcolor`



Picture C5: Line raster under 45° (or 135°); PS operator: `www*setrgbcolor`



Picture C6: Line raster under 90° (or 0°); Use of the PS operator `www*setrgbcolor`

