


DEF GHIJ KLMNOPQRSTUVWXYZ0123456789 ABCDEFGHIJ KLMNOPQRSTUVWXYZ0123456789 ABC

Stephen J.Singel  
 Labanda Sinpat Abarress  
 Tendar,BSF  
 URANGLE



**LSB**  
 Funtres Solber Netener

26 March 2002



Jonathan Q.Maderia

Inpert Mampem Abaress  
 2343 Stantim Dawer Lank  
 Benhibe,SDF

Mr.Maderia:

Nam liber tempor cum soluta nobis eleifend option cogue nihil consequat, velillum. Dolore eu zril feugiat nulla facilisis at vero eros accumsan et iustó odio dignissim qui blandit praesent lutatum ril lobortis nisl ut aliquip exea commodo consequat. Duis autem vel eum iríure dolor in hendreritin vulputate velit esse molestie tincidunt ut laoreet dolore magna aliquam erat volutpat. Ut wisi enim ad minim vêniam, quis nostrud exerci tation ullamcorper suscipit lotis nisl ut aliquip ex ea commodo con-sequat. Lorem ipsum dolor sit.

Amet,consectetuer adipiscing elit, sêd diam nonummy nibh veniam, recneps adipiscing elit, sed diam nonummy nibtil laoreet dolore magna aliam erat volutpat. Ut wisi enim minim veniam, quisient nostrud. Soluta nobis eleifend optn cogue nihil imerdiet domg id quod mzim plerat facer posim aum. Lorem ipsm dolor sit amet, consectuer. Duis autem vel eum iriure dolor in hendreritin vulputate velit esse ea commodo molestie.



$L^*$ / $Y$ (absolute)	18.0/2.5	23.1/3.8	28.2/5.5	33.3/7.7	38.5/10.3	43.6/13.6	48.8/17.4	54.0/21.9	59.1/27.2	64.3/33.2	69.5/40.0	74.7/47.8	79.8/56.5	85.0/66.1	90.2/76.8	95.4/88.6
No. and Hex code	00,F	01,E	02,D	03,C	04,B	05,A	06,9	07,8	08,7	09,6	10,5	11,4	12,3	13,2	14,1	15,0
$\bar{w}^*$ CIE LAB,r (relative)	0,000	0,067	0,133	0,200	0,267	0,333	0,400	0,467	0,533	0,600	0,667	0,733	0,800	0,867	0,933	1,000

Stephen J.Singel  
 Demperta Aminerimum  
 Labanda Sinpat Abarress

SJS:dwg

170 mm +/- 1%

www.ps.bam.de/CE89/10L/L89E00SP.PS/.PDF;  
 S: Output Linearization (OL) data CE89/10L/L89E00SP.DAT in Distiller Startup (S) Directory

Form: IB, Serie: 1, Page: 1  
 input: nnn0\* setcmykcolor  
 Test device type: name2 output: Startup (S) data dependend  
 2003-05-01, name1  
 ISO/IEC 19752-test chart, form 1B  
 Proposal by DIN NI28








See for similar files: <http://www.ps.bam.de/CE89/>  
Technical information: <http://www.ps.bam.de/19752>

Version 2.0, io=2,2?

BAM registration: 20030501-CE89/10L/L89E02SP.PS/.PDF  
application for yield test of monochromatic printers

BAM material: code=rh4ta




170 mm (+/- 1 mm)

Picture 1: Colour area 14 mm x 14 mm; Yield / Emission: 10% geometrical and 5% visual area coverage

DEF GHIJ KLMNOPQRSTUVWXYZ0123456789 ABCDEFGHIJ KLMNOPQRSTUVWXYZ0123456789 ABC

Stephen J.Singel  
 Labanda Sinpat Abarress  
 Tendar,BSF  
 URANGLE



**LSB**  
 Funtres Solber Netener

26 March 2002



Jonathan Q.Maderia

Inpert Mampem Abaress  
 2343 Stantim Dawer Lank  
 Benhibe,SDF

Mr.Maderia:

Nam liber tempor cum soluta nobis eleifend option cogue nihil consequat, velillum. Dolore eu zril feugiat nulla facilisis at vero eros accumsan et iustó odio dignissim qui blandit praesent lutatum ril lobortis nisl ut aliquip exea commodo consequat. Duis autem vel eum iriure dolor in hendreritin vulputate velit esse molestie tincidunt ut laoreet dolore magna aliquam erat volutpat. Ut wisi enim ad minim vêniam, quis nostrud exerci tation ullamcorper suscipit lotis nisl ut aliquip ex ea commodo con-sequat. Lorem ipsum dolor sit.

Amet,consectetuer adipiscing elit, sêd diam nonummy nibh veniam, recneps adipiscing elit, sed diam nonummy nibtil laoreet dolore magna aliam erat volutpat. Ut wisi enim minim veniam, quisient nostrud. Soluta nobis eleifend optn cogue nihil imerdiet domg id quod mzim plerat facer posim aum. Lorem ipsm dolor sit amet, consectuer. Duis autem vel eum iriure dolor in hendreritin vulputate velit esse ea commodo molestie.



$L^*$ / $Y$ (absolute)	18.0/2.5	23.1/3.8	28.2/5.5	33.3/7.7	38.5/10.3	43.6/13.6	48.8/17.4	54.0/21.9	59.1/27.2	64.3/33.2	69.5/40.0	74.7/47.8	79.8/56.5	85.0/66.1	90.2/76.8	95.4/88.6
No. and Hex code	00,F	01,E	02,D	03,C	04,B	05,A	06,9	07,8	08,7	09,6	10,5	11,4	12,3	13,2	14,1	15,0
$\bar{w}^*$ CIE LAB,r (relative)	0,000	0,067	0,133	0,200	0,267	0,333	0,400	0,467	0,533	0,600	0,667	0,733	0,800	0,867	0,933	1,000

Stephen J.Singel  
 Demperta Aminerimum  
 Labanda Sinpat Abarress

SJS:dwg

170 mm +/- 1%

www.ps.bam.de/CE89/10L/L89E00SP.PS/.PDF;  
 S: Output Linearization (OL) data CE89/10L/L89E00SP.DAT in Distiller Startup (S) Directory

Form: IB, Serie: 2, Page: 1  
 input: nnn0\* setcmykcolor  
 name1 2003-05-01, name2  
 Test device type: name2 output: Startup (S) data dependend

ISO/IEC 19752-test chart, form 1B  
 Proposal by DIN NI28







