



Stephen J.Singel
Labanda Sinpat Abarress
Tendar,BSF
URANGLE



Mr.Maderia:




Amet,consectetur adipiscing elit, sed diam nonummy nibh veniam,
recneps adipiscing elit, sed diam nonummy nibtil laoreet dolore magna
aliam erat volutpat. Ut wisi enim minim veniam, quisient nostrud. Soluta
nobis eleifend optn cogue nihil imerdiet domg id quod mzim plerat facer
posim aum. Lorem ipsum dolor sit amet, consectetur. Duis autem vel eum
iriure dolor in hendreritin vulputate velit esse ea commodo molestie.





L^* / Y (absolute)	18,0/2,5	23,1/3,8	28,2/5,5	33,3/7,7	38,5/10,3	43,6/13,6	48,8/17,4	54,0/21,9	59,1/27,2	64,3/33,2	69,5/40,0	74,7/47,8	79,8/56,5	85,0/66,1	90,2/76,8	95,4/88,6
No. and Hex code	00,F	01,E	02,D	03,C	04,B	05,A	06,9	07,8	08,7	09,6	10,5	11,4	12,3	13,2	14,1	15,0
L^* ^{CIELAB,r} (relative)	0,000	0,067	0,133	0,200	0,267	0,333	0,400	0,467	0,533	0,600	0,667	0,733	0,800	0,867	0,933	1,000

SJS:dwg

Technical information: <http://www.ps.bam.de/19752> Version 2.0, io=2,2








See for similar files: <http://www.ps.bam.de/CE93/>
Technical information: <http://www.ps.bam.de/19752>

Version 2.0, io=2,2

BAM registration: 20030501-CE93/10L/L93E02NP.PS/.PDF BAM material: code=rh4ta
application for yield test of monochromatic printers



Picture 1: Colour area 14 mm x 14 mm; Yield / Emission: 10% geometrical and 5% visual area coverage

ISO/IEC 19752-test chart, form 3B
Proposal by DIN NI28

2003-05-01, name1

input: nnn0* setcmykcolor


Test device type: name2 output: no change compared to input

Form: 3B, Serie: 1, Page: 5


Stephen J.Singel
Labanda Sinpat Abarress
Tendar,BSF
URANGLE



Mr.Maderia:



Nam liber tempor cum soluta nobis eleifend option cogue nihil consequat, velillum. Dolore eu zril feugiat nulla facilisis at vero eros accumsan et iustó odio dignissim qui blandit praesent lutatum ril lobortis nisl ut aliquip exea commodo consequat. Duis autem vel eum iríure dolor in hendreritin vulputate velit esse molestie tincidunt ut laoreet dolore magna aliquam erat volutpat. Ut wisi enim ad minim vêniam, quis nostrud exerci tation ullamcorper suscipit lotis nisl ut aliquip ex ea commodo con-sequat. Lorem ipsum dolor sit.





L^* / Y (absolute)	18,0/2,5	23,1/3,8	28,2/5,5	33,3/7,7	38,5/10,3	43,6/13,6	48,8/17,4	54,0/21,9	59,1/27,2	64,3/33,2	69,5/40,0	74,7/47,8	79,8/56,5	85,0/66,1	90,2/76,8	95,4/88,6
No. and Hex code	00,F	01,E	02,D	03,C	04,B	05,A	06,9	07,8	08,7	09,6	10,5	11,4	12,3	13,2	14,1	15,0
L^* $^{CIE\,LAB,r}$ (relative)	0,000	0,067	0,133	0,200	0,267	0,333	0,400	0,467	0,533	0,600	0,667	0,733	0,800	0,867	0,933	1,000


Stephen J.Singel
Demperta Aminerimum
Labanda Sinpat Abarress


SJS:dwg

Version 2.0, io=2,2







224 mm (± 1 mm)

N 0001*

1

1

Test device type: name2 output: *no change compared to input*

Test device type: name2 output: *no change compared to input*

Version 2.0, io=2,2

BAM material: code=rh4ta
matic printers