


Radial grating (Siemens-star) N-W



Radial grating (Siemens-star) W-N




Radial grating (Siemens-star) N-Z




Radial grating (Siemens-star) W-Z

Picture C1: Radial gratings (Siemens-stars) N-W, W-N, N-Z and W-Z; PS operator: $w^*lin\ 1.0\ exp\ setgray$



Picture C2: 5 visual equidistant L^* -grey steps + N_0 + W_I ; PS operator: $w^*lin\ 1.0\ exp\ setgray$



Picture C3: 16 visual equidistant L^* -grey steps; PS operator: $w^*lin\ 1.0\ exp\ setgray$

ISO/IEC-test chart no. 3 according to


ISO/IEC 15775 and
DIS ISO/IEC 19839-X; input: $w^*lin\ 1.0\ exp\ setgray$
output: $olv^* / www^* setrgbcolor$

background step 0		1 ring step	0-1
Hex code		Hex code	
7		8	7-8
E		F	E-F
2		0	2-0
8		6	8-6
F		D	F-D

Landolt-rings W-N


code: background-ring

Picture C4: Landolt-rings W-N; PS operator: $w^*lin\ 1.0\ exp\ setgray$



line raster diameter in lpi

Picture C5: Line raster under 45° (or 135°); PS operator: $w^*lin\ 1.0\ exp\ setgray$



line raster diameter in lpi

Picture C6: Line raster under 90° (or 0°); PS operator: $w^*lin\ 1.0\ exp\ setgray$