




Radial grating (Siemens-star) N-W



Radial grating (Siemens-star) W-N




Radial grating (Siemens-star) N-Z




Radial grating (Siemens-star) W-Z

Picture C1: Radial gratings (Siemens-stars) N-W, W-N, N-Z and W-Z; PS operator: *nnn0\* setcmykcolor*



Picture C2: 5 visual equidistant  $L^*$ -grey steps +  $N_0$  +  $W_I$ ; PS operator: *cmv0\* setcmykcolor*



Picture C3: 16 visual equidistant  $L^*$ -grey steps; PS operator: *nnn0\* setcmykcolor*

ISO/IEC-test chart no. 3 according to


ISO/IEC 15775 and input: *nnn0\*lin 1.0 exp setcmykcolor*  
DIS ISO/IEC 19839-X; output: *cmv0\* / 000n\* setcmykcolor*

background step 0		1	ring step	0-1
Hex code		8	Hex code	7-8
7		F		E-F
E		0		2-0
2		6		8-6
8		D		F-D
F				


Landolt-rings W-N

code: background-ring

Picture C4: Landolt-rings W-N; PS operator: *nnn0\* setcmykcolor*



Picture C5: Line raster under 45° (or 135°); PS operator: *nnn0\* setcmykcolor*



Picture C6: Line raster under 90° (or 0°); Use of the PS operator *nnn0\* setcmykcolor*