



www.ps.bam.de/DE98/10L/L98E04NP.PS/.PDF; start output  
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)


image pixel: 192 x 128

384 x 256  
768 x 512  
1536 x 1024  
3072 x 2048


See for similar files: <http://www.ps.bam.de/DI>  
Information and Order: <http://www.ps.bam.de/>

98/  
Version 2.0, io=2,2

Picture D1: Flower motif, 14 CIE-test colours and 2 + 16 grey steps (nf); PS operators *settransfer*, *4 colorimage*




Picture D2: Radial gratings  $W-O$ ,  $W-L$ ,  $W-V$ ,  $W-N$ , and  $W-Z$ ; PS operator `cmy0* setcmykcolor (only)`




Picture D3: 14 CIE-test colours and 2 + 16 grey steps; Use of PS operator `cmy0* setcmykcolor (only)`

Fig. D1 to D7 of ISO/IEC-test chart 4;


**ISO/IEC 15775** and **DIS ISO/IEC 19839-X**; output: no change compared to input



Picture D4: 16 equidistant steps **W-O**, **W-L**, **W-V** and **W-N**; Use of PS operator *cmy0\* setcmykcolor* (only)



Picture D6: Landolt-rings  $W-O$  and  $W-L$ : Use of PS operator `cmy0* setmycolor` (only)



Picture D7: Landolt-rings W-V and W-N; Use of PS operator `cmy0* setcmykcolor` (only)

BAM registration: 20030101-DE98/10L/L98E04NPPS.PDF BAM material: code=rha4ta  
only) application for monitors (Yr=2.5) and printers