




Picture C2: 5 visual equidistant L^* -grey steps + N_0 + W_I ; Use of the PS operator $000n^*$ setcmykcolor




Picture C2: 5 visual equidistant L^* -grey steps + N_0 + W_I ; Use of the PS operator w^* setgray




Picture C2: 5 visual equidistant L^* -grey steps + N_0 + W_I ; Use of the PS operator $nnn0^*$ setcmykcolor




Picture C2: 5 visual equidistant L^* -grey steps + N_0 + W_I ; Use of the PS operator www^* setrgbcolor




Picture C2: 5 visual lighter L^* -grey steps + N_0 + W_I ; Use of the PS operator $000n^*$ setcmykcolor



Picture C2: 5 visual lighter L^* -grey steps + N_0 + W_I ; Use of the PS operator w^* setgray



Picture C2: 5 visual lighter L^* -grey steps + N_0 + W_I ; Use of the PS operator $nnn0^*$ setcmykcolor



Picture C2: 5 visual lighter L^* -grey steps + N_0 + W_I ; Use of the PS operator www^* setrgbcolor

Fig. C2 of ISO/IEC-test chart no. 3;

ISO/IEC 15775 and input: mixture (m) of PS operators
DIS ISO/IEC 19839-X; output: $cmy0^*$ / $nnn0^*$ setcmykcolor