




Radial grating (Siemens-star) N-W



Radial grating (Siemens-star) W-N




Radial grating (Siemens-star) N-Z




Radial grating (Siemens-star) W-Z

Picture C1: Radial gratings (Siemens-stars) N-W, W-N, N-Z and W-Z; PS oper.: *w*lin 1.0 exp setgray*



Picture C2: 5 visual equidistant L^* -grey steps + N_0 + W_1 ; PS operator: *w*lin 1.0 exp setgray*



Picture C3: 16 visual equidistant L^* -grey steps; PS operator: *w*lin 1.0 exp setgray*

ISO/IEC-test chart no. 3A according to


ISO/IEC 15775 and input: *w*lin 1.0 exp setgray*
DIS ISO/IEC 19839-X; output: *Startup (S) data dependend*

| background step 0 | | 1 ring step | 0-1 |
|-------------------|--|-------------|-----|
| Hex code | | Hex code | |
| 7 | | 8 | 7-8 |
| E | | F | E-F |
| 2 | | 0 | 2-0 |
| 8 | | 6 | 8-6 |
| F | | D | F-D |


Landolt-rings W-N

code: background-ring

Picture C4: Landolt-rings W-N; PS operator: *w*lin 1.0 exp setgray*



Picture C5: Line raster under 45° (or 135°); PS operator: *w*lin 1.0 exp setgray*



Picture C6: Line raster under 90° (or 0°); PS operator: *w*lin 1.0 exp setgray*