




Radial grating (Siemens-star) N-W



Radial grating (Siemens-star) W-N




Radial grating (Siemens-star) N-Z




Radial grating (Siemens-star) W-Z

Picture C1: Radial gratings (Siemens-stars) N-W, W-N, N-Z and W-Z; PS oper.: *nnn0\*lin 1.0 exp setcmykcolor*



Picture C2: 5 visual equidistant  $L^*$ -grey steps +  $N_0$  +  $W_I$ ; PS operator: *nnn0\*lin 1.0 exp setcmykcolor*



Picture C3: 16 visual equidistant  $L^*$ -grey steps; PS operator: *nnn0\*lin 1.0 exp setcmykcolor*


ISO/IEC-test chart no. 3B according to

ISO/IEC 15775 and  
DIS ISO/IEC 19839-X;

input: *nnn0\*lin 1.0 exp setcmykcolor*  
output: *Startup (S) data dependend*

background step 0  
Hex code

7  
E  
2  
8  
F



Landolt-rings W-N


1 ring step  
Hex code

8  
F  
0  
6  
D

0-1  
7-8  
E-F  
2-0  
8-6  
F-D


code: background-ring

Picture C4: Landolt-rings W-N; PS operator: *nnn0\*lin 1.0 exp setcmykcolor*



line raster diameter in *lpi*

Picture C5: Line raster under 45° (or 135°); PS operator: *nnn0\*lin 1.0 exp setcmykcolor*



line raster diameter in *lpi*

Picture C6: Line raster under 90° (or 0°); PS operator: *nnn0\*lin 1.0 exp setcmykcolor*