




See for similar files: <http://www.ps.bam.de/IE93/>
 Information and Order: <http://www.ps.bam.de> Version 2.0, io=5,5




Radial grating (Siemens-star) N-W





Radial grating (Siemens-star) W-N



Radial grating (Siemens-star) N-Z



Radial grating (Siemens-star) W-Z

Picture C1: Radial gratings (Siemens-stars) N-W, W-N, N-Z and W-Z; Use of the PS operator LAB^* setcolorPicture C2: 5 visual equidistant L^* -grey steps + N_0 + W_1 ; Use of the PS operator LAB^* setcolorPicture C3: 16 visual equidistant L^* -grey steps; Use of the PS operator LAB^* setcolor

background step 0		ring step 0-1
Hex code		Hex code
7		8
E		F
2		0
8		6
F		D

Landolt-rings W-N

Picture C4: Landolt-rings W-N; Use of the PS operator LAB^* setcolor

120	128	136	144	152	160	168	176	184	192	200	208	216	224	232	240
(+8)															
60															
(+4)															
30															
(+2)															
15															
(+1)															
15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30

line raster diameter in lpi

Picture C5: Line raster under 45° (or 135°); Use of the PS operator LAB^* setcolor

120	128	136	144	152	160	168	176	184	192	200	208	216	224	232	240
(+8)															
60															
(+4)															
30															
(+2)															
15															
(+1)															
15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30

line raster diameter in lpi

Picture C6: Line raster under 90° (or 0°); Use of the PS operator LAB^* setcolor

Fig. C1 to C6 of ISO/IEC-test chart 3;

ISO/IEC 15775 and
 DIS ISO/IEC 19839-X; input: LAB^* setcolor
 output: no change compared to input