


See for similar files: <http://www.ps.bam.de/LE20/LE20.HTM>
Information and Order: <http://www.ps.bam.de> Version 2.0, io=0,0

BAM registration: 20030101-LE20/10L/L20E03NP.PS/.PDF BAM material: code=rha4ta
application for measurement of monitor (Yr=2.5) and printer output




16 equidistant CIELAB steps: C-W, C-N, M-W, M-N, Y-W, Y-N, O-W, O-N, L-W, L-N, V-W, V-N, N-W (cm_y0*), W-N (000n*) and 14 CIE-test colours (left)


Test chart LE20: 16 CIELAB steps of ISO/IEC 15775
Chromatic-White, Chromatic-Black, Black-White

input(ORS18): cm_yn* setcmykcolor
output(ORS18): no change compared to input


www.ps.bam.de/LE20/10L/L20E13NP.PS/.PDF; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)




Picture B4w: 16 equidistant steps **W-C**, **W-M**, **W-Y** and **W-N**; PS operator *cmY0* setcmYcolor* (only)




Picture B5w: Script and Landolt-rings **N**, **M**, **C** and **Y**; PS operator *cmY0* setcmYcolor* (only)




Picture B6w: Landolt-rings **W-C** and **W-M**; PS operator *cmY0* setcmYcolor* (only)




Picture B7w: Landolt-rings **W-Y** and **W-N**; PS operator *cmY0* setcmYcolor* (only)




Test chart LE20: 16 CIELAB steps of ISO/IEC 15775
Chromatic-White, Chromatic-Black, Black-White




Picture D4w: 16 equidistant steps **W-O**, **W-L**, **W-V** and **W-N**; PS operator *cmY0* / 000n* setcmYcolor*



Picture D5w: Script and Landolt-rings **N**, **O**, **L** and **V**; PS operator *cmY0* / 000n* setcmYcolor*



Picture D6w: Landolt-rings **W-O** and **W-L**; PS operator *cmY0* / 000n* setcmYcolor*




Picture D7w: Landolt-rings **W-V** and **W-N**; PS operator *cmY0* / 000n* setcmYcolor*

input(ORS18): *cmYn* setcmYcolor*
output(ORS18): *no change compared to input*



BAM registration: 20030101-LE20/10L/L20E13NP.PS/.PDF
application for measurement of monitor (Yr=2.5) and printer output
BAM material: code=rha4ta


www.ps.bam.de/LE20/10L/L20E23NP.PS/.PDF; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)




Picture B4n: 16 equidistant steps $N-C$, $N-M$, $N-Y$ and $N-W$; PS operator $cmy0^*/000n^*$ setcmykcolor




Picture B5n: Script and Landolt-rings W , M , C and Y ; PS operator $cmy0^*/000n^*$ setcmykcolor




Picture B6n: Landolt-rings $N-C$ and $N-M$; Use of PS operator $cmy0^*/000n^*$ setcmykcolor



Picture B7n: Landolt-rings $N-Y$ and $N-W$; PS operator $cmy0^*/000n^*$ setcmykcolor




Test chart LE20: 16 CIELAB steps of ISO/IEC 15775
Chromatic-White, Chromatic-Black, Black-White




Picture D4n: 16 equidistant steps $N-O$, $N-L$, $N-V$ and $N-W$; PS operator $cmy0^*$ setcmykcolor (only)



Picture D5n: Script and Landolt-rings W , O , L and V ; PS operator $cmy0^*$ setcmykcolor (only)



Picture D6n: Landolt-rings $N-O$ and $N-L$; Use of PS operator $cmy0^*$ setcmykcolor(only)




Picture D7n: Landolt-rings $N-V$ and $N-W$; PS operator $cmy0^*$ setcmykcolor (only)

input(ORS18): cmy^n^* setcmykcolor
output(ORS18): no change compared to input

BAM registration: 20030101-LE20/10L/L20E23NP.PS/.PDF
application for measurement of monitor ($Y_r=2.5$) and printer output
BAM material: code=rha4ta


www.ps.bam.de/LE20/10L/L20E33NP.PS/.PDF; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)




Picture B4n: 16 equidistant steps $N-C$, $N-M$, $N-Y$ and $N-W$; PS operator $cm\dot{y}0^*/000n^*setcmykcolor$




Picture B5n: Script and Landolt-rings W , M , C and Y ; PS operator $cm\dot{y}0^*/000n^*setcmykcolor$




Picture B6n: Landolt-rings $N-C$ and $N-M$; Use of PS operator $cm\dot{y}0^*/000n^*setcmykcolor$




Picture B7n: Landolt-rings $N-Y$ and $N-W$; PS operator $cm\dot{y}0^*/000n^*setcmykcolor$




Test chart LE20: 16 CIELAB steps of ISO/IEC 15775
Chromatic-White, Chromatic-Black, Black-White




Picture B4w: 16 equidistant steps $W-C$, $W-M$, $W-Y$ and $W-N$; PS operator $cm\dot{y}0^*setcmykcolor$ (only)



Picture B5w: Script and Landolt-rings N , M , C and Y ; PS operator $cm\dot{y}0^*setcmykcolor$ (only)




Picture B6w: Landolt-rings $W-C$ and $W-M$; PS operator $cm\dot{y}0^*setcmykcolor$ (only)



Picture B7w: Landolt-rings $W-Y$ and $W-N$; PS operator $cm\dot{y}0^*setcmykcolor$ (only)

input(ORS18): $cm\dot{y}n^*setcmykcolor$
output(ORS18): no change compared to input


BAM registration: 20030101-LE20/10L/L20E33NP.PS/.PDF
application for measurement of monitor ($Y_r=2.5$) and printer output
BAM material: code=rha4ta




Picture D4n: 16 equidistant steps $N-O$, $N-L$, $N-V$ and $N-W$; PS operator $cmY0^* setcmykcolor$ (only)





Picture D5n: Script and Landolt-rings W , O , L and V ; PS operator $cmY0^* setcmykcolor$ (only)




Picture D6n: Landolt-rings $N-O$ and $N-L$; Use of PS operator $cmY0^* setcmykcolor$ (only)




Picture D7n: Landolt-rings $N-V$ and $N-W$; PS operator $cmY0^* setcmykcolor$ (only)




Picture D4w: 16 equidistant steps $W-O$, $W-L$, $W-V$ and $W-N$; PS operator $cmY0^* / 000n^* setcmykcolor$



Picture D5w: Script and Landolt-rings N , O , L and V ; PS operator $cmY0^* / 000n^* setcmykcolor$



Picture D6w: Landolt-rings $W-O$ and $W-L$; PS operator $cmY0^* / 000n^* setcmykcolor$



Picture D7w: Landolt-rings $W-V$ and $W-N$; PS operator $cmY0^* / 000n^* setcmykcolor$

