www.ps.bam.de/LE20/10L/L20E06FP.PS/.PDF; linearized output
F: Output Linearization (OL) data LE20/10L/L20E06FP.DAT in File (F)



used coordinate squares

*c000**

C

*1my0**

*0m00**

M

*c1y0**

*00y0**

Y

*cm10**

*0my0**

O

*c110**

*c0y0**

L

*1m10**

*cm00**

V

*11y0**

*cmy0**

N/W

*000n**

16 equidistant CIELAB steps: *C−W, C−N, M−W, M−N, Y−W, Y−N, O−W, O−N, L−W, L−N, V−W, V−N, N−W (cmy0*), W−N (000n*)* and 14 CIE-test colours (left)

Test chart LE20: 16 CIELAB steps of ISO/IEC 15775
Chromatic−White, Chromatic−Black, Black−White

input(ORS18): *cmyn* setcmykcolor*
output(ORS18): *000n* setcmykcolor*

See for similar files: http://www.ps.bam.de/LE20/LE20.HTM
Information and Order: http://www.ps.bam.de Version 2.0, io=0,6; iORS; oORS, CIELAB

BAM registration: 20030101-LE20/10L/L20E06FP.PS/.PDF BAM material: code=rha4ta
application for measurement of monitor (Yr=2.5) and printer output



Picture B4w: 16 equidistant steps ***W-C, W-M, W-Y*** and ***W-N***; PS operator *cmy0* setcmykcolor* (only)



Picture B5w: Script and Landolt-rings ***N, M, C*** and ***Y***; PS operator *cmy0* setcmykcolor* (only)



Picture B6w: Landolt-rings ***W-C*** and ***W-M***; PS operator *cmy0* setcmykcolor* (only)



Picture B7w: Landolt-rings ***W-Y*** and ***W-N***; PS operator *cmy0* setcmykcolor* (only)



Picture D4w: 16 equidistant steps ***W-O, W-L, W-V*** and ***W-N***; PS operator *cmy0* / 000n* setcmykcolor*



Picture D5w: Script and Landolt-rings ***N, O, L*** and ***V***; PS operator *cmy0* / 000n* setcmykcolor*



Picture D6w: Landolt-rings ***W-O*** and ***W-L***; PS operator *cmy0* / 000n* setcmykcolor*



Picture D7w: Landolt−rings ***W-V*** and ***W-N***; PS operator *cmy0* / 000n* setcmykcolor*

See for similar files: http://www.ps.bam.de/LE20/LE20.HTM
Information and Order: http://www.ps.bam.de Version 2.0, io=0,6; iORS; oORS, CIELAB

BAM registration: 20030101-LE20/10L/L20E16FP.PS/.PDF BAM material: code=rha4ta
application for measurement of monitor (Yr=2.5) and printer output

Test chart LE20: 16 CIELAB steps of ISO/IEC 15775
Chromatic−White, Chromatic−Black, Black−White

input(ORS18): *cmyn* setcmykcolor*
output(ORS18): *000n* setcmykcolor*

www.ps.bam.de/LE20/10L/L20E26FP.PS/.PDF; linearized output
F: Output Linearization (OL) data LE20/10L/L20E26FP.DAT in File (F)



Picture B4n: 16 equidistant steps ***N-C, N-M, N-Y*** and ***N-W***; PS operator *cmy0* / 000n* setcmykcolor*



Picture B5n: Script and Landolt-rings ***W, M, C*** and ***Y***; PS operator *cmy0* / 000n* setcmykcolor*



Picture B6n: Landolt-rings ***N-C*** and ***N-M***; Use of PS operator *cmy0* / 000n* setcmykcolor*



Picture B7n: Landolt-rings ***N-Y*** and ***N-W***; PS operator *cmy0* / 000n* setcmykcolor*



Picture D4n: 16 equidistant steps ***N-O, N-L, N-V*** and ***N-W***; PS operator *cmy0* setcmykcolor* (only)



Picture D5n: Script and Landolt-rings ***W, O, L*** and ***V***; PS operator *cmy0* setcmykcolor* (only)



Picture D6n: Landolt-rings ***N-O*** and ***N-L***; Use of PS operator *cmy0* setcmykcolor*(only)



Picture D7n: Landolt−rings ***N-V*** and ***N-W***; PS operator *cmy0* setcmykcolor* (only)

See for similar files: http://www.ps.bam.de/LE20/LE20.HTM
Information and Order: http://www.ps.bam.de Version 2.0, io=0,6; iORS; oORS, CIELAB

BAM registration: 20030101-LE20/10L/L20E26FP.PS/.PDF BAM material: code=rha4ta
application for measurement of monitor (Yr=2.5) and printer output

Test chart LE20: 16 CIELAB steps of ISO/IEC 15775
Chromatic−White, Chromatic−Black, Black−White

input(ORS18): *cmyn* setcmykcolor*
output(ORS18): *000n* setcmykcolor*

www.ps.bam.de/LE20/10L/L20E36FP.PS/.PDF; linearized output
F: Output Linearization (OL) data LE20/10L/L20E36FP.DAT in File (F)



Picture B4n: 16 equidistant steps ***N-C, N-M, N-Y*** and ***N-W***; PS operator *cmy0* / 000n* setcmykcolor*



Picture B5n: Script and Landolt-rings ***W, M, C*** and ***Y***; PS operator *cmy0* / 000n* setcmykcolor*



Picture B6n: Landolt-rings ***N-C*** and ***N-M***; Use of PS operator *cmy0* / 000n* setcmykcolor*



Picture B7n: Landolt-rings ***N-Y*** and ***N-W***; PS operator *cmy0* / 000n* setcmykcolor*



Picture B4w: 16 equidistant steps ***W-C, W-M, W-Y*** and ***W-N***; PS operator *cmy0* setcmykcolor* (only)



Picture B5w: Script and Landolt-rings ***N, M, C*** and ***Y***; PS operator *cmy0* setcmykcolor* (only)



Picture B6w: Landolt-rings ***W-C*** and ***W-M***; PS operator *cmy0* setcmykcolor* (only)



Picture B7w: Landolt-rings ***W-Y*** and ***W-N***; PS operator *cmy0* setcmykcolor* (only)

See for similar files: http://www.ps.bam.de/LE20/LE20.HTM
Information and Order: http://www.ps.bam.de Version 2.0, io=0,6; iORS; oORS, CIELAB

BAM registration: 20030101-LE20/10L/L20E36FP.PS/.PDF BAM material: code=rha4ta
application for measurement of monitor (Yr=2.5) and printer output

Test chart LE20: 16 CIELAB steps of ISO/IEC 15775
Chromatic−White, Chromatic−Black, Black−White

input(ORS18): *cmyn* setcmykcolor*
output(ORS18): *000n* setcmykcolor*

www.ps.bam.de/LE20/10L/L20E46FP.PS/.PDF; linearized output
F: Output Linearization (OL) data LE20/10L/L20E46FP.DAT in File (F)



Picture D4n: 16 equidistant steps ***N-O, N-L, N-V*** and ***N-W***; PS operator *cmy0* setcmykcolor* (only)



Picture D5n: Script and Landolt-rings ***W, O, L*** and ***V***; PS operator *cmy0* setcmykcolor* (only)



Picture D6n: Landolt-rings ***N-O*** and ***N-L***; Use of PS operator *cmy0* setcmykcolor* (only)



Picture D7n: Landolt−rings ***N-V*** and ***N-W***; PS operator *cmy0* setcmykcolor* (only)



Picture D4w: 16 equidistant steps ***W-O, W-L, W-V*** and ***W-N***; PS operator *cmy0* / 000n* setcmykcolor*



Picture D5w: Script and Landolt-rings ***N, O, L*** and ***V***; PS operator *cmy0* / 000n* setcmykcolor*



Picture D6w: Landolt-rings ***W-O*** and ***W-L***; PS operator *cmy0* / 000n* setcmykcolor*



Picture D7w: Landolt−rings ***W-V*** and ***W-N***; PS operator *cmy0* / 000n* setcmykcolor*

See for similar files: http://www.ps.bam.de/LE20/LE20.HTM
Information and Order: http://www.ps.bam.de Version 2.0, io=0,6; iORS; oORS, CIELAB

BAM registration: 20030101-LE20/10L/L20E46FP.PS/.PDF BAM material: code=rha4ta
application for measurement of monitor (Yr=2.5) and printer output

Test chart LE20: 16 CIELAB steps of ISO/IEC 15775
Chromatic−White, Chromatic−Black, Black−White

input(ORS18): *cmyn* setcmykcolor*
output(ORS18): *000n* setcmykcolor*