


See for similar files: <http://www.ps.bam.de/LE27/>  
Technical information: <http://www.ps.bam.de>

Version 2.1, io=1,1; iORS; oORS, CIELAB

BAM registration: 20040501-LE27/10L/L27E00FP.PS/.PDF  
application for measurement of printer systems

BAM material: code=rh4ta

/LE27/ Form: I/5, Serie: I/1, Page: 1 Page count: 1




Test chart file with 363 colours and digital equidistant 5 and 16 step grey scale; see IEC 61966-7-1:1999 and ISO/IEC 15775:1999; rgb colour coordinates, patch size and grey layout 8mm x 8mm, 245mm x 165mm


BAM-test chart no. LE27

384 colours of IEC 61966-7-1:1999 und ISO/IEC 15775:1999


input: *rgb setrgbcolor*

output: *olv\* setrgbcolor / w\* setgray*





Test chart file with 363 colours and digital equidistant 5 and 16 step grey scale; see IEC 61966-7-1:1999 and ISO/IEC 15775:1999; rgb colour coordinates, patch size and grey layout 10mm x10mm, 295mm x 198mm



Test chart file with 384 (16x24) grey colours for IEC 61966-7-1; rgb colour coordinates, patch size and grey layout 9mm x 9mm, 268mm x 180mm

