www.ps.bam.de/LE30/10L/L30E02SP.PS/.PDF;
S: Output Linearization (OL) data LE30/10L/L30E02SP.DAT in Distiller Startup (S) Directory




used coordinate squares

*c000**

**C**

*1my0**

*0m00**

**M**

*c1y0**

*00y0**

**Y**

*cm10**

*0my0**

**O**

*c110**

*c0y0**

**L**

*1m10**

*cm00**

**V**

*11y0**

*cmy0**

**N/W**

*000n**

16 equidistant CIELAB steps: *C−W, C−N, M−W, M−N, Y−W, Y−N, O−W, O−N, L−W, L−N, V−W, V−N, N−W (cmy0*), W−N (000n*)* and 14 CIE-test colours (left)

Test chart LE30: 16 CIELAB steps of ISO/IEC 15775
Chromatic−White, Chromatic−Black, Black−White

input(ORS18): *cmyn* setcmykcolor*
output(ORS18): *Startup (S) data dependend*

See for similar files: http://www.ps.bam.de/LE30/LE30.HTM
Information and Order: http://www.ps.bam.de Version 2.0, io=0,0?

BAM registration: 20030101-LE30/10L/L30E02SP.PS/.PDF BAM material: code=rha4ta
application for measurement of monitor (Yr=2.5) and printer output

www.ps.bam.de/LE30/10L/L30E12SP.PS/.PDF;
S: Output Linearization (OL) data LE30/10L/L30E12SP.DAT in Distiller Startup (S) Directory




Picture B4w: 16 equidistant steps ***W-C, W-M, W-Y*** and ***W-N***; PS operator *cmy0* setcmykcolor* (only)




Picture B5w: Script and Landolt-rings ***N, M, C*** and ***Y***; PS operator *cmy0* setcmykcolor* (only)




Picture B6w: Landolt-rings ***W-C*** and ***W-M***; PS operator *cmy0* setcmykcolor* (only)




Picture B7w: Landolt-rings ***W-Y*** and ***W-N***; PS operator *cmy0* setcmykcolor* (only)




Picture D4w: 16 equidistant steps ***W-O, W-L, W-V*** and ***W-N***; PS operator *cmy0* / 000n* setcmykcolor*




Picture D5w: Script and Landolt-rings ***N, O, L*** and ***V***; PS operator *cmy0* / 000n* setcmykcolor*




Picture D6w: Landolt-rings ***W-O*** and ***W-L***; PS operator *cmy0* / 000n* setcmykcolor*




Picture D7w: Landolt−rings ***W-V*** and ***W-N***; PS operator *cmy0* / 000n* setcmykcolor*

BAM registration: 20030101-LE30/10L/L30E12SP.PS/.PDF BAM material: code=rha4ta
application for measurement of monitor (Yr=2.5) and printer output

See for similar files: http://www.ps.bam.de/LE30/LE30.HTM
Information and Order: http://www.ps.bam.de Version 2.0, io=0,0?

Test chart LE30: 16 CIELAB steps of ISO/IEC 15775
Chromatic−White, Chromatic−Black, Black−White

input(ORS18): *cmyn* setcmykcolor*
output(ORS18): *Startup (S) data dependend*

www.ps.bam.de/LE30/10L/L30E22SP.PS/.PDF;
S: Output Linearization (OL) data LE30/10L/L30E22SP.DAT in Distiller Startup (S) Directory




Picture B4n: 16 equidistant steps ***N-C, N-M, N-Y*** and ***N-W***; PS operator *cmy0* / 000n* setcmykcolor*


Picture B5n: Script and Landolt-rings ***W, M, C*** and ***Y***; PS operator *cmy0* / 000n* setcmykcolor*




Picture B6n: Landolt-rings ***N-C*** and ***N-M***; Use of PS operator *cmy0* / 000n* setcmykcolor*




Picture B7n: Landolt-rings ***N-Y*** and ***N-W***; PS operator *cmy0* / 000n* setcmykcolor*




Picture D4n: 16 equidistant steps ***N-O, N-L, N-V*** and ***N-W***; PS operator *cmy0* setcmykcolor* (only)


Picture D5n: Script and Landolt-rings ***W, O, L*** and ***V***; PS operator *cmy0* setcmykcolor* (only)




Picture D6n: Landolt-rings ***N-O*** and ***N-L***; Use of PS operator *cmy0* setcmykcolor*(only)




Picture D7n: Landolt−rings ***N-V*** and ***N-W***; PS operator *cmy0* setcmykcolor* (only)

See for similar files: http://www.ps.bam.de/LE30/LE30.HTM
Information and Order: http://www.ps.bam.de Version 2.0, io=0,0?

BAM registration: 20030101-LE30/10L/L30E22SP.PS/.PDF BAM material: code=rha4ta
application for measurement of monitor (Yr=2.5) and printer output

Test chart LE30: 16 CIELAB steps of ISO/IEC 15775
Chromatic−White, Chromatic−Black, Black−White

input(ORS18): *cmyn* setcmykcolor*
output(ORS18): *Startup (S) data dependend*

www.ps.bam.de/LE30/10L/L30E32SP.PS/.PDF;
S: Output Linearization (OL) data LE30/10L/L30E32SP.DAT in Distiller Startup (S) Directory




Picture B4n: 16 equidistant steps ***N-C, N-M, N-Y*** and ***N-W***; PS operator *cmy0* / 000n* setcmykcolor*


Picture B5n: Script and Landolt-rings ***W, M, C*** and ***Y***; PS operator *cmy0* / 000n* setcmykcolor*




Picture B6n: Landolt-rings ***N-C*** and ***N-M***; Use of PS operator *cmy0* / 000n* setcmykcolor*




Picture B7n: Landolt-rings ***N-Y*** and ***N-W***; PS operator *cmy0* / 000n* setcmykcolor*




Picture B4w: 16 equidistant steps ***W-C, W-M, W-Y*** and ***W-N***; PS operator *cmy0* setcmykcolor* (only)




Picture B5w: Script and Landolt-rings ***N, M, C*** and ***Y***; PS operator *cmy0* setcmykcolor* (only)




Picture B6w: Landolt-rings ***W-C*** and ***W-M***; PS operator *cmy0* setcmykcolor* (only)




Picture B7w: Landolt-rings ***W-Y*** and ***W-N***; PS operator *cmy0* setcmykcolor* (only)

See for similar files: http://www.ps.bam.de/LE30/LE30.HTM
Information and Order: http://www.ps.bam.de Version 2.0, io=0,0?

BAM registration: 20030101-LE30/10L/L30E32SP.PS/.PDF BAM material: code=rha4ta
application for measurement of monitor (Yr=2.5) and printer output

Test chart LE30: 16 CIELAB steps of ISO/IEC 15775
Chromatic−White, Chromatic−Black, Black−White

input(ORS18): *cmyn* setcmykcolor*
output(ORS18): *Startup (S) data dependend*




Picture D4n: 16 equidistant steps ***N-O, N-L, N-V*** and ***N-W***; PS operator *cmy0* setcmykcolor* (only)


Picture D5n: Script and Landolt-rings ***W, O, L*** and ***V***; PS operator *cmy0* setcmykcolor* (only)




Picture D6n: Landolt-rings ***N-O*** and ***N-L***; Use of PS operator *cmy0* setcmykcolor* (only)




Picture D7n: Landolt−rings ***N-V*** and ***N-W***; PS operator *cmy0* setcmykcolor* (only)




Picture D4w: 16 equidistant steps ***W-O, W-L, W-V*** and ***W-N***; PS operator *cmy0* / 000n* setcmykcolor*




Picture D5w: Script and Landolt-rings ***N, O, L*** and ***V***; PS operator *cmy0* / 000n* setcmykcolor*




Picture D6w: Landolt-rings ***W-O*** and ***W-L***; PS operator *cmy0* / 000n* setcmykcolor*




Picture D7w: Landolt−rings ***W-V*** and ***W-N***; PS operator *cmy0* / 000n* setcmykcolor*

See for similar files: http://www.ps.bam.de/LE30/LE30.HTM
Information and Order: http://www.ps.bam.de Version 2.0, io=0,0?

BAM registration: 20030101-LE30/10L/L30E42SP.PS/.PDF BAM material: code=rha4ta
application for measurement of monitor (Yr=2.5) and printer output

Test chart LE30: 16 CIELAB steps of ISO/IEC 15775
Chromatic−White, Chromatic−Black, Black−White

input(ORS18): *cmyn* setcmykcolor*
output(ORS18): *Startup (S) data dependend*